



OPTONICA

LED Lighting for Everyone

**OFFICIAL DISTRIBUTOR OF GREECE
LIGHTING EXPERT**

2021/2022

OPTONICA LED

Who we are:

OPTONICA is a dynamically evolving trade mark, registered in 2011 on the Bulgarian market and a leader in the technologies of the future: LED LIGHTING! We are a team of highly qualified specialists, always perfecting our knowledge and exploring the world of the rapidly developing LED technologies.

Mission:


Our main goal is to serve and cater for the needs of our potential clients and partners with a large variety and quantity of LED products.. We are sure of the quality of our products and guarantee that our services do not have an alternative, thus making us an indicator and an absolute priority in the precision and execution of our work.

Scope of work:

Our company is a main importer and provider of the richest and most versatile range of LED products. We work with established manufacturers, leaders in the field of the industrial LED revolution.

What we offer:

- New generation of LED lighting with a wide range of application: homes, offices, stores, restaurants, hotels, public and administrative buildings, hospitals, schools, gas stations, trade and industrial building, parks, sport halls and stadiums, lawns, garages and parking lots, billboards and commercial constructions.
- Uncompromising quality and up to 5 year warranty.
- Ecological products and 100% recycling.
- Wide range of products and optimum stock.
- Attractive and reliable terms for partners and distributors.
- Professional attitude and responsibility towards every engagement.



CONTENTS

LED Spots and Bulbs

04-41



Fixtures for Spotlights

41-65



LED T5, T8 Tubes

68-77



LED Fixture and Batten Lights

78-85



LED Emergency Lights

88-91



LED Surface Panels

94-99



LED Ceiling Light & Luxury Pendants

102-135



LED Panels and Mini Panels

138-165



LED Downlights

168-175



LED Strips

178-199



LED Flex Neon & SMD Modules

202-209




LED Power Supplies

212-223



LED Controllers and Accessories

226-239



LED Linear & Track Lights

242-261



OPTONICA

LED Floodlights

264-291



LED Industrial & Street Lights

294-313



LED Wall & Step Lights

318-329



LED Outdoor & Garden Lights

332-353



LED Motion Sensors

356-363



LED Displays and Stage Effects


366-391



Optonica Comfort Products

393-400





LED BULBS GOLDEN GLASS

Innovative line of half-glass covered bulbs combine the classic retro appearance with modern power-saving technology and creating a cosy ambience in both homes, villa or restaurants and bars.

Features:

- Up to 80% power saving impact
- 2500K warm white light
- Half silver or half golden cover
- E27 socket
- Stylish retro look
- Standard bulb head – A60 or G95

Application:

- Home use on standard sockets
- Outdoor use in enclosed fixtures
- Discrete or additional lighting




LED Bulbs PS160 Filament

8W E27 SP8-A1

GOLDEN GLASS

Watts	8W	CRI	Ra>80
Input Voltage	AC : 175-265V	IP Rating	IP20
Flux	810lm	Dimension	ø160x315 mm
Beam Angle	270°	Body Type	PS160
Socket	E27	Dimmable	YES

SKU: 1790 Warm White ■ 1800K 3800156617902




LED Bulbs BD200 Filament

8W E27 SP8-A1

GOLDEN GLASS

Watts	8W	CRI	Ra>80
Input Voltage	AC : 175-265V	IP Rating	IP20
Flux	810lm	Dimension	ø200x410 mm
Beam Angle	270°	Body Type	BD200
Socket	E27	Dimmable	YES

SKU: 1791 Warm White ■ 1800K 3800156617919




LED Bulbs G200 Filament

8W E27 SP8-A2

GOLDEN GLASS

Watts	8W	CRI	Ra>80
Input Voltage	AC : 175-265V	IP Rating	IP20
Flux	810lm	Dimension	ø200x300 mm
Beam Angle	270°	Body Type	G200
Socket	E27	Dimmable	YES

SKU: 1792 Warm White ■ 1800K 3800156617926




LED Bulbs MS200 Filament

8W E27 SP8-A2

GOLDEN GLASS

Watts	8W	CRI	Ra>80
Input Voltage	AC : 175-265V	IP Rating	IP20
Flux	810lm	Dimension	ø200x210 mm
Beam Angle	270°	Body Type	MS200
Socket	E27	Dimmable	YES

SKU: 1793 Warm White ■ 1800K 3800156617933




LED Bulbs Filament

4W E27 SP4-A4

HALF GOLDEN GLASS

Watts	4W	CRI	Ra>80
Input Voltage	AC : 175-265V	IP Rating	IP20
Flux	400lm	Dimension	ø95x135 mm
Beam Angle	180°	Body Type	G95
Socket	E27	Dimmable	NO

SKU: 1889 Warm White ■ 2700K 3800156618893




LED Bulbs Filament

4W E27 SP4-A4

HALF SILVER GLASS

Watts	4W	CRI	Ra>80
Input Voltage	AC : 175-265V	IP Rating	IP20
Flux	400lm	Dimension	ø95x135 mm
Beam Angle	180°	Body Type	G95
Socket	E27	Dimmable	NO

SKU: 1887 Warm White ■ 2700K 3800156618879




LED Bulbs Filament

7W E27 SP7-A5

HALF GOLDEN GLASS

Watts	7W	CRI	Ra>80
Input Voltage	AC : 175-265V	IP Rating	IP20
Flux	800lm	Dimension	ø95x135 mm
Beam Angle	180°	Body Type	G95
Socket	E27	Dimmable	NO

SKU: 1890 Warm White ■ 2700K 3800156618909




LED Bulbs Filament

7W E27 SP7-A5

HALF SILVER GLASS

Watts	7W	CRI	Ra>80
Input Voltage	AC : 175-265V	IP Rating	IP20
Flux	800lm	Dimension	ø95x135 mm
Beam Angle	180°	Body Type	G95
Socket	E27	Dimmable	NO

SKU: 1888 Warm White ■ 2700K 3800156618886






LED Bulbs Filament

4W E27 SP4-A4

HALF GOLDEN GLASS

Watts	4W	CRI	Ra>80
Input Voltage	AC : 175-265V	IP Rating	IP20
Flux	400lm	Dimension	ø60x105 mm
Beam Angle	180°	Body Type	A60
Socket	E27	Dimmable	NO

SKU: 1893 Warm White ■ 2700K 3800156618930




LED Bulbs Filament

4W E27 SP4-A4

HALF SILVER GLASS

Watts	4W	CRI	Ra>80
Input Voltage	AC : 175-265V	IP Rating	IP20
Flux	400lm	Dimension	ø60x105 mm
Beam Angle	180°	Body Type	A60
Socket	E27	Dimmable	NO

SKU: 1879 Warm White ■ 2700K 3800156618794




LED Bulbs Filament

7W E27 SP7-A5

HALF GOLDEN GLASS

Watts	7W	CRI	Ra>80
Input Voltage	AC : 175-265V	IP Rating	IP20
Flux	800lm	Dimension	ø60x105 mm
Beam Angle	180°	Body Type	A60
Socket	E27	Dimmable	NO

SKU: 1896 Warm White ■ 2700K 3800156618961




LED Bulbs Filament

7W E27 SP7-A5

HALF SILVER GLASS

Watts	7W	CRI	Ra>80
Input Voltage	AC : 175-265V	IP Rating	IP20
Flux	800lm	Dimension	ø60x105 mm
Beam Angle	180°	Body Type	A60
Socket	E27	Dimmable	NO

SKU: 1880 Warm White ■ 2700K 3800156618800




LED ST64 Bulbs Filament

4W E27 SP4-A4

GOLDEN GLASS

Watts	4W	CRI	Ra>80
Input Voltage	AC : 220-240V	IP Rating	IP20
Flux	400lm	Dimension	ø64x140 mm
Beam Angle	270°	Body Type	ST64
Socket	E27	Dimmable	NO

SKU: 1795 Warm White ■ 2500K 3800156617957




LED ST64 Bulbs Filament

6W E27 SP6-B1

GOLDEN GLASS

Watts	6W	CRI	Ra>80
Input Voltage	AC : 220-240V	IP Rating	IP20
Flux	540lm	Dimension	ø64x140 mm
Beam Angle	270°	Body Type	ST64
Socket	E27	Dimmable	NO

SKU: 1306 Warm White ■ 2500K 3800156613065




LED ST64 Bulbs Filament

8W E27 SP8-A4

GOLDEN GLASS

Watts	8W	CRI	Ra>80
Input Voltage	AC : 220-240V	IP Rating	IP20
Flux	700lm	Dimension	ø64x140 mm
Beam Angle	270°	Body Type	ST64
Socket	E27	Dimmable	NO

SKU: 1305 Warm White ■ 2500K 3800156613058




LED ST64 Bulbs Filament

8W E27 SP8-A6

GOLDEN GLASS

Watts	8W	CRI	Ra>80
Input Voltage	AC : 220-240V	IP Rating	IP20
Flux	700lm	Dimension	ø64x140 mm
Beam Angle	270°	Body Type	ST64
Socket	E27	Dimmable	YES

SKU: 1322 Warm White ■ 2500K 3800156613225






LED A60 Bulbs Filament 4W E27 SP4-A4



Watts	4W	CRI	Ra>80
Input Voltage	AC : 175-265V	IP Rating	IP20
Flux	400lm	Dimension	ø60x100 mm
Beam Angle	300°	Body Type	A60
Socket	E27	Dimmable	NO

SKU: 1857 White Light 6000K 3800156618572
 SKU: 1858 Neutral White 4500K 3800156618589
 SKU: 1859 Warm White 2700K 3800156618596




LED A60 Bulbs Filament 4W E27 SP4-A6



Watts	4W	CRI	Ra>80
Input Voltage	AC : 175-265V	IP Rating	IP20
Flux	400lm	Dimension	ø60x106 mm
Beam Angle	300°	Body Type	A60
Socket	E27	Dimmable	YES

SKU: 1899 Warm White 2700K 3800156618992




LED A60 Bulbs Filament 5W E27 SP5-A4



Watts	5W	CRI	Ra>80
Input Voltage	AC : 175-265V	IP Rating	IP20
Flux	600lm	Dimension	ø60x106 mm
Beam Angle	300°	Body Type	A60
Socket	E27	Dimmable	NO

SKU: 1854 White Light 6000K 3800156618541
 SKU: 1855 Neutral White 4500K 3800156618558
 SKU: 1856 Warm White 2700K 3800156618565




LED A60 Bulbs Filament 6W E27 SP6-B2



Watts	6W	CRI	Ra>80
Input Voltage	AC : 220-240V	IP Rating	IP20
Flux	630lm	Dimension	ø60x105 mm
Beam Angle	300°	Body Type	A60
Socket	E27	Dimmable	NO

SKU: 1308 Neutral White 4000K 3800156613089
 SKU: 1309 Warm White 2700K 3800156613096




LED A60 Bulbs Filament 8W E27 SP8-A5



Watts	8W	CRI	Ra>80
Input Voltage	AC : 220-240V	IP Rating	IP20
Flux	810lm	Dimension	ø60x110 mm
Beam Angle	300°	Body Type	A60
Socket	E27	Dimmable	NO

SKU: 1310 White Light 6000K 3800156613102
 SKU: 1311 Neutral White 4500K 3800156613119
 SKU: 1312 Warm White 2700K 3800156613126




LED A60 Bulbs Filament 8W E27 SP8-A9



Watts	8W	CRI	Ra>80
Input Voltage	AC : 220-240V	IP Rating	IP20
Flux	810lm	Dimension	ø60x110 mm
Beam Angle	300°	Body Type	A60
Socket	E27	Dimmable	YES

SKU: 1323 Warm White 2700K 3800156613232




LED A60 Bulbs Filament 8W E27 SP8-A1 GOLDEN GLASS



Watts	8W	CRI	Ra>80
Input Voltage	AC : 220-240V	IP Rating	IP20
Flux	810lm	Dimension	ø60x105 mm
Beam Angle	300°	Body Type	A60
Socket	E27	Dimmable	NO

SKU: 1796 Warm White 2500K 3800156617964




LED A60 Bulbs Filament 8W E27 SP8-A9 GOLDEN GLASS



Watts	8W	CRI	Ra>80
Input Voltage	AC : 220-240V	IP Rating	IP20
Flux	810lm	Dimension	ø60x105 mm
Beam Angle	300°	Body Type	A60
Socket	E27	Dimmable	YES

SKU: 1324 Warm White 2500K 3800156613249






LED A60 Bulbs Filament 10W E27 SP10-A5



Watts	10W	CRI	Ra>80
Input Voltage	AC : 220-240V	IP Rating	IP20
Flux	1350lm	Dimension	ø60x110 mm
Beam Angle	300°	Body Type	A60
Socket	E27	Dimmable	NO

SKU: 1313	White Light	6000K	3800156613133
SKU: 1314	Neutral White	4500K	3800156613140
SKU: 1315	Warm White	2700K	3800156613157




LED A65 Bulbs Filament 12W E27 SP12-A7



Watts	12W	CRI	Ra>80
Input Voltage	AC : 220-240V	IP Rating	IP20
Flux	1500lm	Dimension	ø65x126 mm
Beam Angle	300°	Body Type	A60
Socket	E27	Dimmable	NO

SKU: 1316	White Light	6000K	3800156613164
SKU: 1317	Neutral White	4500K	3800156613171
SKU: 1318	Warm White	2700K	3800156613188




LED A65 Bulbs Filament 14W E27 SP14-A7



Watts	14W	CRI	Ra>80
Input Voltage	AC : 220-240V	IP Rating	IP20
Flux	2000lm	Dimension	ø65x126 mm
Beam Angle	300°	Body Type	A60
Socket	E27	Dimmable	NO

SKU: 1319	White Light	6000K	3800156613195
SKU: 1320	Neutral White	4500K	3800156613201
SKU: 1321	Warm White	2700K	3800156613218




LED G45 Bulbs Filament 2W E27 SP2-A2



Watts	2W	CRI	Ra>80
Input Voltage	AC : 175-265V	IP Rating	IP20
Flux	200lm	Dimension	ø45x78 mm
Beam Angle	300°	Body Type	G45
Socket	E27	Dimmable	NO

SKU: 1864	White Light	6000K	3800156618640
SKU: 1865	Neutral White	4500K	3800156618657
SKU: 1866	Warm White	2700K	3800156618664




LED G45 Bulbs Filament 4W E27 SP4-A4



Watts	4W	CRI	Ra>80
Input Voltage	AC : 175-265V	IP Rating	IP20
Flux	400lm	Dimension	ø45x78 mm
Beam Angle	300°	Body Type	G45
Socket	E27	Dimmable	NO

SKU: 1867	White Light	6000K	3800156618671
SKU: 1868	Neutral White	4500K	3800156618688
SKU: 1869	Warm White	2700K	3800156618695




LED G45 Bulbs Filament 4W E27 SP4-A6



Watts	4W	CRI	Ra>80
Input Voltage	AC : 175-265V	IP Rating	IP20
Flux	320lm	Dimension	ø45x78 mm
Beam Angle	300°	Body Type	G45
Socket	E27	Dimmable	NO

SKU: 1325	Warm White	2700K	3800156613256
-----------	------------	-------	---------------




LED G45 Bulbs Filament 4W E27 SP4-A6 GOLDEN GLASS



Watts	4W	CRI	Ra>80
Input Voltage	AC : 175-265V	IP Rating	IP20
Flux	320lm	Dimension	ø45x78 mm
Beam Angle	300°	Body Type	G45
Socket	E27	Dimmable	YES

SKU: 1326	Warm White	2700K	3800156613263
-----------	------------	-------	---------------




LED G125 Bulbs Filament 4W E27 SP4-A4 GOLDEN GLASS



Watts	4W	CRI	Ra>80
Input Voltage	AC : 220-240V	IP Rating	IP20
Flux	400lm	Dimension	ø95x135 mm
Beam Angle	270°	Body Type	G95
Socket	E27	Dimmable	NO

SKU: 1794	Warm White	2500K	3800156617940
-----------	------------	-------	---------------






LED G125 Bulbs Filament
4W E27 SP10-A5



Watts	4W	CRI	Ra>80
Input Voltage	AC : 175-265V	IP Rating	IP20
Flux	400lm	Dimension	ø125x165 mm
Beam Angle	300°	Body Type	G125
Socket	E27	Dimmable	NO

SKU: 1863 Neutral White 4500K 3800156618633
SKU: 1862 Warm White 2700K 3800156618626




LED G45 Bulbs Filament
4W E14 SP4-A6



Watts	4W	CRI	Ra>80
Input Voltage	AC : 175-265V	IP Rating	IP20
Flux	400lm	Dimension	ø45x78 mm
Beam Angle	300°	Body Type	G45
Socket	E14	Dimmable	YES

SKU: 1417 Warm White 2700K 3800156614178




LED G125 Bulbs Filament
6.5W E27 SP10-A5



Watts	6.5W	CRI	Ra>80
Input Voltage	AC : 175-265V	IP Rating	IP20
Flux	810lm	Dimension	ø125x165 mm
Beam Angle	300°	Body Type	G125
Socket	E27	Dimmable	NO

SKU: 1861 Neutral White 4500K 3800156618619
SKU: 1860 Warm White 2700K 3800156618602




LED G45 Bulbs Filament
4W E14 SP4-A6
GOLDEN GLASS



Watts	4W	CRI	Ra>80
Input Voltage	AC : 175-265V	IP Rating	IP20
Flux	400lm	Dimension	ø45x78 mm
Beam Angle	300°	Body Type	G45
Socket	E14	Dimmable	NO

SKU: 1492 Warm White 2500K 3800156614925




LED G45 Bulbs Filament
2W E14 SP2-A2



Watts	2W	CRI	Ra>80
Input Voltage	AC : 175-265V	IP Rating	IP20
Flux	200lm	Dimension	ø45x78 mm
Beam Angle	300°	Body Type	G45
Socket	E14	Dimmable	NO

SKU: 1474 White Light 6000K 3800156614741
SKU: 1475 Neutral White 4500K 3800156614758
SKU: 1476 Warm White 2700K 3800156614765




LED G45 Bulbs Filament
4W E14 SP4-A6
GOLDEN GLASS



Watts	4W	CRI	Ra>80
Input Voltage	AC : 175-265V	IP Rating	IP20
Flux	400lm	Dimension	ø45x78 mm
Beam Angle	300°	Body Type	G45
Socket	E14	Dimmable	YES

SKU: 1418 Warm White 2500K 3800156614185




LED G45 Bulbs Filament
4W E14 SP4-A4



Watts	4W	CRI	Ra>80
Input Voltage	AC : 175-265V	IP Rating	IP20
Flux	400lm	Dimension	ø45x78 mm
Beam Angle	300°	Body Type	G45
Socket	E14	Dimmable	NO

SKU: 1477 White Light 6000K 3800156614772
SKU: 1478 Neutral White 4500K 3800156614789
SKU: 1479 Warm White 2700K 3800156614796




LED R50 Bulbs Filament
5W E14 SP5-A6



Watts	5W	CRI	Ra>80
Input Voltage	AC : 175-265V	IP Rating	IP20
Flux	600lm	Dimension	ø50x86 mm
Beam Angle	70°	Body Type	R50
Socket	E14	Dimmable	NO

SKU: 1872 Warm White 2700K 3800156618725






LED C35 Candle Filament
4W E14 SP4-A4



Watts	4W	CRI	Ra>80
Input Voltage	AC : 175-265V	IP Rating	IP20
Flux	400lm	Dimension	ø35x98 mm
Beam Angle	300°	Body Type	C35
Socket	E14	Dimmable	NO

SKU: 1470 White Light 6000K 3800156614703
 SKU: 1471 Neutral White 4500K 3800156614710
 SKU: 1472 Warm White 2700K 3800156614727




LED C35 Tip Candle Filament
4W E14 SP4-A4



Watts	4W	CRI	Ra>80
Input Voltage	AC : 175-265V	IP Rating	IP20
Flux	400lm	Dimension	ø35x115 mm
Beam Angle	300°	Body Type	C35 Tip
Socket	E14	Dimmable	NO

SKU: 1480 White Light 6000K 3800156614802
 SKU: 1481 Neutral White 4500K 3800156614819
 SKU: 1482 Warm White 2700K 3800156614826




LED C35 Candle Filament
4W E14 SP4-A6



Watts	4W	CRI	Ra>80
Input Voltage	AC : 175-265V	IP Rating	IP20
Flux	400lm	Dimension	ø35x98 mm
Beam Angle	300°	Body Type	C35
Socket	E14	Dimmable	YES

SKU: 1469 Neutral White 4500K 3800156614697
 SKU: 1473 Warm White 2700K 3800156614734




LED C35 Tip Candle Filament
4W E14 SP4-A6



Watts	4W	CRI	Ra>80
Input Voltage	AC : 175-265V	IP Rating	IP20
Flux	400lm	Dimension	ø35x115 mm
Beam Angle	300°	Body Type	C35 Tip
Socket	E14	Dimmable	YES

SKU: 1415 Warm White 2700K 3800156614154




LED C35 Candle Filament
4W E14 SP4-A4
GOLDEN GLASS



Watts	4W	CRI	Ra>80
Input Voltage	AC : 175-265V	IP Rating	IP20
Flux	400lm	Dimension	ø35x98 mm
Beam Angle	300°	Body Type	C35
Socket	E14	Dimmable	NO

SKU: 1490 Warm White 2500K 3800156614901




LED C35 Tip Candle Filament
4W E14 SP4-A6
GOLDEN GLASS



Watts	4W	CRI	Ra>80
Input Voltage	AC : 175-265V	IP Rating	IP20
Flux	400lm	Dimension	ø35x120 mm
Beam Angle	300°	Body Type	C35 Tip
Socket	E14	Dimmable	YES

SKU: 1416 Warm White 2500K 3800156614161




LED C35 Twist Candle Filament
4W E14 SP4-A4



Watts	4W	CRI	Ra>80
Input Voltage	AC : 175-265V	IP Rating	IP20
Flux	400lm	Dimension	ø35x98 mm
Beam Angle	300°	Body Type	C35 Twist
Socket	E14	Dimmable	NO

SKU: 1413 Warm White 2700K 3800156614130




LED C35 Tip Candle Filament
4W E14 SP4-A6
GOLDEN GLASS



Watts	4W	CRI	Ra>80
Input Voltage	AC : 175-265V	IP Rating	IP20
Flux	400lm	Dimension	ø35x120 mm
Beam Angle	300°	Body Type	C35 Tip
Socket	E14	Dimmable	NO

SKU: 1491 Warm White 2500K 3800156614918






LED C35 Candle Twist Bulbs Filament 4W E14 SP4-A4



Watts	4W	CRI	Ra>80
Input Voltage	AC : 175-265V	IP Rating	IP20
Flux	400lm	Dimension	ø35x115 mm
Beam Angle	300°	Body Type	C35T Twist
Socket	E14	Dimmable	NO




SKU: 1414 Warm White ■ 2700K 3800156614147



LED C35 Candle Filament 6W E14 SP6-B2



Watts	6W	CRI	Ra>80
Input Voltage	AC : 175-265V	IP Rating	IP20
Flux	730lm	Dimension	ø35x98 mm
Beam Angle	300°	Body Type	C35
Socket	E14	Dimmable	NO



SKU: 1410 White Light ■ 6000K 3800156614109
SKU: 1411 Neutral White ■ 4500K 3800156614116
SKU: 1412 Warm White ■ 2700K 3800156614123




LED Bulb A60 High Lumen 9W E27 SP9-A4



Watts	9W	CRI	Ra>80
Input Voltage	AC : 220-240V	IP Rating	IP20
Flux	806lm	Dimension	ø60x108 mm
Beam Angle	270°	Body Type	A60
Socket	E27	Dimmable	NO

SKU: 1774 White Light ■ 6000K 3800156617742
SKU: 1775 Neutral White ■ 4500K 3800156617759
SKU: 1776 Warm White ■ 2700K 3800156617766




LED Bulbs A60 High Lumen 9W E27 SP9-A4



Watts	9W	CRI	Ra>80
Input Voltage	AC : 220-240V	IP Rating	IP20
Flux	806lm	Dimension	ø60x108 mm
Beam Angle	270°	Body Type	A60
Socket	E27	Dimmable	NO

SKU: 1330 White Light ■ 6000K 3800156613300
SKU: 1331 Neutral White ■ 4500K 3800156613317
SKU: 1332 Warm White ■ 2700K 3800156613324



OPTONICA




LED Bulb A60

10W E27 SP10-A3




Watts	10W	CRI	Ra>80
Input Voltage	AC : 220-240V	IP Rating	IP20
Flux	800lm	Dimension	ø60x110 mm
Beam Angle	270°	Body Type	A60
Socket	E27	Dimmable	YES

SKU: 1849	White Light	6000K	3800156618497
SKU: 1850	Neutral White	4500K	3800156618503
SKU: 1830	Warm White	2700K	3800156618305




LED Bulb A60 High Lumen

11W E27 SP11-A1



Watts	11W	CRI	Ra>80
Input Voltage	AC : 220-240V	IP Rating	IP20
Flux	1055lm	Dimension	ø60x110mm
Beam Angle	270°	Body Type	A60
Socket	E27	Dimmable	NO

SKU: 1777	White Light	6000K	3800156617773
SKU: 1778	Neutral White	4500K	3800156617780
SKU: 1779	Warm White	2700K	3800156617797




LED Bulb A60 High Lumen

11W E27 SP11-A1



Watts	11W	CRI	Ra>80
Input Voltage	AC : 220-240V	IP Rating	IP20
Flux	1055lm	Dimension	ø60x108 mm
Beam Angle	270°	Body Type	A60
Socket	E27	Dimmable	NO

SKU: 1333	White Light	6000K	3800156613331
SKU: 1334	Neutral White	4500K	3800156613348
SKU: 1335	Warm White	2700K	3800156613355




LED Bulb A60

12W E27 SP12-A5



Watts	12W	CRI	Ra>80
Input Voltage	AC : 175-265V	IP Rating	IP20
Flux	1055lm	Dimension	ø60x120 mm
Beam Angle	270°	Body Type	A60
Socket	E27	Dimmable	YES

SKU: 1851	White Light	6000K	3800156618510
SKU: 1852	Neutral White	4500K	3800156618527
SKU: 1834	Warm White	2700K	3800156618343



OPTONICA




LED Bulb A65

15W E27 SP15-A6



Watts	15W	CRI	Ra>80
Input Voltage	AC : 175-265V	IP Rating	IP20
Flux	1320lm	Dimension	ø65x122 mm
Beam Angle	270°	Body Type	A65
Socket	E27	Dimmable	NO

SKU: 1835	White Light	6000K	3800156618350
SKU: 1836	Neutral White	4500K	3800156618367
SKU: 1837	Warm White	2700K	3800156618374




LED Bulb A70

18W E27 SP18-A1



Watts	18W	CRI	Ra>80
Input Voltage	AC : 175-265V	IP Rating	IP20
Flux	1440lm	Dimension	ø70x134 mm
Beam Angle	270°	Body Type	A70
Socket	E27	Dimmable	NO

SKU: 1881	White Light	6000K	3800156618817
SKU: 1882	Neutral White	4500K	3800156618824
SKU: 1883	Warm White	2700K	3800156618831




LED Bulb A65

19W E27 SP20-A1



Watts	19W	CRI	Ra>80
Input Voltage	AC : 220-240V	IP Rating	IP20
Flux	2000lm	Dimension	ø65x138 mm
Beam Angle	270°	Body Type	A65
Socket	E27	Dimmable	NO

SKU: 1707	White Light	6000K	3800156617070
SKU: 1708	Neutral White	4500K	3800156617087
SKU: 1709	Warm White	2700K	3800156617094




LED Bulb G95

12W E27 SP12-A5



Watts	12W	CRI	Ra>80
Input Voltage	AC : 170-265V	IP Rating	IP20
Flux	1050lm	Dimension	ø95x138 mm
Beam Angle	270°	Body Type	G95
Socket	E27	Dimmable	YES

SKU: 1844	Warm White	2700K	3800156618442
-----------	------------	-------	---------------




OPTONICA


LED Bulb G95
12W E27 SP12-A5



Watts	12W	CRI	Ra>80
Input Voltage	AC : 175-265V	IP Rating	IP20
Flux	1055lm	Dimension	ø95x138 mm
Beam Angle	270°	Body Type	A60
Socket	E27	Dimmable	NO

SKU: 1841 White Light ■ 6000K 3800156618411
 SKU: 1842 Neutral White ■ 4500K 3800156618428
 SKU: 1843 Warm White ■ 2700K 3800156618435


LED Bulb G120
15W E27 SP15-A6



Watts	15W	CRI	Ra>80
Input Voltage	AC : 175-265V	IP Rating	IP20
Flux	1320lm	Dimension	ø120x155 mm
Beam Angle	270°	Body Type	G120
Socket	E27	Dimmable	NO

SKU: 1845 White Light ■ 6000K 3800156618459
 SKU: 1846 Neutral White ■ 4500K 3800156618466
 SKU: 1847 Warm White ■ 2700K 3800156618473


LED Bulb G120
18W E27 SP18-A1



Watts	18W	CRI	Ra>80
Input Voltage	AC : 175-265V	IP Rating	IP20
Flux	1440lm	Dimension	ø125x172 mm
Beam Angle	270°	Body Type	120
Socket	E27	Dimmable	NO

SKU: 1884 White Light ■ 6000K 3800156618848
 SKU: 1885 Neutral White ■ 4500K 3800156618855
 SKU: 1886 Warm White ■ 2700K 3800156618862


LED Bulb G63
6W E27 SP6-A8


Watts	6W	CRI	Ra>80
Input Voltage	AC : 220-240V	IP Rating	IP20
Flux	480lm	Dimension	ø63x100 mm
Beam Angle	200°	Body Type	A60
Socket	E27	Dimmable	NO

SKU: 1876 White Light ■ 6000K 3800156618763
 SKU: 1877 Neutral White ■ 4500K 3800156618770
 SKU: 1878 Warm White ■ 2700K 3800156618787




OPTONICA


LED Bulb Mosquito Zapper
8W+2W E27 SP8-A3



Watts	8W+2W Zapper	CRI	Ra>80
Input Voltage	AC : 100-265V	IP Rating	IP20
Flux	640lm	Dimension	ø95x172 mm
Beam Angle	180°	Body Type	G95
Socket	E27	Dimmable	NO

SKU: 1819 Neutral White ■ 4500K 3800156618466


LED Bulb G45
4W E27 SP4-A5



Watts	4W	CRI	Ra>80
Input Voltage	AC : 175-265V	IP Rating	IP20
Flux	320lm	Dimension	ø45x75 mm
Beam Angle	180°	Body Type	G45
Socket	E27	Dimmable	NO

SKU: 1838 White Light ■ 6000K 3800156618381
 SKU: 1839 Neutral White ■ 4500K 3800156618398
 SKU: 1840 Warm White ■ 2700K 3800156618404


LED Bulb G45
6W E27 SP6-A8



Watts	6W	CRI	Ra>80
Input Voltage	AC : 220-240V	IP Rating	IP20
Flux	480lm	Dimension	ø45x75 mm
Beam Angle	180°	Body Type	G45
Socket	E27	Dimmable	NO

SKU: 1816 White Light ■ 6000K 3800156618169
 SKU: 1817 Neutral White ■ 4500K 3800156618176
 SKU: 1818 Warm White ■ 2700K 3800156618183


LED Bulb G45
8.5W E27 SP9-A3


Watts	8.5W	CRI	Ra>80
Input Voltage	AC : 175-265V	IP Rating	IP20
Flux	800lm	Dimension	ø45x75 mm
Beam Angle	180°	Body Type	G45
Socket	E27	Dimmable	NO

SKU: 1813 White Light ■ 6000K 3800156618138
 SKU: 1814 Neutral White ■ 4500K 3800156618145
 SKU: 1815 Warm White ■ 2700K 3800156618152






LED Bulb T100 High Power
25W E27 SP25-A1



Watts	25W	CRI	Ra>80
Input Voltage	AC : 175-265V	IP Rating	IP20
Flux	2500lm	Dimension	ø100x190 mm
Beam Angle	270°	Body Type	T100
Socket	E27	Dimmable	NO

SKU: 1891 White Light 6000K 3800156618916
SKU: 1892 Neutral White 4500K 3800156618923




LED Bulb T120 High Power
35W E27 SP35-A1



Watts	35W	CRI	Ra>80
Input Voltage	AC : 175-265V	IP Rating	IP20
Flux	3500lm	Dimension	ø120x200 mm
Beam Angle	180°	Body Type	T120
Socket	E27	Dimmable	NO

SKU: 1894 White Light 6000K 3800156618947
SKU: 1895 Neutral White 4500K 3800156618954




LED Bulb T140 High Power
45W E27 SP40-A1



Watts	45W	CRI	Ra>80
Input Voltage	AC : 175-265V	IP Rating	IP20
Flux	4500lm	Dimension	ø140x230mm
Beam Angle	270°	Body Type	T140
Socket	E27	Dimmable	NO

SKU: 1897 White Light 6000K 3800156618978
SKU: 1898 Neutral White 4500K 3800156618985




LED Spot PAR30
30W E27 SP25-A2




Watts	30W	CRI	Ra>80
Input Voltage	AC : 220-240V	IP Rating	IP20
Flux	2400lm	Dimension	ø95x130 mm
Beam Angle	30°	Body Type	PAR30
Socket	E27	Dimmable	NO

SKU: 1528 White Light 6000K 3800156615281
SKU: 1529 Neutral White 4500K 3800156615298
SKU: 1530 Warm White 2700K 3800156615304




LED Candle C37
4W E14 SP4-A5



Watts	4W	CRI	Ra>80
Input Voltage	AC : 175-265V	IP Rating	IP20
Flux	320lm	Dimension	ø37x100 mm
Beam Angle	180°	Body Type	C37
Socket	E14	Dimmable	NO

SKU: 1457 White Light 6000K 3800156614574
SKU: 1458 Neutral White 4500K 3800156614581
SKU: 1459 Warm White 2700K 3800156614598




LED Candle C37
6W E14 SP6-A8



Watts	6W	CRI	Ra>80
Input Voltage	AC : 220-240V	IP Rating	IP20
Flux	480lm	Dimension	ø37x100 mm
Beam Angle	180°	Body Type	C37
Socket	E14	Dimmable	NO

SKU: 1460 White Light 6000K 3800156614604
SKU: 1461 Neutral White 4500K 3800156614611
SKU: 1462 Warm White 2700K 3800156614628




LED Candle C37
6W E14 SP6-A5



Watts	6W	CRI	Ra>80
Input Voltage	AC : 175-265V	IP Rating	IP20
Flux	480lm	Dimension	ø37x100 mm
Beam Angle	180°	Body Type	C37
Socket	E14	Dimmable	YES

SKU: 1464 White Light 6000K 3800156614642
SKU: 1465 Neutral White 4500K 3800156614659
SKU: 1463 Warm White 2700K 3800156614635




LED Candle C37
6W E14 SP6-A8



Watts	6W	CRI	Ra>80
Input Voltage	AC : 175-265V	IP Rating	IP20
Flux	480lm	Dimension	ø37x100 mm
Beam Angle	180°	Body Type	C37
Socket	E14	Dimmable	NO

SKU: 1419 White Light 6000K 3800156614192
SKU: 1420 Neutral White 4500K 3800156614208
SKU: 1421 Warm White 2700K 3800156614215






LED Candle C37
8.5W E14 SP9-A3



Watts	8.5W	CRI	Ra>80
Input Voltage	AC : 175-265V	IP Rating	IP20
Flux	806lm	Dimension	ø37x100 mm
Beam Angle	180°	Body Type	C37
Socket	E14	Dimmable	NO

SKU: 1483	White Light	6000K	3800156614833
SKU: 1484	Neutral White	4500K	3800156614840
SKU: 1485	Warm White	2700K	3800156614857




LED Candle C37 Tip
6W E14 SP6-A8



Watts	6W	CRI	Ra>80
Input Voltage	AC : 175-265V	IP Rating	IP20
Flux	480lm	Dimension	ø37x125 mm
Beam Angle	180°	Body Type	C37 Tip
Socket	E14	Dimmable	NO

SKU: 1466	White Light	6000K	3800156614666
SKU: 1467	Neutral White	4500K	3800156614673
SKU: 1468	Warm White	2700K	3800156614680




LED Bulb R39
4W E14 SP4-A5



Watts	8.5W	CRI	Ra>80
Input Voltage	AC : 175-265V	IP Rating	IP20
Flux	300lm	Dimension	ø39x68 mm
Beam Angle	200°	Body Type	R39
Socket	E14	Dimmable	NO

SKU: 1487	White Light	6000K	3800156614833
SKU: 1488	Neutral White	4500K	3800156614840
SKU: 1489	Warm White	2700K	3800156614857




LED Bulb R50
6W E14 SP6-A8



Watts	6W	CRI	Ra>80
Input Voltage	AC : 175-265V	IP Rating	IP20
Flux	480lm	Dimension	ø50x85 mm
Beam Angle	200°	Body Type	R50
Socket	E14	Dimmable	NO

SKU: 1438	White Light	6000K	3800156614833
SKU: 1439	Neutral White	4500K	3800156614840
SKU: 1440	Warm White	2700K	3800156614857




LED Bulb P45
4W E14 SP4-A5



Watts	4W	CRI	Ra>80
Input Voltage	AC : 220-240V	IP Rating	IP20
Flux	320lm	Dimension	ø45x78 mm
Beam Angle	240°	Body Type	P45
Socket	E14	Dimmable	NO

SKU: 1451	White Light	6000K	3800156614512
SKU: 1452	Neutral White	4500K	3800156614529
SKU: 1453	Warm White	2700K	3800156614536




LED Bulb P45
6W E14 SP6-A8



Watts	6W	CRI	Ra>80
Input Voltage	AC : 220-240V	IP Rating	IP20
Flux	480lm	Dimension	ø45x78 mm
Beam Angle	240°	Body Type	P45
Socket	E14	Dimmable	NO

SKU: 1447	White Light	6000K	3800156614475
SKU: 1448	Neutral White	4500K	3800156614482
SKU: 1449	Warm White	2700K	3800156614499




LED Bulb P45
6W E14 SP6-A8



Watts	6W	CRI	Ra>80
Input Voltage	AC : 220-240V	IP Rating	IP20
Flux	480lm	Dimension	ø45x78 mm
Beam Angle	240°	Body Type	P45
Socket	E14	Dimmable	YES

SKU: 1496	White Light	6000K	3800156614963
SKU: 1497	Neutral White	4500K	3800156614970
SKU: 1498	Warm White	2700K	3800156614987




LED Bulb P45
8.5W E14 SP9-A3



Watts	8.5W	CRI	Ra>80
Input Voltage	AC : 175-265V	IP Rating	IP20
Flux	806lm	Dimension	ø45x78 mm
Beam Angle	240°	Body Type	P45
Socket	E14	Dimmable	NO

SKU: 1493	White Light	6000K	3800156614932
SKU: 1494	Neutral White	4500K	3800156614949
SKU: 1495	Warm White	2700K	3800156614956






LED Bulb A60 High Lumen 9W B22

SP9-A4



Watts	9W	CRI	Ra>80
Input Voltage	AC : 220-240V	IP Rating	IP20
Flux	806lm	Dimension	ø60x110 mm
Beam Angle	270°	Body Type	A60
Socket	B22	Dimmable	NO

SKU: 1918	White Light	6000K	3800156619180
SKU: 1919	Neutral White	4500K	3800156619197
SKU: 1920	Warm White	2700K	3800156619203




LED Bulb A60 10W B22

SP10-A3



Watts	10W	CRI	Ra>80
Input Voltage	AC : 220-240V	IP Rating	IP20
Flux	800lm	Dimension	ø60x110 mm
Beam Angle	270°	Body Type	A60
Socket	B22	Dimmable	YES

SKU: 1910	Warm White	2700K	3800156619104
-----------	------------	-------	---------------




LED Bulb A60 High Lumen 11W B22

SP11-A1



Watts	11W	CRI	Ra>80
Input Voltage	AC : 220-240V	IP Rating	IP20
Flux	1055lm	Dimension	ø60x110 mm
Beam Angle	270°	Body Type	A60
Socket	B22	Dimmable	NO

SKU: 1921	White Light	6000K	3800156619210
SKU: 1922	Neutral White	4500K	3800156619227
SKU: 1923	Warm White	2700K	3800156619234




LED Bulb A65 12W B22

SP12-A5



Watts	12W	CRI	Ra>80
Input Voltage	AC : 220-240V	IP Rating	IP20
Flux	960lm	Dimension	ø65x110 mm
Beam Angle	270°	Body Type	A65
Socket	B22	Dimmable	YES

SKU: 1914	Warm White	2700K	3800156619142
-----------	------------	-------	---------------




LED Bulb A65 15W B22

SP15-A6



Watts	15W	CRI	Ra>80
Input Voltage	AC : 220-240V	IP Rating	IP20
Flux	1200lm	Dimension	ø65x110 mm
Beam Angle	270°	Body Type	A65
Socket	B22	Dimmable	NO

SKU: 1915	White Light	6000K	3800156619180
SKU: 1916	Neutral White	4500K	3800156619197
SKU: 1917	Warm White	2700K	3800156619203




LED Candle C37 6W B22

SP6-A8



Watts	6W	CRI	Ra>80
Input Voltage	AC : 220-240V	IP Rating	IP20
Flux	480lm	Dimension	ø37x90 mm
Beam Angle	180°	Body Type	C37
Socket	B22	Dimmable	NO

SKU: 1950	White Light	6000K	3800156619500
SKU: 1951	Neutral White	4500K	3800156619517
SKU: 1952	Warm White	2700K	3800156619524




LED Candle C37 6W B22

SP6-A9



Watts	6W	CRI	Ra>80
Input Voltage	AC : 220-240V	IP Rating	IP20
Flux	480lm	Dimension	ø37x90 mm
Beam Angle	180°	Body Type	C37
Socket	B22	Dimmable	YES

SKU: 1953	Warm White	2700K	3800156619531
-----------	------------	-------	---------------




LED Candle C37 6W B15

SP6-A8



Watts	6W	CRI	Ra>80
Input Voltage	AC : 220-240V	IP Rating	IP20
Flux	480lm	Dimension	ø37x90 mm
Beam Angle	180°	Body Type	C37
Socket	B15	Dimmable	NO

SKU: 1954	White Light	6000K	3800156619548
SKU: 1955	Neutral White	4500K	3800156619555
SKU: 1956	Warm White	2700K	3800156619562




LED Spotlight G4 2W SMD SP2-A1



Watts 2W
Input Voltage AC;DC 12V
Flux 170lm
Beam Angle 360°
Socket G4

CRI Ra>80
IP Rating IP20
Dimension $\phi 10 \times 30$ mm
Material Plastic
Dimmable NO

SKU: 1615 White Light 6000K 3800156616158
SKU: 1616 Neutral White 4500K 3800156616165
SKU: 1617 Warm White 2700K 3800156616172




LED Spotlight G4/MR11 3W SMD SP3-A2



Watts 3W
Input Voltage AC;DC 12V
Flux 210lm
Beam Angle 38°
Socket G4

CRI Ra>80
IP Rating IP20
Dimension $\phi 35 \times 45$ mm
Material Plastic
Dimmable NO

SKU: 1066 White Light 6000K 3800156610668
SKU: 1067 Neutral White 4500K 3800156610675
SKU: 1068 Warm White 2700K 3800156610682




LED Spotlight G9 3W SMD SP3-A1



Watts 3W
Input Voltage AC:170-265V
Flux 220lm
Beam Angle 360°
Socket G9

CRI Ra>80
IP Rating IP20
Dimension $\phi 15 \times 45$ mm
Material Plastic
Dimmable NO

SKU: 1638 White Light 6000K 3800156616387
SKU: 1639 Neutral White 4500K 3800156616394
SKU: 1640 Warm White 2800K 3800156616400




LED Spotlight G9 5W SMD SP5-A1



Watts 5W
Input Voltage AC:170-265V
Flux 420lm
Beam Angle 360°
Socket G9

CRI Ra>80
IP Rating IP20
Dimension $\phi 15 \times 55$ mm
Material Plastic
Dimmable NO

SKU: 1635 White Light 6000K 3800156616356
SKU: 1636 Neutral White 4500K 3800156616363
SKU: 1637 Warm White 2800K 3800156616370




LED Spotlight G9 6W SMD SP6-A2



Watts 6W
Input Voltage AC:170-265V
Flux 550lm
Beam Angle 320°
Socket G9

CRI Ra>80
IP Rating IP20
Dimension $\phi 18 \times 64$ mm
Material Plastic
Dimmable YES

SKU: 1644 White Light 6000K 3800156616448
SKU: 1645 Neutral White 4500K 3800156616455
SKU: 1646 Warm White 2800K 3800156616462




LED Spotlight GX53 7W Recessed SP7-A1



Watts 7W
Input Voltage AC:220-240V
Flux 560lm
Beam Angle 180°
Socket GX53

CRI Ra>80
IP Rating IP20
Dimension $\phi 74 \times 25$ mm
Material Plastic
Dimmable NO

SKU: 1541 White Light 6000K 3800156615410
SKU: 1542 Neutral White 4500K 3800156615427
SKU: 1543 Warm White 2800K 3800156615434




LED Spotlight G5.3 15W AR111 SP15-A3



Watts 15W
Input Voltage AC ; DC 12V
Flux 1050lm
Beam Angle 30°
Socket G5.3

CRI Ra>80
IP Rating IP20
Dimension $\phi 111 \times 58$ mm
Material Plastic
Dimmable NO

SKU: 1517 Neutral White 4500K 3800156615175
SKU: 1516 Warm White 2700K 3800156615168



EPISTAR
Chips



LED Spotlight G5.3 15W AR111 SP15-A4



Watts 15W
Input Voltage AC ; DC 12V
Flux 1050lm
Beam Angle 120°
Socket G5.3

CRI Ra>80
IP Rating IP20
Dimension $\phi 111 \times 58$ mm
Material Plastic
Dimmable NO

SKU: 1519 Neutral White 4500K 3800156615199
SKU: 1518 Warm White 2700K 3800156615182



EPISTAR
Chips




OPTONICA

LED Spotlight GU10
9W AR111 SP9-A1



Watts	9W	CRI	Ra>80
Input Voltage	AC: 170-265V	IP Rating	IP20
Flux	800lm	Dimension	ø111x58 mm
Beam Angle	120°	Material	Plastic
Socket	GU10	Dimmable	NO

SKU: 1531 Neutral White 4500K 3800156615311
 SKU: 1532 Warm White 2700K 3800156615328


LED Spotlight GU10
12W AR111 SP15-A1



Watts	15W	CRI	Ra>80
Input Voltage	AC: 170-265V	IP Rating	IP20
Flux	1200lm	Dimension	ø111x58 mm
Beam Angle	30°	Material	Plastic
Socket	GU10	Dimmable	NO

SKU: 1533 Neutral White 4500K 3800156615335
 SKU: 1534 Warm White 2700K 3800156615342


LED Spotlight GU10
12W AR111 SP15-A2


Watts	15W	CRI	Ra>80
Input Voltage	AC: 170-265V	IP Rating	IP20
Flux	1100lm	Dimension	ø111x58 mm
Beam Angle	30°	Material	Plastic
Socket	GU10	Dimmable	YES

SKU: 1535 Neutral White 4500K 3800156615359
 SKU: 1536 Warm White 2700K 3800156615366




OPTONICA

LED Spotlight GU5.3/MR16
5W SMD SP5-A2



Watts	5W	CRI	Ra>80
Input Voltage	DC : 12V	IP Rating	IP20
Flux	400lm	Dimension	ø50x47 mm
Beam Angle	110°	Material	Plastic
Socket	GU5.3	Dimmable	NO

SKU: 1191 White Light 6000K 3800156611917
 SKU: 1192 Neutral White 4500K 3800156611924
 SKU: 1193 Warm White 2700K 3800156611931


LED Spotlight GU5.3/MR16
7W SMD SP7-A2



Watts	7W	CRI	Ra>80
Input Voltage	DC : 12V	IP Rating	IP20
Flux	560lm	Dimension	ø50x47 mm
Beam Angle	110°	Material	Plastic
Socket	GU5.3	Dimmable	NO

SKU: 1194 White Light 6000K 3800156611948
 SKU: 1195 Neutral White 4500K 3800156611955
 SKU: 1196 Warm White 2700K 3800156611962


LED Spotlight GU5.3/MR16
4W COB SP4-A1



Watts	4W	CRI	Ra>80
Input Voltage	AC;DC 12V	IP Rating	IP20
Flux	320lm	Dimension	ø50x55 mm
Beam Angle	50°	Material	Plastic
Socket	GU5.3	Dimmable	NO

SKU: 1163 White Light 6000K 3800156611634
 SKU: 1167 Neutral White 4500K 3800156611672
 SKU: 1164 Warm White 2700K 3800156611641


LED Spotlight GU5.3/MR16
6W COB SP7-A2


Watts	6W	CRI	Ra>80
Input Voltage	AC;DC 12V	IP Rating	IP20
Flux	400lm	Dimension	ø50x55 mm
Beam Angle	50°	Material	Plastic
Socket	GU5.3	Dimmable	NO

SKU: 1168 White Light 6000K 3800156611689
 SKU: 1169 Neutral White 4500K 3800156611696
 SKU: 1170 Warm White 2700K 3800156611702






**LED Spotlight GU10
4W COB** SP4-A2



Watts	4W	CRI	Ra>80
Input Voltage	AC : 220-240V	IP Rating	IP20
Flux	320lm	Dimension	ø50x55 mm
Beam Angle	50°	Body Color	White
Socket	GU10	Dimmable	NO

SKU: 1957	White Light	6000K	3800156619579
SKU: 1958	Neutral White	4500K	3800156619586
SKU: 1959	Warm White	2700K	3800156619593




**LED Spotlight GU10
6W COB** SP6-A4



Watts	6W	CRI	Ra>80
Input Voltage	AC : 220-240V	IP Rating	IP20
Flux	480lm	Dimension	ø50x55 mm
Beam Angle	50°	Body Color	White
Socket	GU10	Dimmable	NO

SKU: 1960	White Light	6000K	3800156619609
SKU: 1961	Neutral White	4500K	3800156619616
SKU: 1962	Warm White	2700K	3800156619623




**LED Spotlight GU10
6W COB** SP6-A5



Watts	6W	CRI	Ra>80
Input Voltage	AC : 220-240V	IP Rating	IP20
Flux	480lm	Dimension	ø50x55 mm
Beam Angle	50°	Body Color	White
Socket	GU10	Dimmable	YES

SKU: 1963	White Light	6000K	3800156619630
SKU: 1964	Neutral White	4500K	3800156619647
SKU: 1965	Warm White	2700K	3800156619654




**LED Spotlight GU10
4W COB** SP4-A2



Watts	4W	CRI	Ra>80
Input Voltage	AC : 220-240V	IP Rating	IP20
Flux	320lm	Dimension	ø50x60 mm
Beam Angle	50°	Body Color	Gray
Socket	GU10	Dimmable	NO

SKU: 1263	White Light	6000K	3800156612631
SKU: 1264	Neutral White	4500K	3800156612648
SKU: 1265	Warm White	2700K	3800156612655




**LED Spotlight GU10
4W COB** SP4-A3



Watts	4W	CRI	Ra>80
Input Voltage	AC : 220-240V	IP Rating	IP20
Flux	320lm	Dimension	ø50x60 mm
Beam Angle	50°	Body Color	Gray
Socket	GU10	Dimmable	YES

SKU: 1266	White Light	6000K	3800156612662
SKU: 1267	Neutral White	4500K	3800156612679
SKU: 1268	Warm White	2700K	3800156612686




**LED Spotlight GU10
6W COB** SP6-A5



Watts	6W	CRI	Ra>80
Input Voltage	AC : 220-240V	IP Rating	IP20
Flux	480lm	Dimension	ø50x60 mm
Beam Angle	50°	Body Color	Gray
Socket	GU10	Dimmable	NO

SKU: 1269	White Light	6000K	3800156612693
SKU: 1270	Neutral White	4500K	3800156612709
SKU: 1271	Warm White	2700K	3800156612716




**LED Spotlight GU10
6W COB** SP6-A5



Watts	6W	CRI	Ra>80
Input Voltage	AC : 220-240V	IP Rating	IP20
Flux	480lm	Dimension	ø50x60 mm
Beam Angle	50°	Body Color	Gray
Socket	GU10	Dimmable	YES

SKU: 1272	White Light	6000K	3800156612723
SKU: 1273	Neutral White	4500K	3800156612730
SKU: 1274	Warm White	2700K	3800156612747






LED Spotlight GU10
5W SMD SP5-A3



Watts 5W
Input Voltage AC : 220-240V
Flux 400lm
Beam Angle 110°
Socket GU10

CRI Ra>80
IP Rating IP20
Dimension ø50x57 mm
Material Plastic
Dimmable NO



SKU: 1929 White Light 6000K 3800156619296
SKU: 1930 Neutral White 4500K 3800156619302
SKU: 1931 Warm White 2700K 3800156619319




LED Spotlight GU10
5W SMD SP5-A3



Watts 5W
Input Voltage AC : 175-265V
Flux 400lm
Beam Angle 38°
Socket GU10

CRI Ra>80
IP Rating IP20
Dimension ø50x57 mm
Material Plastic
Dimmable NO



SKU: 1935 White Light 6000K 3800156619357
SKU: 1936 Neutral White 4500K 3800156619364
SKU: 1937 Warm White 2700K 3800156619371




LED Spotlight GU10
7W SMD SP7-A3



Watts 7W
Input Voltage AC : 175-265V
Flux 560lm
Beam Angle 110°
Socket GU10

CRI Ra>80
IP Rating IP20
Dimension ø50x57 mm
Material Plastic
Dimmable NO



SKU: 1932 White Light 6000K 3800156619326
SKU: 1933 Neutral White 4500K 3800156619333
SKU: 1934 Warm White 2700K 3800156619340




LED Spotlight GU10
7W SMD SP7-A3



Watts 7W
Input Voltage AC : 175-265V
Flux 560lm
Beam Angle 38°
Socket GU10

CRI Ra>80
IP Rating IP20
Dimension ø50x57 mm
Material Plastic
Dimmable NO



SKU: 1938 White Light 6000K 3800156611689
SKU: 1939 Neutral White 4500K 3800156611696
SKU: 1940 Warm White 2700K 3800156611702




LED Spotlight GU10
7W SMD SP7-A3



Watts 7W
Input Voltage AC : 175-265V
Flux 500lm
Beam Angle 110°
Socket GU10

CRI Ra>80
IP Rating IP20
Dimension ø50x57 mm
Material Plastic
Dimmable YES



SKU: 1945 White Light 6000K 3800156619456
SKU: 1946 Neutral White 4500K 3800156619463
SKU: 1947 Warm White 2700K 3800156619470




LED Spotlight GU10
7W SMD SP7-A4



Watts 7W
Input Voltage AC : 175-265V
Flux 560lm
Beam Angle 38°
Socket GU10


CRI Ra>80
IP Rating IP20
Dimension ø50x57 mm
Material Plastic
Dimmable YES



SKU: 1943 Neutral White 4500K 3800156619432




LED Spotlight GU10
10W SMD SP10-A3



Watts 10W
Input Voltage AC : 175-265V
Flux 1000lm
Beam Angle 110°
Socket GU10

CRI Ra>80
IP Rating IP20
Dimension ø50x57 mm
Material Plastic
Dimmable NO



SKU: 1970 White Light 6000K 3800156619708
SKU: 1971 Neutral White 4500K 3800156619715
SKU: 1972 Warm White 2700K 3800156619722





LED Bulbs Premium Line

5 Years
Warranty




LED Bulb A60
10W E27 SP10-A2

806 Lumens 5 Years Warranty E27

Watts	10W	CRI	Ra>80
Input Voltage	AC : 175-265V	IP Rating	IP20
Flux	806lm	Dimension	ø60x109 mm
Beam Angle	270°	Body Type	A60
Socket	E27	Dimmable	NO

SKU: 1718	White Light	6000K	3800156617186
SKU: 1719	Neutral White	4500K	3800156617193
SKU: 1720	Warm White	2700K	3800156617209



3 PCS
PACK




LED Bulb A60
10W E27 SP10-A2

806 Lumens 5 Years Warranty E27

Watts	10W	CRI	Ra>80
Input Voltage	AC : 175-265V	IP Rating	IP20
Flux	806lm	Dimension	ø60x109 mm
Beam Angle	270°	Body Type	A60
Socket	E27	Dimmable	NO

SKU: 1727	White Light	6000K	3800156617278
SKU: 1728	Neutral White	4500K	3800156617285
SKU: 1729	Warm White	2700K	3800156617292



3 PCS
PACK




LED Bulb A60
12W E27 SP12-A4

1055 Lumens 5 Years Warranty E27

Watts	12W	CRI	Ra>80
Input Voltage	AC : 175-265V	IP Rating	IP20
Flux	1055lm	Dimension	ø60x112 mm
Beam Angle	270°	Body Type	A60
Socket	E27	Dimmable	NO

SKU: 1730	White Light	6000K	3800156617308
SKU: 1731	Neutral White	4500K	3800156617315
SKU: 1732	Warm White	2700K	3800156617322




LED Bulb A60
15W E27 SP15-A6

1320 Lumens 5 Years Warranty E27

Watts	15W	CRI	Ra>80
Input Voltage	AC : 175-265V	IP Rating	IP20
Flux	1320lm	Dimension	ø60x127 mm
Beam Angle	270°	Body Type	A60
Socket	E27	Dimmable	NO

SKU: 1724	White Light	6000K	3800156617247
SKU: 1725	Neutral White	4500K	3800156617254
SKU: 1726	Warm White	2700K	3800156617261



3 PCS
PACK




LED Bulb A60
15W E27 SP15-A6

1320 Lumens 5 Years Warranty E27

Watts	15W	CRI	Ra>80
Input Voltage	AC : 175-265V	IP Rating	IP20
Flux	1320lm	Dimension	ø60x127 mm
Beam Angle	270°	Body Type	A60
Socket	E27	Dimmable	NO

SKU: 1733	White Light	6000K	3800156617339
SKU: 1734	Neutral White	4500K	3800156617346
SKU: 1735	Warm White	2700K	3800156617353




LED Bulb A70
18W E27 SP18-A1

1700 Lumens 5 Years Warranty E27

Watts	18W	CRI	Ra>80
Input Voltage	AC : 175-265V	IP Rating	IP20
Flux	1700lm	Dimension	ø70x145 mm
Beam Angle	270°	Body Type	A70
Socket	E27	Dimmable	NO

SKU: 1748	White Light	6000K	3800156617483
SKU: 1749	Neutral White	4500K	3800156617490
SKU: 1750	Warm White	2700K	3800156617506






LED Bulb G45
4W E27 SP4-A5



Watts 4W
Input Voltage AC : 175-265V
Flux 320lm
Beam Angle 180°
Socket E27

CRI Ra>80
IP Rating IP20
Dimension ø45x75 mm
Body Type G45
Dimmable NO

SKU: 1736 White Light 6000K 3800156617360
SKU: 1737 Neutral White 4500K 3800156617377
SKU: 1738 Warm White 2700K 3800156617384




LED Bulb G45
6W E27 SP6-A8



Watts 6W
Input Voltage AC : 175-265V
Flux 480lm
Beam Angle 180°
Socket E27

CRI Ra>80
IP Rating IP20
Dimension ø45x75 mm
Body Type G45
Dimmable NO

SKU: 1739 White Light 6000K 3800156617391
SKU: 1740 Neutral White 4500K 3800156617407
SKU: 1741 Warm White 2700K 3800156617414




LED Bulb G95
12W E27 SP12-A4



Watts 12W
Input Voltage AC : 175-265V
Flux 1055lm
Beam Angle 270°
Socket E27

CRI Ra>80
IP Rating IP20
Dimension ø95x127 mm
Body Type G95
Dimmable NO

SKU: 1742 White Light 6000K 3800156617421
SKU: 1743 Neutral White 4500K 3800156617438
SKU: 1744 Warm White 2700K 3800156617445




LED Bulb G120
15W E27 SP15-A6



Watts 15W
Input Voltage AC : 175-265V
Flux 1320lm
Beam Angle 270°
Socket E27

CRI Ra>80
IP Rating IP20
Dimension ø120x155 mm
Body Type G120
Dimmable NO

SKU: 1745 White Light 6000K 3800156617452
SKU: 1746 Neutral White 4500K 3800156617469
SKU: 1747 Warm White 2700K 3800156617476




LED Candle C37
6W E14 SP6-A8



Watts 6W
Input Voltage AC : 175-265V
Flux 480lm
Beam Angle 180°
Socket E14

CRI Ra>80
IP Rating IP20
Dimension ø37x100 mm
Body Type C37
Dimmable NO

SKU: 1780 White Light 6000K 3800156617803
SKU: 1781 Neutral White 4500K 3800156617810
SKU: 1782 Warm White 2700K 3800156617827




LED Candle C37 Tip
6W E14 SP6-A8



Watts 6W
Input Voltage AC : 175-265V
Flux 480lm
Beam Angle 180°
Socket E14

CRI Ra>80
IP Rating IP20
Dimension ø37x125 mm
Body Type C37 Tip
Dimmable NO

SKU: 1751 White Light 6000K 3800156617513
SKU: 1752 Neutral White 4500K 3800156617520
SKU: 1759 Warm White 2700K 3800156617599




LED Bulb P45
6W E14 SP6-A8



Watts 6W
Input Voltage AC : 175-265V
Flux 480lm
Beam Angle 240°
Socket E14

CRI Ra>80
IP Rating IP20
Dimension ø45x78 mm
Body Type P45
Dimmable NO

SKU: 1753 White Light 6000K 3800156617537
SKU: 1754 Neutral White 4500K 3800156617544
SKU: 1755 Warm White 2700K 3800156617551




LED Bulb R50
6W E14 SP6-A8



Watts 6W
Input Voltage AC : 175-265V
Flux 450lm
Beam Angle 200°
Socket E14

CRI Ra>80
IP Rating IP20
Dimension ø50x90 mm
Body Type R50
Dimmable NO

SKU: 1756 White Light 6000K 3800156617568
SKU: 1757 Neutral White 4500K 3800156617575
SKU: 1758 Warm White 2700K 3800156617582





5 Years Warranty


LED Spotlight GU5.3/MR16
5W SMD SP5-A2



Watts 5W
Input Voltage DC : 12V
Flux 320lm
Beam Angle 110°
Socket GU5.3

CRI Ra>80
IP Rating IP20
Dimension ø50x47 mm
Material Plastic
Dimmable NO

SKU: 1761 **White Light** 6000K 3800156617612
SKU: 1762 **Neutral White** 4500K 3800156617629
SKU: 1763 **Warm White** 2700K 3800156617636



5 Years Warranty


LED Spotlight GU5.3/MR16
7W SMD SP7-A2



Watts 7W
Input Voltage DC : 12V
Flux 500lm
Beam Angle 110°
Socket GU5.3

CRI Ra>80
IP Rating IP20
Dimension ø50x47 mm
Material Plastic
Dimmable NO

SKU: 1764 **White Light** 6000K 3800156617643
SKU: 1765 **Neutral White** 4500K 3800156617650
SKU: 1766 **Warm White** 2700K 3800156617667



5 Years Warranty


LED Spotlight GU10
5W SMD SP5-A3



Watts 5W
Input Voltage AC : 175-265V
Flux 320lm
Beam Angle 110°
Socket GU10

CRI Ra>80
IP Rating IP20
Dimension ø50x57 mm
Material Plastic
Dimmable NO

SKU: 1767 **White Light** 6000K 3800156617674
SKU: 1768 **Neutral White** 4500K 3800156617681
SKU: 1769 **Warm White** 2700K 3800156617698



5 Years Warranty


LED Spotlight GU10
7W SMD SP7-A3





Watts 7W
Input Voltage AC : 175-265V
Flux 500lm
Beam Angle 110°
Socket GU10

CRI Ra>80
IP Rating IP20
Dimension ø50x57 mm
Material Plastic
Dimmable NO

SKU: 1772 **White Light** 6000K 3800156617728
SKU: 1770 **Neutral White** 4500K 3800156617704
SKU: 1773 **Warm White** 2700K 3800156617735




SKU: 5081 WHITE BODY 3800156650817	SKU: 5083 WHITE BODY 3800156650831	SKU: 5085 WHITE BODY 3800156650855
Dimension 180x180x42 mm	Dimension 330x180x42 mm	Dimension 480x180x42 mm



Accessories
AR111 Fitting Adjustable



SKU: 5082 SILVER BODY 3800156650824	SKU: 5084 SILVER BODY 3800156650848	SKU: 5086 SILVER BODY 3800156650862
Dimension 180x180x42 mm	Dimension 330x180x42 mm	Dimension 480x180x42 mm



Accessories
AR111 Fitting Adjustable





SKU: 5070 WHITE BODY 3800156650701	SKU: 5071 INOX BODY 3800156650718	SKU: 5072 CHROME BODY 3800156650725
Dimension ø82x30 mm	Dimension ø82x30 mm	Dimension ø82x30 mm

SKU: 5170 WHITE BODY Aluminium	SKU: 5171 INOX BODY Aluminium	SKU: 5172 CHROME BODY Aluminium
Dimension ø83x29 mm	Dimension ø83x29 mm	Dimension ø83x29 mm

Accessories
GU10,MR16 Fitting



Accessories
GU10,MR16 Fitting Adjustable



SKU: 5073 WHITE BODY 3800156650732	SKU: 5074 INOX BODY 3800156650749	SKU: 5075 CHROME BODY 3800156650756
Dimension 83x83x30 mm	Dimension 83x83x30 mm	Dimension 83x83x30 mm

SKU: 5076 WHITE BODY 3800156650763	SKU: 5077 INOX BODY 3800156650770	SKU: 5078 CHROME BODY 3800156650787
Dimension ø83x29 mm	Dimension ø83x29 mm	Dimension ø83x29 mm

Accessories
GU10,MR16 Fitting



Accessories
GU10,MR16 Fitting Adjustable





**Spotlight Fixture - Waterproof
GU10 Fitting**



Product code	OT1-A2	IP Rating	IP65	SKU: 2009	White Body - Round	3800156620094
Socket	GU10	Dimension	Φ80x54 ; 83x83x54 mm	SKU: 2010	Satin Nickel - Round	3800156620100
Input Voltage	AC : 220-240V	Body Colors	White ; Satin Nickel	SKU: 2011	White Body - Square	3800156620117
Material	Aluminium	Max Power	35W	SKU: 2012	Satin Nickel - Square	3800156620124




**Spotlight Fixture - Aluminium
GU10 Fitting**



Product code	OT1-A2	IP Rating	IP20	SKU: 2048	Black Reflector	3800156620483
Socket	GU10	Dimension	φ79x32 mm	SKU: 2047	White Reflector	3800156620476
Input Voltage	AC : 220-240V	Body Colors	White	SKU: 2049	Rose Gold Reflector	3800156620490
Material	Aluminium+PC	Max Power	35W			

**Spotlight Fixture - Aluminium
GU10 Fitting Adjustable**



SKU: 2013 White and Black Body 3800156620131
Dimension ø100x38 mm Cut Hole ø90 mm



SKU: 2014 White and Black Body 3800156620148
Dimension 100x100x38 mm Cut Hole 175x90mm



**Spotlight Fixture - Plastic
GU10 Fitting**



Product code	OT1-A2	IP Rating	IP20	SKU: 2050	White Body	3800156620506
Socket	GU10	Dimension	102x102x42 mm	SKU: 2051	Black Body	3800156620513
Input Voltage	AC : 220-240V	Body Colors	White,Black,White-Black	SKU: 2052	White-Black Body	3800156620520
Material	Plastic	Max Power	35W			



SKU: 2015 White and Black Body 3800156620155
Dimension 185x100x38mm Cut Hole ø90 mm



SKU: 2016 White and Black Body 3800156620162
Dimension 270x100x38 mm Cut Hole 260x90mm



Spotlight Fixture - Round GU10 Fitting



45°



ø75mm



GU10 Holder



IP20

Product code	OT1-A2	IP Rating	IP20
Socket	GU10	Dimension	φ80x42 mm
Input Voltage	AC : 220-240V	Body Colors	White ; Black
Material	Aluminium+PC	Max Power	35W

SKU: 2031

White

3800156620315

SKU: 2032

Black

3800156620322



Spotlight Fixture - Round GU10 Fitting



45°



ø75mm



GU10 Holder



IP20

Product code	OT1-A2	IP Rating	IP20
Socket	GU10	Dimension	φ80x42 mm
Input Voltage	AC : 220-240V	Body Colors	White ; Black
Material	Aluminium+PC	Max Power	35W

SKU: 2035

Round

3800156620353

SKU: 2036

Black

3800156620360



Spotlight Fixture - Round GU10 Fitting



45°



ø70mm



GU10 Holder



IP20

Product code	OT1-A2	IP Rating	IP20
Socket	GU10	Dimension	φ80x42 mm
Input Voltage	AC : 220-240V	Body Colors	White ; Black
Material	Aluminium+PC	Max Power	35W

SKU: 2033

White

3800156620339

SKU: 2034

Black

3800156620346



Spotlight Fixture - Round GU10 Fitting



45°



ø70mm



GU10 Holder



IP20

Product code	OT1-A2	IP Rating	IP20
Socket	GU10	Dimension	φ80x42 mm
Input Voltage	AC : 220-240V	Body Colors	White ; Black
Material	Aluminium+PC	Max Power	35W

SKU: 2037

White

3800156620377

SKU: 2038

Black

3800156620384

OPTONICA



Spotlight Fixture
GU10 Fitting



Product code	OT1-A2	IP Rating	IP20
Socket	GU10	Dimension	75x75x140 mm
Input Voltage	AC : 220-240V	Body Colors	White
Material	Aluminium	Max Power	35W

SKU: 2039	Black Reflector	3800156620391
SKU: 2040	White Reflector	3800156620407
SKU: 2041	Rose Gold Reflector	3800156620414

OPTONICA



Spotlight Fixture -Plastic
GU10 Fitting Adjustable



Product code	OT1-A2	IP Rating	IP20
Socket	GU10	Dimension	Φ80x125 mm
Input Voltage	AC : 220-240V	Body Colors	White ; Black
Material	Plastic	Max Power	10W

SKU: 2001	White Body	3800156620018
SKU: 2002	Black Body	3800156620025
SKU: 2005	White Body	3800156620056
SKU: 2006	Black Body	3800156620063



Spotlight Fixture
GU10 Fitting



Product code	OT1-A2	IP Rating	IP20
Socket	GU10	Dimension	Φ80x140 mm
Input Voltage	AC : 220-240V	Body Colors	White
Material	Aluminium	Max Power	35W

SKU: 2042	Black Reflector	3800156620421
SKU: 2043	White Reflector	3800156620438
SKU: 2044	Rose Gold Reflector	3800156620445



Spotlight Fixture -Plastic
GU10 Fitting Adjustable



Product code	OT1-A2	IP Rating	IP20
Socket	GU10	Dimension	85x85x130 mm
Input Voltage	AC : 220-240V	Body Colors	White ; Black
Material	Plastic	Max Power	10W

SKU: 2003	White Body	3800156620032
SKU: 2004	Black Body	3800156620049
SKU: 2007	White Body	3800156620070
SKU: 2008	Black Body	3800156620087

OPTONICA



Spotlight Fixture - Aluminium
GU10 Fitting Adjustable

Product code	OT1-A2	IP Rating	IP20
Socket	GU10	Dimension	φ80x42 mm
Input Voltage	AC : 220-240V	Body Colors	White ; Black
Material	Aluminium+PC	Max Power	35W

NEW		
SKU: 2027	White Body	3800156620278
SKU: 2028	Black Body	3800156620285

OPTONICA



Tracklight Fixture -Aluminium
GU10 Fitting Adjustable

Product code	OT1-A2	IP Rating	IP20
Socket	GU10	Dimension	φ55x82 mm
Input Voltage	AC : 220-240V	Body Colors	White ; Black
Material	Aluminium	Max Power	35W

NEW			
SKU: 2017	White Body	3800156620179	
SKU: 2018	Black Body	3800156620186	



Spotlight Fixture - Aluminium
GU10 Fitting

Product code	OT1-A2	IP Rating	IP20
Socket	GU10	Dimension	φ60x100 mm
Input Voltage	AC : 220-240V	Body Colors	White ; Black
Material	Aluminium+PC	Max Power	35W

NEW		
SKU: 2029	White Body	3800156620292
SKU: 2030	Black Body	3800156620308



Tracklight Fixture -Plastic
GU10 Fitting Adjustable

Product code	OT1-A2	IP Rating	IP20
Socket	GU10	Dimension	φ59x94x114 mm
Input Voltage	AC : 220-240V	Body Colors	White ; Black
Material	Plastic	Max Power	10W

NEW			
SKU: 2019	White Body	3800156620193	
SKU: 2020	Black Body	3800156620209	



**Spotlight Fixture - Plastic
GU10 Fitting**



Product code	OT1-A2	IP Rating	IP20
Socket	GU10	Dimension	φ120x145 mm
Input Voltage	AC : 220-240V	Body Colors	White ; Black
Material	Plastic	Max Power	10W

SKU: 2021	White	3800156620216
SKU: 2022	Black	3800156620223



**Spotlight Fixture - Plastic
GU10 Fitting**




Product code	OT1-A2	IP Rating	IP20
Socket	GU10	Dimension	φ120x145 mm
Input Voltage	AC : 220-240V	Body Colors	White ; Black
Material	Plastic	Max Power	10W Each

SKU: 2025	White	3800156620254
SKU: 2026	Black	3800156620261



**Spotlight Fixture - Plastic
GU10 Fitting**



Product code	OT1-A2	IP Rating	IP20
Socket	GU10	Dimension	φ120x145 mm
Input Voltage	AC : 220-240V	Body Colors	White ; Black
Material	Plastic	Max Power	10W Each

SKU: 2023	Round	3800156620230
SKU: 2024	Square	3800156620247



**Spotlight Fixture
GU10 Fitting**



Product code	OT1-A2	IP Rating	IP20
Socket	GU10	Dimension	75x75x55mm ; φ85x50mm
Input Voltage	AC : 220-240V	Body Colors	White - Black Reflektor
Material	Aluminium+PC	Max Power	35W

SKU: 2045	Square	3800156620452
SKU: 2046	Round	3800156620469



ø95mm



95x95mm

Ceiling Fixture Trimless Recessed

GU10 Fitting

Gypsum + ALU



Product code	OT1-A2	IP Rating	IP20
Socket	GU10	Dimension	φ100x27mm ; 100x100x27mm
Input Voltage	AC : 220-240V	Body Colors	White
Material	Gypsum+Alu	Max Power	35W

SKU: 2060	Round	3800156620605
SKU: 2061	Square	3800156620612



115x115mm



210x110mm

Ceiling Fixture Trimless Recessed

GU10 Fitting

Gypsum + ALU



Product code	OT1-A2	IP Rating	IP20
Socket	GU10	Dimension	120x120x60mm ; 215x118x58mm
Input Voltage	AC : 220-240V	Body Colors	White
Material	Gypsum+Alu	Max Power	35W

SKU: 2064	Square	3800156620643
SKU: 2065	Rectangle	3800156620650



ø125mm



125x125mm

Ceiling Fixture Trimless Recessed

GU10 Fitting

Gypsum + ALU



Product code	OT1-A2	IP Rating	IP20
Socket	GU10	Dimension	φ130x50mm ; 120x120x60mm
Input Voltage	AC : 220-240V	Body Colors	White
Material	Gypsum+Alu	Max Power	35W

SKU: 2062	Round	3800156620629
SKU: 2063	Square	3800156620636



115x115mm



210x110mm

Ceiling Fixture Trimless Recessed

GU10 Fitting

Gypsum + ALU



Product code	OT1-A2	IP Rating	IP20
Socket	GU10	Dimension	120x120x60mm ; 215x118x58mm
Input Voltage	AC : 220-240V	Body Colors	White
Material	Gypsum+Alu	Max Power	35W

SKU: 2066	Round	3800156620667
SKU: 2067	Square	3800156620674



ø125mm



Frosted Glass

Ceiling Fixture Trimless Recessed

GU10 Fitting

Gypsum + ALU

Product code	OT1-A2	IP Rating	IP20
Socket	GU10	Dimension	φ120x65mm
Input Voltage	AC : 220-240V	Body Colors	White
Material	Gypsum+Alu	Max Power	35W



ø125mm



GU10 Holder



IP20

SKU: 2068 Round-Frosted 3800156620681

SKU: 2069 Round 3800156620698



Ceiling Fixture Surface Mounted

GU10 Fitting

Gypsum + ALU

Product code	OT1-A2	IP Rating	IP20
Socket	GU10	Dimension	70x70x70mm ; 70x70x170mm
Input Voltage	AC : 220-240V	Body Colors	White
Material	Gypsum+Alu	Max Power	35W



GU10 Holder



IP20

SKU: 2072 Square H70 3800156620728

SKU: 2073 Square H170 3800156620735



Ceiling Fixture Surface Mounted

GU10 Fitting

Gypsum + ALU

Product code	OT1-A2	IP Rating	IP20
Socket	GU10	Dimension	φ70x70 mm ; φ70x170 mm
Input Voltage	AC : 220-240V	Body Colors	White
Material	Gypsum+Alu	Max Power	35W



GU10 Holder



IP20

SKU: 2070 Round H70mm 3800156620704

SKU: 2071 Round H170mm 3800156620711



Ceiling Fixture Surface Mounted

GU10 Fitting

Gypsum + ALU

Product code	OT1-A2	IP Rating	IP20
Socket	GU10	Dimension	φ110x140mm ; 110x110x140mm
Input Voltage	AC : 220-240V	Body Colors	White
Material	Gypsum+Alu	Max Power	35W



GU10 Holder



IP20

SKU: 2074 Round 3800156620742

SKU: 2075 Square 3800156620759



Spotlight Fixture - Single Head
GU10 Fitting

Product code	OT1-A6	IP Rating	IP20
Socket	GU10	Dimension	60x108 mm
Input Voltage	AC : 220-240V	Body Colors	Black ; White
Material	Aluminium	Max Power	35W



90°



GU10 Holder



IP20

SKU: 9072	Black	3800156690721
SKU: 9076	White	3800156690769



Spotlight Fixture - Three Head
GU10 Fitting

Product code	OT1-A6	IP Rating	IP20
Socket	GU10x3	Dimension	540x60x180 mm
Input Voltage	AC : 220-240V	Body Colors	Black ; White
Material	Aluminium	Max Power	35W Each



90°



GU10 Holder



IP20

SKU: 9074	Black GU10x3	3800156690745
SKU: 9078	White GU10x3	3800156690783



Spotlight Fixture - Two Head
GU10 Fitting

Product code	OT1-A6	IP Rating	IP20
Socket	GU10x2	Dimension	300x60x180mm
Input Voltage	AC : 220-240V	Body Colors	Black ; White
Material	Aluminium	Max Power	35W Each



90°



GU10 Holder



IP20

SKU: 9073	Black GU10x2	3800156690738
SKU: 9077	White GU10x2	3800156690776



Spotlight Fixture - Four Head
GU10 Fitting

Product code	OT1-A6	IP Rating	IP20
Socket	GU10x4	Dimension	720x60x180 mm
Input Voltage	AC : 220-240V	Body Colors	Black ; White
Material	Aluminium	Max Power	35W Each



90°



GU10 Holder



IP20

SKU: 9075	Black GU10x4	3800156690752
SKU: 9079	White GU10x4	3800156690790

OPTONICA



Hanging Fixture - H300mm
GU10 Fitting

Product code	OT1-A6	IP Rating	IP20
Socket	GU10	Dimension	60x300 mm
Input Voltage	AC : 220-240V	Body Colors	Black ; White
Material	Aluminium	Max Power	35W



SKU: 9050	Black - Inner range: Gold	3800156690509
SKU: 9051	Black - Inner range: Black	3800156690516
SKU: 9054	White - Inner range: Gold	3800156690547
SKU: 9055	White - Inner range: Black	3800156690554

OPTONICA



Hanging Fixture - H500mm
GU10 Fitting

Product code	OT1-A6	IP Rating	IP20
Socket	GU10	Dimension	60x500 mm
Input Voltage	AC : 220-240V	Body Colors	Black ; White
Material	Aluminium	Max Power	35W



SKU: 9058	Black Body	3800156690585
SKU: 9059	White Body	3800156690592



Hanging Fixture - H500mm
GU10 Fitting

Product code	OT1-A6	IP Rating	IP20
Socket	GU10	Dimension	60x500 mm
Input Voltage	AC : 220-240V	Body Colors	Black ; White
Material	Aluminium	Max Power	35W



SKU: 9052	Black - Inner range: Gold	3800156690523
SKU: 9053	Black - Inner range: Black	3800156690530
SKU: 9056	White - Inner range: Gold	3800156690561
SKU: 9057	White - Inner range: Black	3800156690578



Hanging Fixture - H200mm
GU10 Fitting

Product code	OT1-A6	IP Rating	IP20
Socket	GU10	Dimension	60x200 mm
Input Voltage	AC : 220-240V	Body Colors	Black ; White
Material	Aluminium	Max Power	35W



SKU: 9060	Black Body	3800156690608
SKU: 9061	White Body	3800156690615



**Hanging Fixture - H300mm
GU10 Fitting**



Product code	OT1-A6	IP Rating	IP20
Socket	GU10	Dimension	55x300 mm
Input Voltage	AC : 220-240V	Body Colors	B/W/G/CG/C
Material	Aluminium	Max Power	35W

SKU: 9062	Black Body	3800156690622
SKU: 9063	White Body	3800156690639
SKU: 9064	Gold Body	3800156690646
SKU: 9065	Coffee Gold Body	3800156690653
SKU: 9066	Chrome Body	3800156690660

**Hanging Fixture - H300mm
GU10 Fitting**



Product code	OT1-A6	IP Rating	IP20
Socket	GU10	Dimension	55x300 mm
Input Voltage	AC : 220-240V	Body Colors	B/W/G/CG/C
Material	Aluminium	Max Power	35W

SKU: 9067	Black Body	3800156690677
SKU: 9068	White Body	3800156690684
SKU: 9069	Gold Body	3800156690691
SKU: 9070	Coffee Gold Body	3800156690707
SKU: 9071	Chrome Body	3800156690714



**Hanging Fixture - H400mm
GU10 Fitting**



**Hanging Fixture - H400mm
E27 Fitting**




Product code	OT1-A6	IP Rating	IP20
Socket	GU10	Dimension	60x400 mm
Input Voltage	AC : 220-240V	Body Colors	B/W/S/GR
Material	Aluminium	Max Power	35W

SKU: 9082	Black Body	3800156690820
SKU: 9083	White Body	3800156690837
SKU: 9080	Silver Body	3800156690806
SKU: 9081	Grape Red Body	3800156690813

Product code	OT1-A6	IP Rating	IP20
Socket	E27	Dimension	40x400 mm
Input Voltage	AC : 220-240V	Body Colors	B/W/CG/RG
Material	Aluminium	Max Power	35W

SKU: 9084	Black Body	3800156690844
SKU: 9085	White Body	3800156690851
SKU: 9086	Coffee Gold Body	3800156690868
SKU: 9087	Rose Gold Body	3800156690875



LED tubes are the perfect replacement for old fluorescent tubes. With variety of sizes, powers and colour temperatures they are suitable for every need – from home use to office or warehouses.

Features:

- Up to 80% power saving
- Standard sizes, fits already built lighting solutions
- Variety of colour temperatures
- Single or two side power
- Build-in starters
- Variety of covers – from nano-plastic to glass

Application:

- Indoor use – home, offices, shops
- Main lighting
- Suitable for tube fixtures

LED TUBES AND BATTEN LIGHTS



NEW




Switch

LED TUBE T5 - Plastic
Matt With Switch




Product code	TU4-A2	Beam Angle	120°
Watts	4W	CRI	Ra>80
Input Voltage	AC : 220-240V	IP Rating	IP20
Flux	320lm	Instant Start	<0.5s



SKU: 5565 White Light	6000K	3800156655652
SKU: 5566 Neutral White	4500K	3800156655669
SKU: 5567 Warm White	2800K	3800156655676




Product code	TU8-A2	Beam Angle	120°
Watts	8W	CRI	Ra>80
Input Voltage	AC : 220-240V	IP Rating	IP20
Flux	640lm	Instant Start	<0.5s



SKU: 5568 White Light	6000K	3800156655683
SKU: 5569 Neutral White	4500K	3800156655690
SKU: 5570 Warm White	2800K	3800156655706




Product code	TU12-A2	Beam Angle	120°
Watts	12W	CRI	Ra>80
Input Voltage	AC : 220-240V	IP Rating	IP20
Flux	960lm	Instant Start	<0.5s



SKU: 5571 White Light	6000K	3800156655713
SKU: 5572 Neutral White	4500K	3800156655720
SKU: 5573 Warm White	2800K	3800156655737




Product code	TU16-A2	Beam Angle	120°
Watts	16W	CRI	Ra>80
Input Voltage	AC : 220-240V	IP Rating	IP20
Flux	1280lm	Instant Start	<0.5s



SKU: 5574 White Light	6000K	3800156655744
SKU: 5575 Neutral White	4500K	3800156655751
SKU: 5576 Warm White	2800K	3800156655768



Product code	TU20-A2	Beam Angle	120°
Watts	20W	CRI	Ra>80
Input Voltage	AC : 220-240V	IP Rating	IP20
Flux	1600lm	Instant Start	<0.5s



SKU: 5577 White Light	6000K	3800156655775
SKU: 5578 Neutral White	4500K	3800156655782
SKU: 5579 Warm White	2800K	3800156655799



NEW




T5 DOUBLE INPUT CABLE

SKU: 6628 / 6629 / 6630
Length: 30cm / 50cm / 100cm

LED TUBE T5 - Plastic
Matt




Product code	TU4-A1	Beam Angle	120°
Watts	4W	CRI	Ra>80
Input Voltage	AC : 220-240V	IP Rating	IP20
Flux	320lm	Instant Start	<0.5s



SKU: 5550 White Light	6000K	3800156655508
SKU: 5551 Neutral White	4500K	3800156655515
SKU: 5552 Warm White	2800K	3800156655522




Product code	TU8-A1	Beam Angle	120°
Watts	8W	CRI	Ra>80
Input Voltage	AC : 220-240V	IP Rating	IP20
Flux	640lm	Instant Start	<0.5s



SKU: 5553 White Light	6000K	3800156655539
SKU: 5554 Neutral White	4500K	3800156655546
SKU: 5555 Warm White	2800K	3800156655553




Product code	TU12-A1	Beam Angle	120°
Watts	12W	CRI	Ra>80
Input Voltage	AC : 220-240V	IP Rating	IP20
Flux	960lm	Instant Start	<0.5s



SKU: 5556 White Light	6000K	3800156655560
SKU: 5557 Neutral White	4500K	3800156655577
SKU: 5558 Warm White	2800K	3800156655584




Product code	TU16-A1	Beam Angle	120°
Watts	16W	CRI	Ra>80
Input Voltage	AC : 220-240V	IP Rating	IP20
Flux	1280lm	Instant Start	<0.5s



SKU: 5559 White Light	6000K	3800156655591
SKU: 5560 Neutral White	4500K	3800156655607
SKU: 5561 Warm White	2800K	3800156655614



Product code	TU20-A1	Beam Angle	120°
Watts	20W	CRI	Ra>80
Input Voltage	AC : 220-240V	IP Rating	IP20
Flux	1600lm	Instant Start	<0.5s



SKU: 5562 White Light	6000K	3800156655621
SKU: 5563 Neutral White	4500K	3800156655638
SKU: 5564 Warm White	2800K	3800156655645



Switch

LED TUBE T5
Matt With Switch







120°




IP20




	Product code TU4-A2	Beam Angle 120°
	Watts 4W	CRI Ra>80
	Input Voltage AC : 220-240V	IP Rating IP20
	Flux 320lm	Instant Start <0.5s




SKU: 5521 White Light		6000K	3800156655218
SKU: 5522 Neutral White		4500K	3800156655225
SKU: 5523 Warm White		2800K	3800156655232




	Product code TU8-A2	Beam Angle 120°
	Watts 8W	CRI Ra>80
	Input Voltage AC : 220-240V	IP Rating IP20
	Flux 640lm	Instant Start <0.5s




SKU: 5524 White Light		6000K	3800156655249
SKU: 5525 Neutral White		4500K	3800156655256
SKU: 5526 Warm White		2800K	3800156655263




	Product code TU12-A2	Beam Angle 120°
	Watts 12W	CRI Ra>80
	Input Voltage AC : 220-240V	IP Rating IP20
	Flux 960lm	Instant Start <0.5s




SKU: 5527 White Light		6000K	3800156655270
SKU: 5528 Neutral White		4500K	3800156655287
SKU: 5529 Warm White		2800K	3800156655294




	Product code TU16-A2	Beam Angle 120°
	Watts 16W	CRI Ra>80
	Input Voltage AC : 220-240V	IP Rating IP20
	Flux 1280lm	Instant Start <0.5s



SKU: 5530 White Light		6000K	3800156655300
SKU: 5531 Neutral White		4500K	3800156655317
SKU: 5532 Warm White		2800K	3800156655324

	Product code TU20-A2	Beam Angle 120°
	Watts 20W	CRI Ra>80
	Input Voltage AC : 220-240V	IP Rating IP20
	Flux 1600lm	Instant Start <0.5s



SKU: 5533 White Light		6000K	3800156655331
SKU: 5534 Neutral White		4500K	3800156655348
SKU: 5535 Warm White		2800K	3800156655355



T5 DOUBLE INPUT CABLE

SKU: 6625 / 6626 / 6627

Length: 30cm / 50cm / 100cm

LED TUBE T5
Matt





120°





IP20

	Product code TU4-A1	Beam Angle 120°
	Watts 4W	CRI Ra>80
	Input Voltage AC : 220-240V	IP Rating IP20
	Flux 320lm	Instant Start <0.5s




SKU: 5653 White Light		6000K	3800156656536
SKU: 5645 Neutral White		4500K	3800156656451
SKU: 5655 Warm White		2800K	3800156656550




	Product code TU8-A1	Beam Angle 120°
	Watts 8W	CRI Ra>80
	Input Voltage AC : 220-240V	IP Rating IP20
	Flux 640lm	Instant Start <0.5s




SKU: 5654 White Light		6000K	3800156656543
SKU: 5646 Neutral White		4500K	3800156656468
SKU: 5656 Warm White		2800K	3800156656567



	Product code TU12-A1	Beam Angle 120°
	Watts 12W	CRI Ra>80
	Input Voltage AC : 220-240V	IP Rating IP20
	Flux 960lm	Instant Start <0.5s




SKU: 5652 White Light		6000K	3800156656529
SKU: 5647 Neutral White		4500K	3800156656475
SKU: 5657 Warm White		2800K	3800156656574




	Product code TU16-A1	Beam Angle 120°
	Watts 16W	CRI Ra>80
	Input Voltage AC : 220-240V	IP Rating IP20
	Flux 1280lm	Instant Start <0.5s



SKU: 5651 White Light		6000K	3800156656512
SKU: 5648 Neutral White		4500K	3800156656482
SKU: 5658 Warm White		2800K	3800156656581

	Product code TU20-A1	Beam Angle 120°
	Watts 20W	CRI Ra>80
	Input Voltage AC : 220-240V	IP Rating IP20
	Flux 1600lm	Instant Start <0.5s




SKU: 5650 White Light		6000K	3800156656505
SKU: 5649 Neutral White		4500K	3800156656499
SKU: 5659 Warm White		2800K	3800156656598





With Starter




Rotatable

LED TUBE T8 PF>0.9
High Lumen
Nano Plastic - One Side Power




7W 1140 Lumens	Product code	TU7-A3	Beam Angle	270°
	Watts	7W	CRI	Ra>80
	Input Voltage	AC : 175-250V	IP Rating	IP20
	Flux	1140lm	Instant Start	<0.5s




SKU: 5541 White Light	6000K	3800156655416
SKU: 5542 Neutral White	4100K	3800156655423
SKU: 5543 Warm White	2800K	3800156655430

12W 1920 Lumens	Product code	TU12-A3	Beam Angle	270°
	Watts	12W	CRI	Ra>80
	Input Voltage	AC : 175-250V	IP Rating	IP20
	Flux	1920lm	Instant Start	<0.5s



SKU: 5544 White Light	6000K	3800156655447
SKU: 5545 Neutral White	4100K	3800156655454
SKU: 5546 Warm White	2800K	3800156655461

16W 2560 Lumens	Product code	TU16-A3	Beam Angle	270°
	Watts	16W	CRI	Ra>80
	Input Voltage	AC : 175-250V	IP Rating	IP20
	Flux	2560lm	Instant Start	<0.5s



SKU: 5547 White Light	6000K	3800156655478
SKU: 5548 Neutral White	4100K	3800156655485
SKU: 5549 Warm White	2800K	3800156655492



With Starter




Rotatable

LED TUBE T8 PF>0.9
Nano Plastic - One Side Power




9W 1050 Lumens	Product code	TU9-A3	Beam Angle	270°
	Watts	9W	CRI	Ra>80
	Input Voltage	AC : 175-250V	IP Rating	IP20
	Flux	1050lm	Instant Start	<0.5s




SKU: 5511 White Light	6000K	3800156655119
SKU: 5512 Neutral White	4100K	3800156655126
SKU: 5513 Warm White	2800K	3800156655133

18W 2150 Lumens	Product code	TU18-A3	Beam Angle	270°
	Watts	18W	CRI	Ra>80
	Input Voltage	AC : 175-240V	IP Rating	IP20
	Flux	2150lm	Instant Start	<0.5s



SKU: 5514 White Light	6000K	3800156655140
SKU: 5515 Neutral White	4100K	3800156655157
SKU: 5516 Warm White	2800K	3800156655164

22W 2560 Lumens	Product code	TU22-A3	Beam Angle	270°
	Watts	22W	CRI	Ra>80
	Input Voltage	AC : 175-250V	IP Rating	IP20
	Flux	2560lm	Instant Start	<0.5s





SKU: 5517 White Light	6000K	3800156655171
SKU: 5518 Neutral White	4100K	3800156655188
SKU: 5519 Warm White	2800K	3800156655195






LED TUBE T8 PF>0.9
PRO - Line
Glass - One Side Power






9W  Lumens	Product code	TU9-A4	Beam Angle	270°
	Watts	9W	CRI	Ra>80
	Input Voltage	AC : 175-265V	IP Rating	IP20
	Flux	1000lm	Instant Start	<0.5s




SKU: 5614 White Light  6000K 3800156656147
 SKU: 5615 Neutral White  4500K 3800156656154



18W  Lumens	Product code	TU18-A4	Beam Angle	270°
	Watts	18W	CRI	Ra>80
	Input Voltage	AC : 175-265V	IP Rating	IP20
	Flux	2100lm	Instant Start	<0.5s



SKU: 5617 White Light  6000K 3800156656178
 SKU: 5618 Neutral White  4500K 3800156656185

24W  Lumens	Product code	TU24-A1	Beam Angle	270°
	Watts	24W	CRI	Ra>80
	Input Voltage	AC : 175-265V	IP Rating	IP20
	Flux	3000lm	Instant Start	<0.5s





SKU: 5610 White Light  6000K 3800156656109
 SKU: 5611 Neutral White  4500K 3800156656116



LED TUBE T8 PF>0.9
City Line
Glass - One Side Power




9W  Lumens	Product code	TU9-A2	Beam Angle	270°
	Watts	9W	CRI	Ra>80
	Input Voltage	AC : 175-265V	IP Rating	IP20
	Flux	800lm	Instant Start	<0.5s





SKU: 5601 White Light  6000K 3800156656017
 SKU: 5602 Neutral White  4500K 3800156656024
 SKU: 5603 Warm White  3000K 3800156656031




18W  Lumens	Product code	TU18-A2	Beam Angle	270°
	Watts	18W	CRI	Ra>80
	Input Voltage	AC : 175-265V	IP Rating	IP20
	Flux	1600lm	Instant Start	<0.5s



SKU: 5604 White Light  6000K 3800156656048
 SKU: 5605 Neutral White  4500K 3800156656055
 SKU: 5606 Warm White  3000K 3800156656062

22W  Lumens	Product code	TU22-A2	Beam Angle	270°
	Watts	22W	CRI	Ra>80
	Input Voltage	AC : 175-265V	IP Rating	IP20
	Flux	2560lm	Instant Start	<0.5s



SKU: 5607 White Light  6000K 3800156656079
 SKU: 5608 Neutral White  4500K 3800156656086
 SKU: 5609 Warm White  3000K 3800156656093




With Starter



LED TUBE T8 PF>0.9
Professional edition
Aluminium-One Side Power

9W
810
 Lumens


Product code TU9-A1
 Watts 9W
 Input Voltage AC : 175-265V
 Flux 810lm
 Beam Angle 140°
 CRI Ra>80
 IP Rating IP20
 Instant Start <0.5s



SKU: 5611-M White Light 6000K 3800156656116
 SKU: 5613-M Neutral White 4500K 3800156656130
 SKU: 5612-M Warm White 2800K 3800156656123

18W
1440
 Lumens


Product code TU18-A1
 Watts 18W
 Input Voltage AC : 175-265V
 Flux 1440lm
 Beam Angle 140°
 CRI Ra>80
 IP Rating IP20
 Instant Start <0.5s



SKU: 5623-M White Light 6000K 3800156656239
 SKU: 5624-M Warm White 2800K 3800156656246

22W
1700
 Lumens

Product code TU22-A1
 Watts 22W
 Input Voltage AC : 175-265V
 Flux 1700lm
 Beam Angle 140°
 CRI Ra>80
 IP Rating IP20
 Instant Start <0.5s



SKU: 5643-M Warm White 2800K 3800156656437




LED TUBE T8
Home edition
Glass - One Side Power



9W
720
 Lumens


Product code TU9-A2
 Watts 9W
 Input Voltage AC : 175-265V
 Flux 720lm
 Beam Angle 270°
 CRI Ra>80
 IP Rating IP20
 Instant Start <0.5s



SKU: 5626 White Light 6000K 3800156656260
 SKU: 5627 Neutral White 4000K 3800156656277

18W
1440
 Lumens

Product code TU18-A2
 Watts 18W
 Input Voltage AC : 175-265V
 Flux 1440lm
 Beam Angle 270°
 CRI Ra>80
 IP Rating IP20
 Instant Start <0.5s



SKU: 5629 White Light 6000K 3800156656291
 SKU: 5630 Neutral White 4000K 3800156656307





M12 cable gland



LED FIXTURES WITH T8 TUBES
Single City Line - Glass PF>0.9
One Side Power



180°



IP65

 9W Lumens	Product code	OT1-A9	Beam Angle	180°	 655 mm x 85 mm	SKU: 6731 White Light 6000K 3800156667310
	Watts	9W	CRI	Ra>80		SKU: 6732 Neutral White 4500K 3800156667327
	Input Voltage	AC : 220-240V	IP Rating	IP65		
	Flux	800lm	Instant Start	<0.5s		

 18W Lumens	Product code	OT1-A9	Beam Angle	180°	 1255 mm x 85 mm	SKU: 6735 White Light 6000K 3800156667358
	Watts	18W	CRI	Ra>80		SKU: 6736 Neutral White 4500K 3800156667365
	Input Voltage	AC : 220-240V	IP Rating	IP65		
	Flux	1600lm	Instant Start	<0.5s		

 22W Lumens	Product code	OT1-A9	Beam Angle	180°	 1555 mm x 85 mm	SKU: 6739 White Light 6000K 3800156667396
	Watts	22W	CRI	Ra>80		SKU: 6740 Neutral White 4500K 3800156667402
	Input Voltage	AC : 220-240V	IP Rating	IP65		
	Flux	2000lm	Instant Start	<0.5s		

Single T8 Tube Fixture - Without Tubes
For One Side Power

SKU: 6650 For Single LED Tube 9W-60cm	SKU: 6652 For Single LED Tube 18W-120cm	SKU: 6654 For Single LED Tube 22W-150cm



M12 cable gland



LED FIXTURES WITH T8 TUBES
Double City Line - Glass PF>0.9
One Side Power



180°



IP65

 2*9W Lumens	Product code	OT1-B1	Beam Angle	180°	 655 mm x 85 mm	SKU: 6733 White Light 6000K 3800156667334
	Watts	2*9W	CRI	Ra>80		SKU: 6734 Neutral White 4500K 3800156667341
	Input Voltage	AC : 220-240V	IP Rating	IP65		
	Flux	1600lm	Instant Start	<0.5s		

 2*18W Lumens	Product code	OT1-B1	Beam Angle	180°	 1255 mm x 85 mm	SKU: 6737 White Light 6000K 3800156667372
	Watts	2*18W	CRI	Ra>80		SKU: 6738 Neutral White 4500K 3800156667389
	Input Voltage	AC : 220-240V	IP Rating	IP65		
	Flux	3200lm	Instant Start	<0.5s		

 2*22W Lumens	Product code	OT1-B1	Beam Angle	180°	 1555mm x 85 mm	SKU: 6741 White Light 6000K 3800156667419
	Watts	2*22W	CRI	Ra>80		SKU: 6742 Neutral White 4500K 3800156667426
	Input Voltage	AC : 220-240V	IP Rating	IP65		
	Flux	4000lm	Instant Start	<0.5s		

Double T8 Tube Fixture - Without Tubes
For One Side Power

SKU: 6651 For Two LED Tube 9W-60cm	SKU: 6653 For Two LED Tube 18W-120cm	SKU: 6655 For Two LED Tube 22W-150cm




M12 cable gland



Stainless steel clips

40W LED
IP65 Fixture Type
Stainless steel clips



180°



IP65



Lumens

Product code	OT40-A1	Beam Angle	180°
Watts	40W	CRI	Ra>80
Input Voltage	AC : 220-240V	IP Rating	IP65
Flux	4000lm	Instant Start	<0.5s

SKU: 6701 White Light ■ 6000K 3800156667013
SKU: 6702 Neutral White ■ 4500K 3800156667020




M12 cable gland



Stainless steel clips

55W LED
IP65 Fixture Type
Stainless steel clips



180°



IP65



Lumens

Product code	OT55-A1	Beam Angle	180°
Watts	55W	CRI	Ra>80
Input Voltage	AC : 220-240v	IP Rating	IP65
Flux	5500lm	Instant Start	<0.5s

SKU: 6703 White Light ■ 6000K 3800156667037
SKU: 6704 Neutral White ■ 4500K 3800156667044



Lumens

Product code	OT40-A1	Beam Angle	180°
Watts	40W	CRI	Ra>80
Input Voltage	AC : 220-240V	IP Rating	IP65
Flux	4000lm	Instant Start	<0.5s



Sensor

SKU: 6705 White Light ■ 6000K 3800156667051
SKU: 6706 Neutral White ■ 4500K 3800156667068



Lumens

Product code	OT55-A1	Beam Angle	180°
Watts	55W	CRI	Ra>80
Input Voltage	AC : 220-240V	IP Rating	IP65
Flux	5500lm	Instant Start	<0.5s



Sensor

SKU: 6707 White Light ■ 6000K 3800156667075
SKU: 6708 Neutral White ■ 4500K 3800156667082



Lumens

Product code	TU40-A1	Beam Angle	180°
Watts	40W	CRI	Ra>80
Input Voltage	AC : 220-240V	IP Rating	IP65
Flux	4000lm	Instant Start	<0.5s



Emergency

SKU: 6709 White Light ■ 6000K 3800156667099
SKU: 6710 Neutral White ■ 4500K 3800156667105



Lumens

Product code	OT55-A1	Beam Angle	180°
Watts	55W	CRI	Ra>80
Input Voltage	AC :220-240V	IP Rating	IP65
Flux	5500lm	Instant Start	<0.5s



Emergency

SKU: 6711 White Light ■ 6000K 3800156667112
SKU: 6712 Neutral White ■ 4500K 3800156667129



LED Batten Light PF>0.9 Stainless steel clips



120°




IP20

10W

Lumens

Product code OT10-A2
Watts 10W
Input Voltage AC : 220-240V
Flux 800lm

Beam Angle 120°
CRI Ra>80
IP Rating IP20
Instant Start <0.5s




SKU: 6671 White Light 6000K 3800156666719
SKU: 6672 Neutral White 4000K 3800156666726
SKU: 6673 Warm White 3000K 3800156666733

20W

Lumens

Product code OT20-A1
Watts 20W
Input Voltage AC : 220-240V
Flux 1660lm

Beam Angle 120°
CRI Ra>80
IP Rating IP20
Instant Start <0.5s




SKU: 6674 White Light 6000K 3800156666740
SKU: 6675 Neutral White 4000K 3800156666757
SKU: 6676 Warm White 3000K 3800156666764

40W

Lumens

Product code OT40-A4
Watts 40W
Input Voltage AC : 220-240V
Flux 3320lm

Beam Angle 120°
CRI Ra>80
IP Rating IP20
Instant Start <0.5s




SKU: 6677 White Light 6000K 3800156666771
SKU: 6678 Neutral White 4000K 3800156666788
SKU: 6679 Warm White 3000K 3800156666795

50W

Lumens

Product code OT50-A1
Watts 50W
Input Voltage AC : 220-240V
Flux 4150lm

Beam Angle 120°
CRI Ra>80
IP Rating IP20
Instant Start <0.5s



SKU: 6680 White Light 6000K 3800156666801
SKU: 6681 Neutral White 4000K 3800156666818

LED BATTEN LIGHTS




LED Batten Lights PF>0.9
Waterproof IP65



Product code OT20-A2
Watts 20W
Input Voltage AC : 220-240V
Flux 1600lm

Beam Angle 120°
CRI Ra>80
IP Rating IP65
Instant Start <0.5s




SKU: 6691 White Light 6000K 3800156666917
SKU: 6692 Neutral White 4000K 3800156666924



Product code OT40-A5
Watts 40W
Input Voltage AC : 220-240V
Flux 3200lm

Beam Angle 120°
CRI Ra>80
IP Rating IP65
Instant Start <0.5s




SKU: 6694 White Light 6000K 3800156666948
SKU: 6695 Neutral White 4000K 3800156666955



Product code OT50-A2
Watts 50W
Input Voltage AC : 220-240V
Flux 4150lm

Beam Angle 120°
CRI Ra>80
IP Rating IP65
Instant Start <0.5s



SKU: 6697 White Light 6000K 3800156666979
SKU: 6698 Neutral White 4000K 3800156666986




M12 cable gland

LED Light Fitting PF>0.9
Stainless steel clips
With fast M12 cable gland



Product code OT18-A1
Watts 18W
Input Voltage AC : 220-240V
Flux 1500lm

Beam Angle 180°
CRI Ra>80
IP Rating IP65
Instant Start <0.5s




SKU: 6721 White Light 6000K 3800156667211
SKU: 6722 Neutral White 4000K 3800156667228



Product code OT36-A1
Watts 36W
Input Voltage AC : 175-250V
Flux 3000lm

Beam Angle 180°
CRI Ra>80
IP Rating IP65
Instant Start <0.5s




SKU: 6723 White Light 6000K 3800156667235
SKU: 6724 Neutral White 4000K 3800156667242



Product code OT45-A1
Watts 45W
Input Voltage AC : 220-240V
Flux 3800lm

Beam Angle 180°
CRI Ra>80
IP Rating IP65
Instant Start <0.5s



SKU: 6725 White Light 6000K 3800156667259
SKU: 6726 Neutral White 4000K 3800156667266



Industry-wide requirement throughout the entire world now, a prerequisite for all residential and business sites, OPTONICA LED covers all major subcategories.

Features:

- Upto 80% power saving
- Self-test mode with battery state indicator
- Various directions pictograms included
- 3 hours emergency operation
- Very highly reliable with instant automatic on.

Application:

- Suitable for residential, industrial and commercial projects

LED EMERGENCY LIGHTS

EMERGENCY LED EXIT SIGN

An emergency light is a battery-backed lighting device that switches on automatically when a building experiences a power outage.

All bulkhead and exit signs include 4 pictograms:



Battery

● Left Arrow



● Right Arrow



● UP Arrow



● EXIT



EMERGENCY LED EXIT SIGN

Wall / Surface Mount

Product code	WW1-A1
Watts	3W
Input Voltage	AC : 220-240V
IP Rating	IP20
Battery	3.6V 900mAh Ni-Cd battery
Emergency Duration	> 3 Hours



Battery

SKU: 7203 White Light 6000K 3800156672031



EMERGENCY LED EXIT SIGN

Wall / Surface Mount

Product code	WW1-A1
Watts	3W
Input Voltage	AC : 220-240V
IP Rating	IP20
Battery	3.6V 900mAh Ni-Cd battery
Emergency Duration	> 3 Hours



Battery

SKU: 7204 White Light 6000K 3800156672048



EMERGENCY LED EXIT SIGN

Recessed Fixed

Product code	WW1-A1
Watts	3W
Input Voltage	AC : 220-240V
IP Rating	IP20
Battery	3.6V 900mAh Ni-Cd battery
Emergency Duration	> 3 Hours



Battery

SKU: 7206 White Light 6000K 3800156672062



EMERGENCY LED EXIT SIGN

Recessed Hanging

Product code	WW1-A1
Watts	3W
Input Voltage	AC : 220-240V
IP Rating	IP20
Battery	3.6V 900mAh Ni-Cd battery
Emergency Duration	> 3 Hours



Battery

SKU: 7205 White Light 6000K 3800156672055





EMERGENCY LED EXIT SIGN

Bulkhead

Product code	WW1-A1
Watts	4W
Input Voltage	AC : 220-240V
IP Rating	IP65
Battery	3.6V 1500mAh Ni-Cd battery
Emergency Duration	> 3 Hours



Battery

SKU: 7201 White Light 6000K 3800156672017

SKU: 7202 Recessed kit for SKU: 7201 3800156672024



EMERGENCY LED EXIT SIGN

Wall Mounted

Product code	WW1-A1
Watts	3W
Input Voltage	AC : 220-240V
IP Rating	IP20
Battery	3.6V 1200mAh Ni-Cd battery
Emergency Duration	> 3 Hours



Battery

SKU: 7207 White Light 6000K 3800156672079



EMERGENCY LED TWINSPOTS 3W

Wall Mount - Self Test

Product code	WW1-A2
Watts	2x3 pcs 0.5W
Input Voltage	AC : 220-240V
IP Rating	IP20
Battery	3.6V 1800mAh
Emergency Duration	> 3 Hours



280 Lumens



Battery

SKU: 7208 White Light 6000K 3800156672086



EMERGENCY LED TWINSPOTS 6W

Wall Mount - Self Test

Product code	WW1-A2
Watts	2x6 pcs 0.5W
Input Voltage	AC : 220-240V
IP Rating	IP20
Battery	3.6V 3000mAh
Emergency Duration	> 3 Hours



450 Lumens



Battery

SKU: 7209 White Light 6000K 3800156672093



EMERGENCY LED LIGHT

Downlight

Product code	WW1-A3
Watts	3W
Input Voltage	AC : 220-240V
IP Rating	IP20
Battery	3.6V 1800mAh
Emergency Duration	> 3 Hours



250 Lumens



Battery

SKU: 7210 White Light 6000K 3800156672109

OSRAM Chips



EMERGENCY LED LIGHT

Downlight - Osram chip

Product code	WW1-A3
Watts	3W
Input Voltage	AC : 220-240V
IP Rating	IP20
Battery	3.6V 1800mAh
Emergency Duration	> 3 Hours




460 Lumens



Battery

SKU: 7211 White Light 6000K 3800156672116



Allowing full flexibility of installation on every hard surface so there are no more design restraints.


Features:

- Up to 80% power saving
- Variety of colour temperatures
- Glossy or matt finishing
- Standard sizes
- Variety of powers

Application:

- Extremely wide indoor application use – home, office, retail, hospitals, restaurants, indoor parking lots, manufacturing spaces


LED SURFACE PANELS



CCT - SURFACE LED PANELS
ROUND Build-in Driver




Product code DL6-A3
Watts 6W
Input Voltage AC : 165-265V
Flux 450lm
Beam Angle 120°
CRI Ra>80
IP Rating IP44 Front
Dimension ø115x32mm



SKU: 2535 3800156625358
CCT
6000K 4500K 3000K




Product code DL12-A3
Watts 12W
Input Voltage AC : 165-265V
Flux 950lm
Beam Angle 120°
CRI Ra>80
IP Rating IP44 Front
Dimension ø170x32mm



SKU: 2536 3800156625365
CCT
6000K 4500K 3000K




Product code DL18-A3
Watts 18W
Input Voltage AC : 165-265V
Flux 1450lm
Beam Angle 120°
CRI Ra>80
IP Rating IP44 Front
Dimension ø220x32mm




SKU: 2537 3800156625372
CCT
6000K 4500K 3000K



Product code DL24-A3
Watts 24W
Input Voltage AC : 165-265V
Flux 2150lm
Beam Angle 120°
CRI Ra>80
IP Rating IP44 Front
Dimension ø240x32mm




SKU: 2538 3800156625389
CCT
6000K 4500K 3000K



CCT - SURFACE LED PANELS
SQUARE Build-in Driver




Product code DL6-A3
Watts 6W
Input Voltage AC : 165-265V
Flux 450lm
Beam Angle 100°
CRI Ra>80
IP Rating IP44 Front
Dimension 122x122x35mm



SKU: 2539 3800156625396
CCT
6000K 4500K 3000K




Product code DL12-A3
Watts 12W
Input Voltage AC : 165-265V
Flux 950lm
Beam Angle 100°
CRI Ra>80
IP Rating IP44 Front
Dimension 172x172x35mm



SKU: 2540 3800156625402
CCT
6000K 4500K 3000K




Product code DL18-A3
Watts 18W
Input Voltage AC : 165-265V
Flux 1450lm
Beam Angle 100°
CRI Ra>80
IP Rating IP44 Front
Dimension 227x227x35mm



SKU: 2541 3800156625419
CCT
6000K 4500K 3000K



Product code DL24-A3
Watts 24W
Input Voltage AC : 165-265V
Flux 2150lm
Beam Angle 100°
CRI Ra>80
IP Rating IP44 Front
Dimension 227x227x35mm



SKU: 2542 3800156625426
CCT
6000K 4500K 3000K






LED SURFACE PANELS ROUND - HOME EDITION

**6W**

Lumens

Product code DL6-B1
Watts 6W
Input Voltage AC : 180-260V
Flux 480lm

Beam Angle 150°
CRI Ra>80
IP Rating IP20
Dimension ø117x28mm




SKU: 2401 White Light 6000K 3800156624016
SKU: 2402 Neutral White 4500K 3800156624023
SKU: 2403 Warm White 2800K 3800156624030

12W

Lumens

Product code DL12-B1
Watts 12W
Input Voltage AC : 180-260V
Flux 960lm

Beam Angle 150°
CRI Ra>80
IP Rating IP20
Dimension ø160x28mm




SKU: 2404 White Light 6000K 3800156624047
SKU: 2405 Neutral White 4500K 3800156624054
SKU: 2406 Warm White 2700K 3800156624061

18W

Lumens

Product code DL18-B1
Watts 18W
Input Voltage AC : 180-260V
Flux 1440lm

Beam Angle 150°
CRI Ra>80
IP Rating IP20
Dimension ø205x28mm




SKU: 2407 White Light 6000K 3800156624078
SKU: 2408 Neutral White 4500K 3800156624085
SKU: 2409 Warm White 2800K 3800156624092

24W

Lumens

Product code DL24-B1
Watts 24W
Input Voltage AC : 180-260V
Flux 1920lm

Beam Angle 150°
CRI Ra>80
IP Rating IP20
Dimension ø285x28mm



SKU: 2410 White Light 6000K 3800156624108
SKU: 2411 Neutral White 4500K 3800156624115
SKU: 2412 Warm White 2800K 3800156624122




LED SURFACE PANELS SQUARE - HOME EDITION

**6W**

Lumens

Product code DL6-B1
Watts 6W
Input Voltage AC : 180-260V
Flux 480lm

Beam Angle 150°
CRI Ra>80
IP Rating IP20
Dimension 118x118x28mm




SKU: 2413 White Light 6000K 3800156624139
SKU: 2414 Neutral White 4500K 3800156624146
SKU: 2415 Warm White 2800K 3800156624153

12W

Lumens

Product code DL12-B1
Watts 12W
Input Voltage AC : 180-260V
Flux 960lm

Beam Angle 150°
CRI Ra>80
IP Rating IP20
Dimension 160x160x28mm




SKU: 2416 White Light 6000K 3800156624160
SKU: 2417 Neutral White 4500K 3800156624177
SKU: 2418 Warm White 2800K 3800156624184

18W

Lumens

Product code DL18-B1
Watts 18W
Input Voltage AC : 180-260V
Flux 1440lm

Beam Angle 150°
CRI Ra>80
IP Rating IP20
Dimension 208x208x28mm




SKU: 2419 White Light 6000K 3800156624191
SKU: 2420 Neutral White 4500K 3800156624207
SKU: 2421 Warm White 2800K 3800156624214

24W

Lumens

Product code DL24-B1
Watts 24W
Input Voltage AC : 180-260V
Flux 1920lm

Beam Angle 150°
CRI Ra>80
IP Rating IP20
Dimension 288x288x28mm



SKU: 2422 White Light 6000K 3800156624221
SKU: 2423 Neutral White 4500K 3800156624238
SKU: 2424 Warm White 2800K 3800156624245




LED SURFACE PANELS
ROUND



6W
480
Lumens

Product code DL6-A1
Watts 6W
Input Voltage AC : 180-260V
Flux 480lm

Beam Angle 150°
CRI Ra>80
IP Rating IP20
Dimension ø120x38mm




SKU: 2231 White Light 6000K 3800156622319
SKU: 2243 Neutral White 4500K 3800156622432
SKU: 2232 Warm White 2800K 3800156622326

12W
960
Lumens

Product code DL12-A1
Watts 12W
Input Voltage AC : 180-260V
Flux 960lm

Beam Angle 150°
CRI Ra>80
IP Rating IP20
Dimension ø172x38mm




SKU: 2244 White Light 6000K 3800156622449
SKU: 2245 Neutral White 4500K 3800156622456
SKU: 2246 Warm White 2700K 3800156622463

18W
1440
Lumens

Product code DL18-A1
Watts 18W
Input Voltage AC : 180-260V
Flux 1440lm

Beam Angle 150°
CRI Ra>80
IP Rating IP20
Dimension ø225x38mm




SKU: 2235 White Light 6000K 3800156622357
SKU: 2247 Neutral White 4500K 3800156622470
SKU: 2236 Warm White 2800K 3800156622364

24W
1920
Lumens

Product code DL24-A1
Watts 24W
Input Voltage AC : 180-260V
Flux 1920lm

Beam Angle 150°
CRI Ra>80
IP Rating IP20
Dimension ø300x38mm



SKU: 2248 White Light 6000K 3800156622487
SKU: 2249 Neutral White 4500K 3800156622494
SKU: 2250 Warm White 2800K 3800156622500




LED SURFACE PANELS
SQUARE



6W
480
Lumens

Product code DL6-A1
Watts 6W
Input Voltage AC : 180-260V
Flux 480lm

Beam Angle 150°
CRI Ra>80
IP Rating IP20
Dimension 120x120x38mm




SKU: 2237 White Light 6000K 3800156622371
SKU: 2251 Neutral White 4500K 3800156622517
SKU: 2238 Warm White 2800K 3800156622388

12W
960
Lumens

Product code DL12-A1
Watts 12W
Input Voltage AC : 180-260V
Flux 960lm

Beam Angle 150°
CRI Ra>80
IP Rating IP20
Dimension 167x167x38mm




SKU: 2252 White Light 6000K 3800156622524
SKU: 2253 Neutral White 4500K 3800156622531
SKU: 2254 Warm White 2800K 3800156622548

18W
1440
Lumens

Product code DL18-A1
Watts 18W
Input Voltage AC : 180-260V
Flux 1440lm

Beam Angle 150°
CRI Ra>80
IP Rating IP20
Dimension 220x220x32mm




SKU: 2241 White Light 6000K 3800156622418
SKU: 2255 Neutral White 4500K 3800156622555
SKU: 2242 Warm White 2800K 3800156622425

24W
1920
Lumens

Product code DL24-A1
Watts 24W
Input Voltage AC : 180-260V
Flux 1920lm

Beam Angle 150°
CRI Ra>80
IP Rating IP20
Dimension 295x295x32mm



SKU: 2256 White Light 6000K 3800156622562
SKU: 2257 Neutral White 4500K 3800156622579
SKU: 2258 Warm White 2800K 3800156622586



LED CEILING LIGHT

LED ceiling lights are increasingly popular and are available in all shapes and sizes, with high-quality fittings available for any type of room. Whether you have a stately home or a terraced house, you can use these lamps to good effect.

Features:

- Up to 80% power saving
- Variety of colour temperatures
- Glossy or matt finishing
- Standard sizes
- Variety of powers

Application:

- Suspended ceilings
- Indoor use – home or office
- Large spaces




LED CEILING LIGHTS

Black Body - Round



18W
1350
 Lumens


Product code	PD18-A2	Beam Angle	120°
Watts	18W	CRI	Ra>80
Input Voltage	AC : 175-260V	IP Rating	IP20
Flux	1350lm	Body Color	Black



SKU: 2901 Neutral White 4500K 3800156629011
 SKU: 2902 Warm White 3000K 3800156629028

30W
2250
 Lumens


Product code	PD30-A2	Beam Angle	120°
Watts	30W	CRI	Ra>80
Input Voltage	AC : 175-260V	IP Rating	IP20
Flux	2250lm	Body Color	Black



SKU: 2905 Neutral White 4500K 3800156629059
 SKU: 2906 Warm White 3000K 3800156629066

54W
4050
 Lumens

Product code	PD54-A2	Beam Angle	120°
Watts	54W	CRI	Ra>80
Input Voltage	AC : 175-260V	IP Rating	IP20
Flux	4050lm	Body Color	Black




SKU: 2909 Neutral White 4500K 3800156629097
 SKU: 2910 Warm White 3000K 3800156629103




LED CEILING LIGHTS

White Body - Round



18W
1350
 Lumens


Product code	PD18-A2	Beam Angle	120°
Watts	18W	CRI	Ra>80
Input Voltage	AC : 175-260V	IP Rating	IP20
Flux	1350lm	Body Color	White



SKU: 2903 Neutral White 4500K 3800156629035
 SKU: 2904 Warm White 3000K 3800156629042

30W
2250
 Lumens


Product code	PD30-A2	Beam Angle	120°
Watts	30W	CRI	Ra>80
Input Voltage	AC : 175-260V	IP Rating	IP20
Flux	2250lm	Body Color	White



SKU: 2907 Neutral White 4500K 3800156629073
 SKU: 2908 Warm White 3000K 3800156629080

54W
4050
 Lumens

Product code	PD54-A2	Beam Angle	120°
Watts	54W	CRI	Ra>80
Input Voltage	AC : 175-260V	IP Rating	IP20
Flux	4050lm	Body Color	White



SKU: 2911 Neutral White 4500K 3800156629110
 SKU: 2912 Warm White 3000K 3800156629127




LED CEILING LIGHTS
36W - Black

Product code DL36-A2
 Watts 36W
 Input Voltage AC : 175-260V
 Flux 2700lm
 Beam Angle 120°
 Shape Round

CRI Ra>80
 IP Rating IP20
 Dimension ø500x80 mm
 Body Color Black
 Dimmable NO

SKU: 2913 Neutral White 4500K 3800156629134
 SKU: 2914 Warm White 2700K 3800156629141




LED CEILING LIGHTS
36W - White

Product code DL36-A2
 Watts 36W
 Input Voltage AC : 175-260V
 Flux 2700lm
 Beam Angle 120°
 Shape Round

CRI Ra>80
 IP Rating IP20
 Dimension ø500x80 mm
 Body Color White
 Dimmable NO

SKU: 2915 Neutral White 4500K 3800156629158
 SKU: 2916 Warm White 2700K 3800156629165




LED CEILING LIGHTS
64W - Black

Product code DL64-A2
 Watts 64W
 Input Voltage AC : 175-260V
 Flux 4800lm
 Beam Angle 120°
 Shape Round

CRI Ra>80
 IP Rating IP20
 Dimension ø800x80 mm
 Body Color Black
 Dimmable NO

SKU: 2917 Neutral White 4500K 3800156629172
 SKU: 2918 Warm White 2700K 3800156629189



LED CEILING LIGHTS
64W - White

Product code DL64-A2
 Watts 64W
 Input Voltage AC : 175-260V
 Flux 4800lm
 Beam Angle 120°
 Shape Round

CRI Ra>80
 IP Rating IP20
 Dimension ø800x80 mm
 Body Color White
 Dimmable NO

SKU: 2919 Neutral White 4500K 3800156629196
 SKU: 2920 Warm White 2700K 3800156629202




LED CEILING LIGHTS
30W - Black

Product code DL36-A2
 Watts 36W
 Input Voltage AC : 175-260V
 Flux 2250lm
 Beam Angle 120°
 Shape Square

CRI Ra>80
 IP Rating IP20
 Dimension 380x380 mm
 Body Color Black
 Dimmable NO

SKU: 2921 Neutral White 4500K 3800156629134
 SKU: 2922 Warm White 3000K 3800156629141




LED CEILING LIGHTS
30W - White

Product code DL36-A2
 Watts 36W
 Input Voltage AC : 175-260V
 Flux 2250lm
 Beam Angle 120°
 Shape Square

CRI Ra>80
 IP Rating IP20
 Dimension 380x380 mm
 Body Color White
 Dimmable NO

SKU: 2923 Neutral White 4500K 3800156629134
 SKU: 2924 Warm White 2700K 3800156629141




LED CEILING LIGHTS
64W - Black

Product code DL64-A2
 Watts 64W
 Input Voltage AC : 175-260V
 Flux 4800lm
 Beam Angle 120°
 Shape Square

CRI Ra>80
 IP Rating IP20
 Dimension 600x600 mm
 Body Color Black
 Dimmable NO

SKU: 2925 Neutral White 4500K 3800156629134
 SKU: 2926 Warm White 2700K 3800156629141




LED CEILING LIGHTS
64W - White

Product code DL64-A2
 Watts 64W
 Input Voltage AC : 175-260V
 Flux 4800lm
 Beam Angle 120°
 Shape Square

CRI Ra>80
 IP Rating IP20
 Dimension 600x600 mm
 Body Color White
 Dimmable NO

SKU: 2927 Neutral White 4500K 3800156629134
 SKU: 2928 Warm White 2700K 3800156629141





Remote Control

LED CEILING LIGHTS
Sandy White - Round



Product code	DL72-A1	CRI	Ra>80
Watts	36x2W	IP Rating	IP20
Input Voltage	AC : 180-260V	Dimension	ø500x50 mm
Flux	5400lm	Body Color	White
Beam Angle	120°	Dimmable	NO
Shape	Round		

SKU: 2931 ← CCT → 3800156629318
■ 6000K ■ 4500K ■ 3000K



Remote Control

LED CEILING LIGHTS
Sandy White - Round



Product code	DL96-A1	CRI	Ra>80
Watts	48x2W	IP Rating	IP20
Input Voltage	AC : 180-260V	Dimension	ø500x50 mm
Flux	7200lm	Body Color	White
Beam Angle	120°	Dimmable	NO
Shape	Round		

SKU: 2930 ← CCT → 3800156629301
■ 6000K ■ 4500K ■ 3000K



Remote Control

LED CEILING LIGHTS
Sandy White - Square



Product code	DL120-A1	CRI	Ra>80
Watts	60x2W	IP Rating	IP20
Input Voltage	AC : 180-260V	Dimension	500x500x50 mm
Flux	9000lm	Body Color	White
Beam Angle	120°	Dimmable	NO
Shape	Square		

SKU: 2929 ← CCT → 3800156629295
■ 6000K ■ 4500K ■ 3000K

Ceiling plate for pendant lamps
Does not contain pendant lamps

HANGING ACCESSORIES
Black



SKU: 5181 3800156651814



HANGING ACCESSORIES
White





SKU: 5180 3800156651807





LED SURFACE CEILING
Bulkhead-Thermoplastic



	Product code	DL8-A3	Beam Angle	120°	SKU: 2807 Neutral White 4500K 3800156628076 SKU: 2808 Warm White 2700K 3800156628083
	Watts	8W	CRI	Ra>80	
	Input Voltage	AC : 220-240V	IP Rating	IP65	
	Flux	640lm	Instant Start	<0.5s	


	Product code	DL13-A1	Beam Angle	120°	SKU: 2813 Neutral White 4500K 3800156628137 SKU: 2814 Warm White 2700K 3800156628144
	Watts	13W	CRI	Ra>80	
	Input Voltage	AC : 220-240V	IP Rating	IP65	
	Flux	1050lm	Instant Start	<0.5s	

	Product code	DL8-A4	Beam Angle	120°	 MW Sensor SKU: 2809 Neutral White 4500K 3800156628090 SKU: 2810 Warm White 2700K 3800156628106
	Watts	8W	CRI	Ra>80	
	Input Voltage	AC : 220-240V	IP Rating	IP65	
	Flux	640lm	Instant Start	<0.5s	

	Product code	DL13-A3	Beam Angle	120°	 MW Sensor SKU: 2815 Neutral White 4500K 3800156628151 SKU: 2816 Warm White 2700K 3800156628168
	Watts	13W	CRI	Ra>80	
	Input Voltage	AC : 220-240V	IP Rating	IP65	
	Flux	1050lm	Instant Start	<0.5s	

	Product code	DL8-A5	Beam Angle	120°	 Emergency SKU: 2811 Neutral White 4500K 3800156628113 SKU: 2812 Warm White 2700K 3800156628120
	Watts	8W	CRI	Ra>80	
	Input Voltage	AC : 220-240V	IP Rating	IP65	
	Flux	640lm	Instant Start	<0.5s	



	Product code	DL13-A4	Beam Angle	120°	 Emergency SKU: 2817 Neutral White 4500K 3800156628175 SKU: 2818 Warm White 2700K 3800156628182
	Watts	13W	CRI	Ra>80	
	Input Voltage	AC : 220-240V	IP Rating	IP65	
	Flux	1050lm	Instant Start	<0.5s	



LED SURFACE CEILING 8W
Bulkhead-Thermoplastic

SKU: 2801	White Light	6000K	3800156628014
SKU: 2802	Neutral White	4500K	3800156628021
SKU: 2803	Warm White	2700K	3800156628038

Product code	DL8-A2	CRI	Ra>80
Watts	8W	IP Rating	IP54
Input Voltage	AC : 220-240V	Dimension	160x90x51 mm
Flux	600lm	Body Color	White
Beam Angle	120°	Dimmable	NO
Shape	Bulkhead		



LED SURFACE CEILING 18W
Thermoplastic - PIR

SKU: 2804	White Light	6000K	3800156628045
SKU: 2805	Neutral White	4500K	3800156628052
SKU: 2806	Warm White	2700K	3800156628069

Product code	DL18-A9	CRI	Ra>80
Watts	18W	IP Rating	IP20
Input Voltage	AC : 220-240V	Dimension	295x70 mm
Flux	1260lm	Body Color	White
Beam Angle	120°	Dimmable	NO
Shape	Round		



LED CEILING LIGHTS

HOME EDITION - Matt White




LED CEILING LIGHTS

HOME EDITION - Dotty Sparkle



12W
Lumens 880


Product code	DL12-B1	Beam Angle	120°
Watts	12W	CRI	Ra>80
Input Voltage	AC : 175-265V	IP Rating	IP20
Flux	880lm	Body Color	White



SKU: 2870	White Light	6000K	3800156628700
SKU: 2871	Neutral White	4500K	3800156628717
SKU: 2872	Warm White	3000K	3800156628724

12W
Lumens 880


Product code	DL12-B1	Beam Angle	120°
Watts	12W	CRI	Ra>80
Input Voltage	AC : 175-265V	IP Rating	IP20
Flux	880lm	Body Color	White



SKU: 2879	White Light	6000K	3800156628793
SKU: 2880	Neutral White	4500K	3800156628809
SKU: 2881	Warm White	3000K	3800156628816

18W
Lumens 1550


Product code	DL18-B1	Beam Angle	120°
Watts	18W	CRI	Ra>80
Input Voltage	AC : 175-265V	IP Rating	IP20
Flux	1550lm	Body Color	White



SKU: 2873	White Light	6000K	3800156628731
SKU: 2874	Neutral White	4500K	3800156628748
SKU: 2875	Warm White	3000K	3800156628755

18W
Lumens 1550


Product code	DL18-B1	Beam Angle	120°
Watts	18W	CRI	Ra>80
Input Voltage	AC : 175-265V	IP Rating	IP20
Flux	1550lm	Body Color	White



SKU: 2882	White Light	6000K	3800156628823
SKU: 2883	Neutral White	4500K	3800156628830
SKU: 2884	Warm White	3000K	3800156628847

24W
Lumens 1990


Product code	DL24-B1	Beam Angle	120°
Watts	24W	CRI	Ra>80
Input Voltage	AC : 175-265V	IP Rating	IP20
Flux	1990lm	Body Color	White



SKU: 2876	White Light	6000K	3800156628762
SKU: 2877	Neutral White	4500K	3800156628779
SKU: 2878	Warm White	3000K	3800156628786

24W
Lumens 1990

Product code	DL24-B1	Beam Angle	120°
Watts	24W	CRI	Ra>80
Input Voltage	AC : 175-265V	IP Rating	IP20
Flux	1990lm	Body Color	White



SKU: 2885	White Light	6000K	3800156628854
SKU: 2886	Neutral White	4500K	3800156628861
SKU: 2887	Warm White	3000K	3800156628878



NEW


LED CEILING LIGHTS

CITY LINE - Matt White



12W
Lumens 840


Product code	DL12-B1	Beam Angle	120°
Watts	12W	CRI	Ra>80
Input Voltage	AC : 175-265V	IP Rating	IP20
Flux	840lm	Body Color	White



SKU: 2840	White Light	6000K	3800156628403
SKU: 2841	Neutral White	4500K	3800156628410
SKU: 2842	Warm White	3000K	3800156628427

18W
Lumens 1260


Product code	DL18-B1	Beam Angle	120°
Watts	18W	CRI	Ra>80
Input Voltage	AC : 175-265V	IP Rating	IP20
Flux	1260lm	Body Color	White



SKU: 2843	White Light	6000K	3800156628434
SKU: 2844	Neutral White	4500K	3800156628441
SKU: 2845	Warm White	3000K	3800156628458

24W
Lumens 1680

Product code	DL24-B1	Beam Angle	120°
Watts	24W	CRI	Ra>80
Input Voltage	AC : 175-265V	IP Rating	IP20
Flux	1680lm	Body Color	White



SKU: 2846	White Light	6000K	3800156628465
SKU: 2847	Neutral White	4500K	3800156628472
SKU: 2848	Warm White	3000K	3800156628489



NEW


LED CEILING LIGHTS

CITY LINE - Dotty Sparkle



12W
Lumens 840


Product code	DL12-B1	Beam Angle	120°
Watts	12W	CRI	Ra>80
Input Voltage	AC : 175-265V	IP Rating	IP20
Flux	840lm	Body Color	White



SKU: 2849	White Light	6000K	3800156628496
SKU: 2850	Neutral White	4500K	3800156628502
SKU: 2851	Warm White	3000K	3800156628519

18W
Lumens 1260


Product code	DL18-B1	Beam Angle	120°
Watts	18W	CRI	Ra>80
Input Voltage	AC : 175-265V	IP Rating	IP20
Flux	1260lm	Body Color	White



SKU: 2852	White Light	6000K	3800156628526
SKU: 2853	Neutral White	4500K	3800156628533
SKU: 2854	Warm White	3000K	3800156628540

24W
Lumens 1680

Product code	DL24-B1	Beam Angle	120°
Watts	24W	CRI	Ra>80
Input Voltage	AC : 175-265V	IP Rating	IP20
Flux	1680lm	Body Color	White



SKU: 2855	White Light	6000K	3800156628557
SKU: 2856	Neutral White	4500K	3800156628564
SKU: 2857	Warm White	3000K	3800156628571




Remote Control included



Color changing LED 3000 to 6000K

**LED Ceiling Light 36W PF>0.9
Matt White**




SKU: 2858 3800156628588

Product code	DL36-A4	Remote	No
Watts	36W	CRI	Ra>80
Input Voltage	AC : 185-265V	IP Rating	IP20
Flux	2500lm	Dimension	ø460x70 mm
Beam Angle	120°	Body Color	Matt White
Shape	Round	Dimmable	Yes



Remote Control included



Color changing LED 3000 to 6000K

**LED Ceiling Light 36W PF>0.9
Matt White+Dotty Sparkle**



SKU: 2860 3800156628601

Product code	DL36-A5	Remote	Yes
Watts	36W	CRI	Ra>80
Input Voltage	AC : 185-265V	IP Rating	IP20
Flux	2500lm	Dimension	430x430x70 mm
Beam Angle	120°	Body Color	Matt White
Shape	Square	Dimmable	Yes




Remote Control included



Color changing LED 3000 to 6000K

**LED Ceiling Light 60W PF>0.9
Matt White**




SKU: 2859 3800156628595

Product code	DL60-A4	Remote	No
Watts	60W	CRI	Ra>80
Input Voltage	AC : 185-265V	IP Rating	IP20
Flux	3600lm	Dimension	ø560x70 mm
Beam Angle	120°	Body Color	Matt White
Shape	Round	Dimmable	Yes




Remote Control included



Color changing LED 3000 to 6000K

**LED Ceiling Light 60W PF>0.9
Matt White+Dotty Sparkle**



SKU: 2861 3800156628618

Product code	DL60-A5	Remote	Yes
Watts	60W	CRI	Ra>80
Input Voltage	AC : 185-265V	IP Rating	IP20
Flux	3600lm	Dimension	530x530x70 mm
Beam Angle	120°	Body Color	Matt White
Shape	Square	Dimmable	Yes




Color changing LED 3000 to 6000K

Remote Control included

LED Ceiling Light 40W PF>0.95
Matt White+Dotty Sparkle



Product code	DL40-A1	Remote	Yes
Watts	40W	CRI	Ra>80
Input Voltage	AC : 175-240V	IP Rating	IP20
Flux	2800lm	Dimension	ø460x80 mm
Beam Angle	120°	Body Color	Matt White
Shape	Round	Dimmable	Yes



SKU: 2279 3800156622791 ■ 6000K ■ 4500K ■ 3000K




Color changing LED 3000 to 6000K

Remote Control included

LED Ceiling Light 40W PF>0.95
Matt White+Dotty Sparkle



Product code	DL40-A1	Remote	Yes
Watts	40W	CRI	Ra>80
Input Voltage	AC : 175-240V	IP Rating	IP20
Flux	2800lm	Dimension	ø460x80 mm
Beam Angle	120°	Body Color	Matt White
Shape	Round	Dimmable	Yes



SKU: 2290 3800156622906 ■ 6000K ■ 4500K ■ 3000K



Color changing LED 3000 to 6000K

Remote Control included


LED Ceiling Light 40W PF>0.95
Matt White+Matt Glass



Product code	DL40-A1	Remote	Yes
Watts	40W	CRI	Ra>80
Input Voltage	AC : 175-240V	IP Rating	IP20
Flux	2800lm	Dimension	ø460x80 mm
Beam Angle	120°	Body Color	Matt White
Shape	Round	Dimmable	Yes



SKU: 2289 3800156622890 ■ 6000K ■ 4500K ■ 3000K




Color changing LED 3000 to 6000K

Remote Control included

LED Ceiling Light 40W PF>0.95
Matt White+Matt Glass



Product code	DL40-A1	Remote	Yes
Watts	40W	CRI	Ra>80
Input Voltage	AC : 175-240V	IP Rating	IP20
Flux	2800lm	Dimension	ø460x80 mm
Beam Angle	120°	Body Color	Matt White
Shape	Round	Dimmable	Yes



SKU: 2291 3800156622913 ■ 6000K ■ 4500K ■ 3000K



Remote Control included




Color changing LED 3000 to 6000K


LED Ceiling Light 36W
HOME EDITION - Allstar



Product code	DL36-A6	Remote	Yes
Watts	36W	CRI	Ra>80
Input Voltage	AC : 185-240V	IP Rating	IP20
Flux	2800lm	Dimension	ø380x110 mm
Beam Angle	120°	Body Color	Matt White
Shape	Round	Dimmable	Yes



SKU: 2888 3800156628885



LED Suspended Light 38W PF>0.95
Sandy Black - Square



Product code	DL38-A1	CRI	Ra>80
Watts	38W	IP Rating	IP20
Input Voltage	AC : 175-240V	Dimension	450x450x900 mm
Flux	1900lm	Body Color	BLACK
Beam Angle	120°	Dimmable	NO
Shape	Square		

SKU: 9035 Warm White 3000K 3800156690356



Remote Control included



Color changing LED 3000 to 6000K

LED Ceiling Light 60W
HOME EDITION - Allstar



Product code	DL60-A6	Remote	Yes
Watts	60W	CRI	Ra>80
Input Voltage	AC : 185-240V	IP Rating	IP20
Flux	4200lm	Dimension	ø485x115 mm
Beam Angle	120°	Body Color	Matt White
Shape	Round	Dimmable	Yes



SKU: 2889 3800156628892





LED Ceiling Light 38W PF>0.95
Sandy White - Square



Product code	DL38-A1	CRI	Ra>80
Watts	38W	IP Rating	IP20
Input Voltage	AC : 175-240V	Dimension	450x450x100 mm
Flux	1900lm	Body Color	Sandy White
Beam Angle	120°	Dimmable	NO
Shape	Square		

SKU: 2297 Warm White 3000K 3800156622975



LED Ceiling Light 42W PF>0.95
Sandy White - Round



Product code	DL42-A1	CRI	Ra>80
Watts	42W	IP Rating	IP20
Input Voltage	AC : 175-240V	Dimension	ø600x130 mm
Flux	2100lm	Body Color	Sandy White
Beam Angle	120°	Dimmable	NO
Shape	Round		



SKU: 2294 Warm White 3000K 3800156622944

LED Ceiling Light 30W PF>0.95
Sandy White - Round



Product code	DL30-A1	CRI	Ra>80
Watts	30W	IP Rating	IP20
Input Voltage	AC : 175-240V	Dimension	ø400x110 mm
Flux	1640lm	Body Color	Sandy White
Beam Angle	120°	Dimmable	NO
Shape	Round		

SKU: 2298 Warm White 3000K 3800156622982



LED Ceiling Light 60W PF>0.95
Sandy White - Round



Product code	DL60-A1	CRI	Ra>80
Watts	60W	IP Rating	IP20
Input Voltage	AC : 175-240V	Dimension	ø800x130 mm
Flux	4000lm	Body Color	Sandy White
Beam Angle	120°	Dimmable	NO
Shape	Square		

SKU: 2295 Warm White 3000K 3800156622951

LED Ceiling Light 145W PF>0.95
Sandy White - Round



Product code	DL145-A1	CRI	Ra>80
Watts	145W	IP Rating	IP20
Input Voltage	AC : 175-240V	Dimension	ø1000x100 mm
Flux	9425lm	Body Color	Sandy White
Beam Angle	120°	Dimmable	NO
Shape	Round		

SKU: 2299 Warm White 3000K 3800156623

LED Suspended Lighting
Round Sandy White



LED Suspended Lighting
38W PF>0.95



SKU: 9036 Warm White 3000K 3800156690363

Product code	PD38-A2	CRI	Ra>80
Watts	38W	IP Rating	IP20
Input Voltage	AC : 175-240V	Dimension	ø450x1200 mm
Flux	1900lm	Body Color	Sandy White
Beam Angle	120°	Dimmable	NO
Shape	Round		

LED Suspended Lighting
Square Sandy White



LED Suspended Lighting
38W PF>0.95



SKU: 9038 Warm White 3000K 3800156690387

Product code	PD38-A2	CRI	Ra>80
Watts	38W	IP Rating	IP20
Input Voltage	AC : 175-240V	Dimension	450x450x1200 mm
Flux	1900lm	Body Color	Sandy White
Beam Angle	120°	Dimmable	NO
Shape	Square		

LED Suspended Lighting
50W PF>0.95



SKU: 9037 Warm White 3000K 3800156690370

Product code	PD50-A1	CRI	Ra>80
Watts	50W	IP Rating	IP20
Input Voltage	AC : 175-240V	Dimension	ø600x1200 mm
Flux	3250lm	Body Color	Sandy White
Beam Angle	120°	Dimmable	NO
Shape	Round		

LED Suspended Lighting
50W PF>0.95



SKU: 9039 Warm White 3000K 3800156690394

Product code	PD50-A1	CRI	Ra>80
Watts	50W	IP Rating	IP20
Input Voltage	AC : 175-240V	Dimension	600x600x1200 mm
Flux	3250lm	Body Color	Sandy White
Beam Angle	120°	Dimmable	NO
Shape	Square		

LED Suspended Lighting
Round Sandy White



LED Suspended Lighting
42W PF>0.95



SKU: 9031 Warm White 3000K 3800156690318

Product code	PD30-A1	CRI	Ra>80
Watts	42W	IP Rating	IP20
Input Voltage	AC : 175-240V	Dimension	ø600x1200 mm
Flux	1640lm	Body Color	Sandy White
Beam Angle	120°	Dimmable	NO
Shape	Round		

LED Suspended Lighting
Round Sandy White



LED Suspended Lighting
30W PF>0.95



SKU: 9033 Warm White 3000K 3800156690332

Product code	PD30-A1	CRI	Ra>80
Watts	30W	IP Rating	IP20
Input Voltage	AC : 175-240V	Dimension	ø400x1200 mm
Flux	1640lm	Body Color	Sandy White
Beam Angle	120°	Dimmable	NO
Shape	Round		

LED Suspended Lighting
60W PF>0.95



SKU: 9032 Warm White 3000K 3800156690325


Product code	PD60-A1	CRI	Ra>80
Watts	60W	IP Rating	IP20
Input Voltage	AC : 175-240V	Dimension	ø800x1200 mm
Flux	4000lm	Body Color	Sandy White
Beam Angle	120°	Dimmable	NO
Shape	Round		

LED Suspended Lighting
145W PF>0.95



SKU: 9034 Warm White 3000K 3800156690349

Product code	PD145-A1	CRI	Ra>80
Watts	145W	IP Rating	IP20
Input Voltage	AC : 175-240V	Dimension	ø1000x1200 mm
Flux	9425lm	Body Color	Sandy White
Beam Angle	120°	Dimmable	NO
Shape	Round		



**3D Glass Pendant D250
Copper Circles**

SKU: 9002
 Product Code PD1-A1
 E27 holder Max 40W
 Material 3D Glass
 IP Rating IP20
 Dimension ø250x220mm
 EAN: 3800156690028



**3D Glass Pendant D250
Chrome Circles**

SKU: 9003
 Product Code PD1-A1
 E27 holder Max 40W
 Material 3D Glass
 IP Rating IP20
 Dimension ø250x220mm
 EAN: 3800156690035



**Vintage Rope Pendant
Length 1.5m**

SKU: 9027
 Product Code PD1-A2
 E27 holder Max 60W
 IP Rating IP20
 Dimension ø90x1500mm
 EAN: 3800156650596



**3D Glass Pendant D200
Chrome Square**

SKU: 9004
 Product Code PD1-A1
 E27 holder Max 40W
 Material 3D Glass
 IP Rating IP20
 Dimension ø200x175mm
 EAN: 3800156690042



**3D Glass Pendant D200
Copper Squares**

SKU: 9005
 Product Code PD1-A1
 E27 holder Max 40W
 Material 3D Glass
 IP Rating IP20
 Dimension ø200x175mm
 EAN: 3800156690059



**3D Glass Pendant D180
Chrome Fireworks**

SKU: 9006
 Product Code PD1-A1
 E27 holder Max 40W
 Material 3D Glass
 IP Rating IP20
 Dimension ø180x160mm
 EAN: 3800156690066





**3D Glass Pendant D220
Chrome Circles**

SKU: 9008
 Product Code PD1-A1
 E27 holder Max 40W
 Material 3D Glass
 IP Rating IP20
 Dimension ø220x275mm
 EAN: 3800156690080



**3D Glass Pendant D220
Copper Seagull**

SKU: 9009
 Product Code PD1-A1
 E27 holder Max 40W
 Material 3D Glass
 IP Rating IP20
 Dimension ø220x275mm
 EAN: 3800156690097



**3D Glass Pendant D220
Chrome Seagull**

SKU: 9011
 Product Code PD1-A1
 E27 holder Max 40W
 Material 3D Glass
 IP Rating IP20
 Dimension ø220x275mm
 EAN: 3800156690110



**3D Glass Barel Pendant D200
Copper Fireworks**

SKU: 9013
 Product Code PD1-A1
 E27 holder Max 40W
 Material 3D Glass
 IP Rating IP20
 Dimension ø200x213mm
 EAN: 3800156690134



**3D Glass Barel Pendant D200
Chrome Rhombus**

SKU: 9014
 Product Code PD1-A1
 E27 holder Max 40W
 Material 3D Glass
 IP Rating IP20
 Dimension ø200x213mm
 EAN: 3800156690141



**3D Glass Barel Pendant D200
Chrome Squares**

SKU: 9015
 Product Code PD1-A1
 E27 holder Max 40W
 Material 3D Glass
 IP Rating IP20
 Dimension ø200x213mm
 EAN: 3800156690158



**3D Glass Barel Pendant D200
Chrome Fireworks**

SKU: 9016
 Product Code PD1-A1
 E27 holder Max 40W
 Material 3D Glass
 IP Rating IP20
 Dimension ø200x213mm
 EAN: 3800156690165





**3D Glass Umbrella Pendant D400
Copper Seagull**

SKU: 9017
 Product Code PD1-A1
 E27 holder Max 40W
 Material 3D Glass
 IP Rating IP20
 Dimension ø400x200mm
 EAN: 3800156690172



E27 Holder



IP20



**3D Glass Pendant D200
Chrome Circles**

SKU: 9019
 Product Code PD1-A1
 E27 holder Max 40W
 Material 3D Glass
 IP Rating IP20
 Dimension ø200x165mm
 EAN: 3800156690196



E27 Holder



IP20



**3D Glass Umbrella Pendant D400
Chrome Circles**

SKU: 9018
 Product Code PD1-A1
 E27 holder Max 40W
 Material 3D Glass
 IP Rating IP20
 Dimension ø400x200mm
 EAN: 3800156690189



E27 Holder



IP20



**3D Glass Pendant D200
Chrome Seagull**

SKU: 9020
 Product Code PD1-A1
 E27 holder Max 40W
 Material 3D Glass
 IP Rating IP20
 Dimension ø200x165mm
 EAN: 3800156690202



E27 Holder



IP20



**3D Glass Pendant D200
Copper Circles**

SKU: 9021
 Product Code PD1-A1
 E27 holder Max 40W
 Material 3D Glass
 IP Rating IP20
 Dimension ø200x165mm
 EAN: 3800156690219



E27 Holder



IP20



**3D Glass Pendant D290
Copper Circles**

SKU: 9022
 Product Code PD1-A1
 E27 holder Max 40W
 Material 3D Glass
 IP Rating IP20
 Dimension ø290x250mm
 EAN: 3800156690226



**3D Glass Pendant D290
Chrome Fireworks**

SKU: 9023
 Product Code PD1-A1
 E27 holder Max 40W
 Material 3D Glass
 IP Rating IP20
 Dimension ø290x250mm
 EAN: 3800156690233



**3D Glass Pendant D400
Chrome Fireworks**

SKU: 9025
 Product Code PD1-A1
 E27 holder Max 40W
 Material 3D Glass
 IP Rating IP20
 Dimension ø400x345mm
 EAN: 3800156690257



**3D Glass Pendant D290
Chrome Seagull**

SKU: 9024
 Product Code PD1-A1
 E27 holder Max 40W
 Material 3D Glass
 IP Rating IP20
 Dimension ø290x250mm
 EAN: 3800156690240



**3D Glass Pendant D400
Copper Fireworks**

SKU: 9026
 Product Code PD1-A1
 E27 holder Max 40W
 Material 3D Glass
 IP Rating IP20
 Dimension ø400x345mm
 EAN: 3800156690264





**LED Flame Bulb
5W SMD E27**



Product code	OT5-A1	CRI	Ra>80
Watts	5W	IP Rating	IP20
Input Voltage	AC : 220-240V	Dimension	ø47x125 mm
Flux	250lm	Socket	E27
Beam Angle	360°		

SKU: 222 Warm White 1300K 3800156602229



**LED Flame Lamp Wall Mounted
5W SMD**



Product code	PD5-A1	CRI	Ra>80
Watts	5W	IP Rating	IP20
Input Voltage	AC : 100-240V	Dimension	220xH285 mm
Flux	250lm	E27 holder	LED Flame Bulb Included
Beam Angle	360°		

SKU: 9044 Warm White 1300K 3800156690448



**LED Flame Lamp
5W SMD**



Product code	PD5-A1	CRI	Ra>80
Watts	5W	IP Rating	IP20
Input Voltage	AC : 220-240V	Dimension	ø180xH285 mm
Flux	250lm	E27 holder	LED Flame Bulb Included
Beam Angle	360°		

SKU: 9041 Warm White 1300K 3800156690417



**LED Flame Lamp Wall Mounted
5W SMD**




Product code	PD5-A1	CRI	Ra>80
Watts	5W	IP Rating	IP20
Input Voltage	AC : 100-240V	Dimension	180xH260 mm
Flux	250lm	E27 holder	LED Flame Bulb Included
Beam Angle	360°		

SKU: 9045 Warm White 1300K 3800156690455



**LED Flame Lamp With Battery
5W SMD**



Product code	PD5-A1	CRI	Ra>80
Watts	5W	IP Rating	IP20
Input Voltage	AC : 220-240V	Dimension	ø180xH285 mm
Flux	250lm	E27 holder	LED Flame Bulb Included
Beam Angle	360°		

SKU: 9042 Warm White 1300K 3800156690424



860 mm

**LED Flame Lamp Hanging
5W SMD**



Product code	PD5-A1	CRI	Ra>80
Watts	5W	IP Rating	IP20
Input Voltage	AC : 220-240V	Dimension	ø150xH330 mm
Flux	250lm	E27 holder	LED Flame Bulb Included
Beam Angle	360°		

SKU: 9043 Warm White 1300K 3800156690431



LED panels offers a broad application it different lighting solutions. With variety of standard sizes they can be placed in suspended ceilings or used as hanging lights.

Features:

- Up to 80% power saving
- Build-in or hanging installations
- Variety of colour temperatures
- Glossy or matt finishing
- Standard sizes
- Variety of powers

Application:

- Suspended ceilings
- Indoor use – home or office
- Large spaces

LED PANELS AND MINI PANELS



3 Years
Warranty

LED PANEL PF>0.95
25W With Driver 60x60cm




Product code DL25-A2 Beam Angle 120°
Watts 25W CRI Ra>80
Input Voltage AC : 175-265V IP Rating IP20
Flux 3000lm BOX Qty 1 PCS



TP(b)RATED
Polycarbonate Diffuser

SKU: 2740 White Light 6000K 3800156627406
SKU: 2741 Neutral White 4500K 3800156627413




160
Lumens/W

LED BACKLIT PANEL PF>0.9
25W With Driver 60x60cm



Product code DL25-A3 Beam Angle 120°
Watts 25W CRI Ra>80
Input Voltage AC : 185-265V IP Rating IP20
Flux 4000lm BOX Qty 10 PCS

SKU: 2770 White Light 6000K 3800156627703
SKU: 2771 Neutral White 4500K 3800156627710



10 PCS
BOX



125
Lumens/W




6 PCS
BOX

LED PANEL PF>0.9
29W With Driver 60x60cm



Product code DL29-A1 Beam Angle 120°
Watts 29W CRI Ra>80
Input Voltage AC : 175-265V IP Rating IP20
Flux 3600lm BOX Qty 6 PCS

SKU: 2382 White Light 6000K 3800156623828
SKU: 2383 Neutral White 4500K 3800156623835
SKU: 2384 Warm White 2700K 3800156623842



LED BACKLIT PANEL PF>0.9
30W With Driver 60x60cm




Product code DL30-A3 Beam Angle 120°
Watts 30W CRI Ra>80
Input Voltage AC : 220-240V IP Rating IP20
Flux 3600lm BOX Qty 6 PCS



TP(a)RATED
Polycarbonate Diffuser

SKU: 2776 White Light 6000K 3800156627765
SKU: 2777 Neutral White 4000K 3800156627772




6 PCS
BOX

LED PANEL
36W With Driver 60x60cm



Product code DL36-A1 Beam Angle 120°
Watts 36W CRI Ra>80
Input Voltage AC : 220-240V IP Rating IP20
Flux 3200lm BOX Qty 6 PCS

SKU: 2350 White Light 6000K 3800156623507
SKU: 2363 Neutral White 4500K 3800156623637
SKU: 2351 Warm White 2700K 3800156623514



6 PCS
BOX





LED PANEL PF>0.95
36W With Driver 60x60cm




Product code	DL36-A2	Beam Angle	120°
Watts	36W	CRI	Ra>80
Input Voltage	AC : 175-265V	IP Rating	IP20
Flux	3500lm	BOX Qty	1 PCS



TP(b)RATED
Polycarbonate Diffuser

SKU: 2744	White Light	6000K	3800156627444
SKU: 2745	Neutral White	4500K	3800156627451



Lumens/W



Warranty




LED PANEL PF>0.9
40W With Driver 60x60cm



Product code	DL40-A1	Beam Angle	120°
Watts	40W	CRI	Ra>80
Input Voltage	AC : 175-265V	IP Rating	IP20
Flux	4800lm	BOX Qty	1 PCS



SKU: 2726	White Light	6000K	3800156627260
SKU: 2727	Neutral White	4500K	3800156627277
SKU: 2728	Warm White	2700K	3800156627284




LED PANEL PF>0.9
36W With Driver 62x62cm



Product code	DL36-A3	Beam Angle	120°
Watts	36W	CRI	Ra>80
Input Voltage	AC : 175-265V	IP Rating	IP20
Flux	3060lm	BOX Qty	1 PCS



SKU: 2734	White Light	6000K	3800156627345
SKU: 2735	Neutral White	4500K	3800156627352
SKU: 2736	Warm White	2700K	3800156627369



BOX




LED BACKLIT PANEL PF>0.9
40W With Driver 60x60cm



Product code	DL40-A3	Beam Angle	120°
Watts	40W	CRI	Ra>80
Input Voltage	AC : 220-240V	IP Rating	IP20
Flux	3200lm	BOX Qty	6 PCS

SKU: 2774	White Light	6000K	3800156627741
SKU: 2775	Neutral White	4000K	3800156627758



LED PANEL PF>0.9
36W With Driver 62x62cm




Product code	DL36-A3	Beam Angle	120°
Watts	36W	CRI	Ra>80
Input Voltage	AC : 175-265V	IP Rating	IP20
Flux	3060lm	BOX Qty	6 PCS



BOX



SKU: 2737	White Light	6000K	3800156627376
SKU: 2738	Neutral White	4500K	3800156627383
SKU: 2739	Warm White	2700K	3800156627390




LED PANEL PF>0.9
45W With Driver 60x60cm



Product code	DL45-A5	Beam Angle	120°
Watts	45W	CRI	Ra>80
Input Voltage	AC : 175-265V	IP Rating	IP20
Flux	3600lm	BOX Qty	1 PCS

SKU: 2391	White Light	6000K	3800156623910
SKU: 2392	Neutral White	4500K	3800156623927
SKU: 2393	Warm White	2700K	3800156623934






LED PANEL PF>0.9
45W With Driver 60x60cm




Product code	DL45-A5	Beam Angle	120°
Watts	45W	CRI	Ra>80
Input Voltage	AC : 175-265V	IP Rating	IP20
Flux	3600lm	BOX Qty	6 PCS



SKU: 2394	White Light	6000K	3800156623941
SKU: 2395	Neutral White	4500K	3800156623958
SKU: 2396	Warm White	2700K	3800156623965




LED PANEL PF>0.9
45W With Driver 62x62cm



Product code	DL45-A5	Beam Angle	120°
Watts	45W	CRI	Ra>95
Input Voltage	AC : 175-265V	IP Rating	IP20
Flux	3600lm	BOX Qty	6 PCS

SKU: 2797	White Light	6000K	3800156627970
SKU: 2798	Neutral White	4500K	3800156627987
SKU: 2799	Warm White	2700K	3800156627994




LED PANEL PF>0.9
45W With Driver 60x60cm



Product code	DL45-A5	Beam Angle	120°
Watts	45W	CRI	Ra>95
Input Voltage	AC : 175-265V	IP Rating	IP20
Flux	3600lm	BOX Qty	6 PCS

SKU: 2397	White Light	6000K	3800156623972
SKU: 2398	Neutral White	4500K	3800156623989
SKU: 2399	Warm White	2700K	3800156623996




LED PANEL Single Pack PF>0.9
45W With Driver 62x62cm



Product code	DL45-A4	Beam Angle	120°
Watts	45W	CRI	Ra>80
Input Voltage	AC : 220-240V	IP Rating	IP20
Flux	3600lm	BOX Qty	1 PCS



SKU: 2791	White Light	6000K	3800156627918
SKU: 2792	Neutral White	4500K	3800156627925
SKU: 2793	Warm White	2700K	3800156627932




LED PANEL Single Pack PF>0.9
45W With Driver 62x62cm




Product code	DL45-A5	Beam Angle	120°
Watts	45W	CRI	Ra>80
Input Voltage	AC : 175-265V	IP Rating	IP20
Flux	3600lm	BOX Qty	1 PCS

SKU: 2788	White Light	6000K	3800156627888
SKU: 2789	Neutral White	4500K	3800156627895
SKU: 2790	Warm White	2700K	3800156627901




LED PANEL PF>0.9
45W With Driver 62x62cm



Product code	DL45-A4	Beam Angle	120°
Watts	45W	CRI	Ra>80
Input Voltage	AC : 175-265V	IP Rating	IP20
Flux	3600lm	BOX Qty	6 PCS



SKU: 2794	White Light	6000K	3800156627949
SKU: 2795	Neutral White	4500K	3800156627956
SKU: 2796	Warm White	2700K	3800156627963




LED 3D SKY PANEL
45W With Driver 60x60cm




Product code	DL45-A3	Beam Angle	120°
Watts	45W	CRI	Ra>80
Input Voltage	AC : 220-240V	IP Rating	IP20
Flux	3600lm	BOX Qty	4 PCS

SKU: 2780 White Light 6000K 3800156627802




LED FRAME PANEL PF>0.9
45W With Driver 60x60cm



Product code	DL45-A2	Beam Angle	120°
Watts	45W	CRI	Ra>80
Input Voltage	AC : 220-240V	IP Rating	IP20
Flux	3600lm	BOX Qty	2 PCS

SKU: 2781 White Light 6000K 3800156627819
SKU: 2782 Neutral White 4500K 3800156627826




LED PANEL PF>0.9
45W With Driver 60x60cm



Product code	DL45-A1	Beam Angle	120°
Watts	45W	CRI	Ra>80
Input Voltage	AC : 175-265V	IP Rating	IP20
Flux	3600lm	BOX Qty	6 PCS

SKU: 2372 White Light 6000K 3800156623729
SKU: 2373 Neutral White 4500K 3800156623736
SKU: 2374 Warm White 2700K 3800156623743




LED Panels are flat, their extremely thin profile is only made possible through the use of compact LEDs. The main advantage here is that the lamp itself – both modern and minimalist – takes a back seat, creating a tidier interior aesthetic. Because the light takes up very little space, it helps to make the room appear larger. As a result, LED panels work well even in the smallest of rooms.

**LED PANEL Single Pack PF>0.9
45W With Driver 120x30cm**



Product code	DL45-A1	Beam Angle	120°
Watts	45W	CRI	Ra>80
Input Voltage	AC : 220-240V	IP Rating	IP20
Flux	3600lm	BOX Qty	1 PCS

SKU: 2385	White Light	6000K	3800156623859
SKU: 2386	Neutral White	4500K	3800156623866
SKU: 2387	Warm White	2700K	3800156623873




**LED PANEL PF>0.9
45W With Driver 120x30cm**



Product code	DL45-A1	Beam Angle	120°
Watts	45W	CRI	Ra>80
Input Voltage	AC : 220-240V	IP Rating	IP20
Flux	3600lm	BOX Qty	6 PCS

SKU: 2375	White Light	6000K	3800156623750
SKU: 2376	Neutral White	4500K	3800156623767
SKU: 2377	Warm White	2700K	3800156623774




**LED DALI DRIVER - Adjustable
FOR LED PANELS**



Watts	20-40W
Input Voltage	AC: 220-240V
Output Current	550mA-1050mA
Output Voltage	25V-42V
Material	Plastic
IP Rating	IP20
Product code	AC1-A8

SKU: 6030	20W-40W	3800156660304
-----------	---------	---------------




**DRIVERS FOR LED PANELS
Dimmable**




SKU: 6031	600mA	30-42V	25W	3800156660359
SKU: 6032	900mA	30-42V	36W	3800156660366
SKU: 6028	1000mA	30-45V	45W	3800156660373
SKU: 6013	710mA	45-63V	48W	3800156660380

Watts	25W	36W	45W	48W
Input Voltage	AC: 180-265V	AC: 180-265V	AC: 180-265V	AC: 180-265V
Output Voltage	DC: 30-42V	DC: 30-42V	DC: 30-45V	DC: 45-65V
Material	Plastic	Plastic	Plastic	Plastic
IP Rating	IP20	IP20	IP20	IP20
Product code	AC1-A7	AC1-A8	AC1-A6	AC1-A4



**EMERGENCY BATTERY PACK
FOR LED PANELS**



Product code	AC1-A9
Battery	3.6V / 4.5Ah
IP Rating	IP20
Material	Plastic
Dimension	213x95x40mm
Emergency duration	3 Hours

SKU: 6029	Battery Pack	3800156660359
-----------	--------------	---------------






DRIVERS FOR LED PANELS
Plastic Case




SKU: 6019	900mA	36W	3800156660199
SKU: 6021	950mA	45W	3800156660212
SKU: 6020	1150mA	48W	3800156660205
SKU: 6022	750mA	48W	3800156660229

Watts	36W	45W	48W	48W
Input Voltage	AC: 175-240V	AC: 175-240V	AC: 175-240V	AC: 175-240V
Output Current	900mA	950mA	1150mA	1150mA
Material	Plastic	Plastic	Plastic	Plastic
IP Rating	IP20	IP20	IP20	IP20
Product code	AC1-A8	AC1-A6	AC1-A5	AC1-A5



Accessories for Hanging



Stainless Steel Cable

SKU: 5182	3800156651821
Product code	OT1-A2

Clips for LED Panels

SKU: 5188	3800156651883
Product code	OT1-A2




DRIVERS FOR LED DOWNLIGHTS
Plastic Case



SKU: 6035	3-12V	3W	3800156660359
SKU: 6036	15-24V	6W	3800156660366
SKU: 6037	20-40V	12W	3800156660373
SKU: 6038	40-60V	18W	3800156660380
SKU: 6039	60-80V	24W	3800156660397


Watts	3W	6W	12W	18W	24W
Input Voltage	AC: 85-265V	AC: 85-265V	AC: 85-265V	AC: 85-265V	AC: 85-265V
Output Voltage	DC: 3-12V	DC: 15-24V	DC: 20-40V	DC: 40-60V	DC: 60-80V
Material	Plastic	Plastic	Plastic	Plastic	Plastic
IP Rating	IP20	IP20	IP20	IP20	IP20
Product code	AC1-B2	AC1-B3	AC1-B4	AC1-B5	AC1-B6



FRAMES FOR LED PANELS

SKU: 5198	Dimension	600x600mm	3800156651982
SKU: 5197	Dimension	300x1200mm	3800156651975
Product code	OT1-A2		





These LED mini panel lights are suitable for recessed installation in offices, hospitals, schools. Easy and quick mounting, there is no need of maintenance, offering long lifetime up of 25 000h


Features:

- Up to 80% power saving
- Different sizes to fit old installations or new lighting projects
- Build-in

Application:


- Home or office use
- Accent lights for shops or stores

LED RECESSED PANELS




LED FRAMELESS MINI PANELS
ROUND

9W 760 Lumens	Product code	DL9-B2	Beam Angle	180°
	Watts	9W	CRI	Ra>80
	Input Voltage	AC : 85-265V	IP Rating	IP54
	Flux	760lm	Cutting Size	ø75mm




SKU: 2666	White Light	6000K	3800156626669
SKU: 2667	Neutral White	4200K	3800156626676
SKU: 2668	Warm White	2700K	3800156626683

18W 1500 Lumens	Product code	DL18-B2	Beam Angle	180°
	Watts	18W	CRI	Ra>80
	Input Voltage	AC : 85-265V	IP Rating	IP54
	Flux	1500lm	Cutting Size	ø108mm




SKU: 2669	White Light	6000K	3800156626690
SKU: 2670	Neutral White	4200K	3800156626706
SKU: 2671	Warm White	2700K	3800156626713

24W 2010 Lumens	Product code	DL24-B2	Beam Angle	180°
	Watts	24W	CRI	Ra>80
	Input Voltage	AC : 85-265V	IP Rating	IP54
	Flux	2010lm	Cutting Size	ø155mm




SKU: 2672	White Light	6000K	3800156626720
SKU: 2673	Neutral White	4200K	3800156626737
SKU: 2674	Warm White	2700K	3800156626744

36W 3020 Lumens	Product code	DL36-B3	Beam Angle	180°
	Watts	36W	CRI	Ra>80
	Input Voltage	AC : 85-265V	IP Rating	IP54
	Flux	3020lm	Cutting Size	ø206mm




SKU: 2675	White Light	6000K	3800156626751
SKU: 2676	Neutral White	4200K	3800156626768
SKU: 2677	Warm White	2700K	3800156626775




LED FRAMELESS MINI PANELS
SQUARE

9W 760 Lumens	Product code	DL9-B2	Beam Angle	180°
	Watts	9W	CRI	Ra>80
	Input Voltage	AC : 85-265V	IP Rating	IP54
	Flux	760lm	Cutting Size	75x75mm




SKU: 2678	White Light	6000K	3800156626782
SKU: 2679	Neutral White	4200K	3800156626799
SKU: 2680	Warm White	2700K	3800156626805

18W 1500 Lumens	Product code	DL18-B2	Beam Angle	180°
	Watts	18W	CRI	Ra>80
	Input Voltage	AC : 85-265V	IP Rating	IP54
	Flux	1500lm	Cutting Size	108x108mm




SKU: 2681	White Light	6000K	3800156626812
SKU: 2682	Neutral White	4200K	3800156626829
SKU: 2683	Warm White	2700K	3800156626836

24W 2010 Lumens	Product code	DL24-B2	Beam Angle	180°
	Watts	24W	CRI	Ra>80
	Input Voltage	AC : 85-265V	IP Rating	IP54
	Flux	2010lm	Cutting Size	155x155mm



SKU: 2684	White Light	6000K	3800156626843
SKU: 2685	Neutral White	4200K	3800156626850
SKU: 2686	Warm White	2700K	3800156626867

36W 3020 Lumens	Product code	DL36-B3	Beam Angle	180°
	Watts	36W	CRI	Ra>80
	Input Voltage	AC : 85-265V	IP Rating	IP54
	Flux	3020lm	Cutting Size	206x206mm




SKU: 2687	White Light	6000K	3800156626874
SKU: 2688	Neutral White	4200K	3800156626881
SKU: 2689	Warm White	2700K	3800156626898



LED MINI PANELS
ROUND - Pro Line
TRUE COLOURS SERIES

6W
440
Lumens


Product code DL6-B3
Watts 6W
Input Voltage AC : 85-265V
Flux 440lm
Beam Angle 120°
CRI Ra>95
IP Rating IP20
Cutting Size ø100mm



SKU: 2601 White Light 6000K 3800156626010
SKU: 2602 Neutral White 4200K 3800156626027
SKU: 2603 Warm White 2700K 3800156626034

12W
1000
Lumens


Product code DL12-B3
Watts 12W
Input Voltage AC : 85-265V
Flux 1000lm
Beam Angle 120°
CRI Ra>95
IP Rating IP20
Cutting Size ø150mm



SKU: 2604 White Light 6000K 3800156626041
SKU: 2605 Neutral White 4200K 3800156626058
SKU: 2606 Warm White 2700K 3800156626065

18W
1500
Lumens


Product code DL18-B3
Watts 18W
Input Voltage AC : 85-265V
Flux 1500lm
Beam Angle 120°
CRI Ra>95
IP Rating IP20
Cutting Size ø200mm



SKU: 2608 White Light 6000K 3800156626089
SKU: 2609 Neutral White 4200K 3800156626096
SKU: 2610 Warm White 2700K 3800156626102

24W
2010
Lumens

Product code DL24-B3
Watts 24W
Input Voltage AC : 85-265V
Flux 2010lm
Beam Angle 120°
CRI Ra>95
IP Rating IP20
Cutting Size ø270mm




SKU: 2611 White Light 6000K 3800156626119
SKU: 2612 Neutral White 4200K 3800156626126
SKU: 2613 Warm White 2700K 3800156626133



LED MINI PANELS
SQUARE - Pro Line
TRUE COLOURS SERIES

6W
440
Lumens


Product code DL6-B3
Watts 6W
Input Voltage AC : 85-265V
Flux 440lm
Beam Angle 120°
CRI Ra>95
IP Rating IP20
Cutting Size 95x95mm



SKU: 2614 White Light 6000K 3800156626140
SKU: 2615 Neutral White 4200K 3800156626157
SKU: 2616 Warm White 2700K 3800156626164

12W
1000
Lumens


Product code DL12-B3
Watts 12W
Input Voltage AC : 85-265V
Flux 1000lm
Beam Angle 120°
CRI Ra>95
IP Rating IP20
Cutting Size 150x150mm



SKU: 2617 White Light 6000K 3800156626171
SKU: 2618 Neutral White 4200K 3800156626188
SKU: 2619 Warm White 2700K 3800156626195

18W
1500
Lumens


Product code DL18-B3
Watts 18W
Input Voltage AC : 85-265V
Flux 1500lm
Beam Angle 120°
CRI Ra>95
IP Rating IP20
Cutting Size 200x200mm



SKU: 2630 White Light 6000K 3800156626300
SKU: 2631 Neutral White 4200K 3800156626317
SKU: 2632 Warm White 2700K 3800156626324

24W
2010
Lumens

Product code DL24-B3
Watts 24W
Input Voltage AC : 85-265V
Flux 2010lm
Beam Angle 120°
CRI Ra>95
IP Rating IP20
Cutting Size 270x270mm



SKU: 2642 White Light 6000K 3800156626423
SKU: 2643 Neutral White 4200K 3800156626430
SKU: 2644 Warm White 2700K 3800156626447



**LED MINI PANELS
ROUND - Home Edition**

3W
Lumens 150

Product code DL3-B1
Watts 3W
Input Voltage AC : 85-260V
Flux 150lm

Beam Angle 120°
CRI Ra>80
IP Rating IP20
Cutting Size ø62mm

14 mm
ø83 mm

SKU: 2470 White Light 6000K 3800156624702
SKU: 2471 Neutral White 4500K 3800156624719
SKU: 2472 Warm White 2800K 3800156624726

6W
Lumens 360

Product code DL6-B1
Watts 6W
Input Voltage AC : 85-260V
Flux 360lm

Beam Angle 120°
CRI Ra>80
IP Rating IP20
Cutting Size ø99mm

14 mm
ø119 mm

SKU: 2473 White Light 6000K 3800156624733
SKU: 2474 Neutral White 4500K 3800156624740
SKU: 2475 Warm White 2800K 3800156624757

12W
Lumens 840

Product code DL12-B1
Watts 12W
Input Voltage AC : 85-260V
Flux 840lm

Beam Angle 120°
CRI Ra>80
IP Rating IP20
Cutting Size ø146mm

14 mm
ø168 mm

SKU: 2476 White Light 6000K 3800156624764
SKU: 2477 Neutral White 4500K 3800156624771
SKU: 2478 Warm White 2800K 3800156624788

18W
Lumens 1350

Product code DL18-B1
Watts 18W
Input Voltage AC : 85-260V
Flux 1350lm

Beam Angle 120°
CRI Ra>80
IP Rating IP20
Cutting Size ø196mm

14 mm
ø221 mm

SKU: 2479 White Light 6000K 3800156624795
SKU: 2480 Neutral White 4500K 3800156624801
SKU: 2481 Warm White 2800K 3800156624818

24W
Lumens 1700

Product code DL24-B1
Watts 24W
Input Voltage AC : 85-260V
Flux 1700lm

Beam Angle 120°
CRI Ra>80
IP Rating IP20
Cutting Size ø276mm

14 mm
ø297 mm

SKU: 2482 White Light 6000K 3800156624825
SKU: 2483 Neutral White 4500K 3800156624832
SKU: 2484 Warm White 2800K 3800156624849

**LED MINI PANELS
SQUARE - Home Edition**

3W
Lumens 150

Product code DL3-B1
Watts 3W
Input Voltage AC : 85-260V
Flux 150lm

Beam Angle 120°
CRI Ra>80
IP Rating IP20
Cutting Size 67x67mm

17 mm
90x90 mm

SKU: 2485 White Light 6000K 3800156624856
SKU: 2486 Neutral White 4500K 3800156624863
SKU: 2487 Warm White 2800K 3800156624870

6W
Lumens 360

Product code DL6-B1
Watts 6W
Input Voltage AC : 85-260V
Flux 360lm

Beam Angle 120°
CRI Ra>80
IP Rating IP20
Cutting Size 98x98mm

15 mm
119x119 mm

SKU: 2488 White Light 6000K 3800156624887
SKU: 2489 Neutral White 4500K 3800156624894
SKU: 2490 Warm White 2800K 3800156624900

12W
Lumens 840

Product code DL12-B1
Watts 12W
Input Voltage AC : 85-260V
Flux 840lm

Beam Angle 120°
CRI Ra>80
IP Rating IP20
Cutting Size 148x148mm

15 mm
170x170 mm

SKU: 2491 White Light 6000K 3800156624917
SKU: 2492 Neutral White 4500K 3800156624924
SKU: 2493 Warm White 2800K 3800156624931

18W
Lumens 1350

Product code DL18-B1
Watts 18W
Input Voltage AC : 85-260V
Flux 1350lm

Beam Angle 120°
CRI Ra>80
IP Rating IP20
Cutting Size 198x198mm

15 mm
219x219 mm

SKU: 2494 White Light 6000K 3800156624948
SKU: 2496 Neutral White 4500K 3800156624962
SKU: 2495 Warm White 2800K 3800156624955

24W
Lumens 1700

Product code DL24-B1
Watts 24W
Input Voltage AC : 85-260V
Flux 1700lm

Beam Angle 120°
CRI Ra>80
IP Rating IP20
Cutting Size 270x270mm

15 mm
297x297 mm

SKU: 2497 White Light 6000K 3800156624979
SKU: 2498 Neutral White 4500K 3800156624986
SKU: 2499 Warm White 2800K 3800156624993



3 Years Warranty 100° IP44 Color Changing Knob

CCT - LED MINI PANELS
ROUND Build-in Driver

6W

Product code	DL6-A6	Beam Angle	100°
Watts	6W	CRI	Ra>80
Input Voltage	AC : 165-265V	IP Rating	IP44 Front
Flux	450lm	Cutting Size	ø105mm

SKU: 2590 3800156625907

6000K 4500K 3000K

12W

Product code	DL12-A6	Beam Angle	100°
Watts	12W	CRI	Ra>80
Input Voltage	AC : 165-265V	IP Rating	IP44 Front
Flux	950lm	Cutting Size	ø155mm

SKU: 2591 3800156625914

6000K 4500K 3000K

18W

Product code	DL18-A6	Beam Angle	100°
Watts	18W	CRI	Ra>80
Input Voltage	AC : 165-265V	IP Rating	IP44 Front
Flux	1450lm	Cutting Size	ø205mm

SKU: 2592 3800156625921

6000K 4500K 3000K

24W

Product code	DL24-A6	Beam Angle	100°
Watts	24W	CRI	Ra>80
Input Voltage	AC : 165-265V	IP Rating	IP44 Front
Flux	2150lm	Cutting Size	ø225mm

SKU: 2593 3800156625938

6000K 4500K 3000K



3 Years Warranty 120° IP44 Color Changing Knob

CCT - LED MINI PANELS
SQUARE Build-in Driver

6W

Product code	DL6-A6	Beam Angle	100°
Watts	6W	CRI	Ra>80
Input Voltage	AC : 165-265V	IP Rating	IP44 Front
Flux	450lm	Cutting Size	105x105mm

SKU: 2594 3800156625945

6000K 4500K 3000K

12W

Product code	DL12-A6	Beam Angle	100°
Watts	12W	CRI	Ra>80
Input Voltage	AC : 165-265V	IP Rating	IP44 Front
Flux	950lm	Cutting Size	155x155mm

SKU: 2595 3800156625952

6000K 4500K 3000K

18W

Product code	DL18-A6	Beam Angle	100°
Watts	18W	CRI	Ra>80
Input Voltage	AC : 165-265V	IP Rating	IP44 Front
Flux	1450lm	Cutting Size	205x205mm

SKU: 2596 3800156625969

6000K 4500K 3000K

24W

Product code	DL24-A6	Beam Angle	100°
Watts	24W	CRI	Ra>80
Input Voltage	AC : 165-265V	IP Rating	IP44 Front
Flux	2150lm	Cutting Size	205x205mm

SKU: 2597 3800156625976

6000K 4500K 3000K



LED MINI PANELS
ROUND

3W
150 Lumens

Product code	DL3-A4	Beam Angle	120°
Watts	3W	CRI	Ra>80
Input Voltage	AC : 180-260V	IP Rating	IP20
Flux	150lm	Cutting Size	ø80mm

SKU: 2431 White Light 6000K 3800156624313
SKU: 2432 Neutral White 4500K 3800156624320
SKU: 2433 Warm White 2700K 3800156624337

6W
360 Lumens

Product code	DL6-A4	Beam Angle	120°
Watts	6W	CRI	Ra>80
Input Voltage	AC : 180-260V	IP Rating	IP20
Flux	360lm	Cutting Size	ø110mm

SKU: 2434 White Light 6000K 3800156624344
SKU: 2435 Neutral White 4500K 3800156624351
SKU: 2436 Warm White 2700K 3800156624368

12W
840 Lumens

Product code	DL12-A4	Beam Angle	120°
Watts	12W	CRI	Ra>80
Input Voltage	AC : 180-260V	IP Rating	IP20
Flux	840lm	Cutting Size	ø155mm

SKU: 2437 White Light 6000K 3800156624375
SKU: 2438 Neutral White 4500K 3800156624382
SKU: 2439 Warm White 2700K 3800156624399

18W
1350 Lumens

Product code	DL18-A4	Beam Angle	120°
Watts	18W	CRI	Ra>80
Input Voltage	AC : 180-260V	IP Rating	IP20
Flux	1350lm	Cutting Size	ø205mm

SKU: 2335 White Light 6000K 3800156623354
SKU: 2440 Neutral White 4500K 3800156624405
SKU: 2336 Warm White 2700K 3800156623361

24W
1700 Lumens

Product code	DL24-A4	Beam Angle	120°
Watts	24W	CRI	Ra>80
Input Voltage	AC : 180-260V	IP Rating	IP20
Flux	1700lm	Cutting Size	ø285mm

SKU: 2441 White Light 6000K 3800156624412
SKU: 2442 Neutral White 4500K 3800156624429
SKU: 2443 Warm White 2700K 3800156624436

LED MINI PANELS
SQUARE

3W
150 Lumens

Product code	DL3-A4	Beam Angle	120°
Watts	3W	CRI	Ra>80
Input Voltage	AC : 180-260V	IP Rating	IP20
Flux	150lm	Cutting Size	75x75mm

SKU: 2444 White Light 6000K 3800156624443
SKU: 2445 Neutral White 4500K 3800156624450
SKU: 2446 Warm White 2700K 3800156624467

6W
360 Lumens

Product code	DL6-A4	Beam Angle	120°
Watts	6W	CRI	Ra>80
Input Voltage	AC : 180-260V	IP Rating	IP20
Flux	360lm	Cutting Size	110x110mm

SKU: 2447 White Light 6000K 3800156624474
SKU: 2448 Neutral White 4500K 3800156624481
SKU: 2449 Warm White 2700K 3800156624498

12W
840 Lumens

Product code	DL12-A4	Beam Angle	120°
Watts	12W	CRI	Ra>80
Input Voltage	AC : 180-260V	IP Rating	IP20
Flux	840lm	Cutting Size	155x155mm

SKU: 2450 White Light 6000K 3800156624504
SKU: 2451 Neutral White 4500K 3800156624511
SKU: 2452 Warm White 2700K 3800156624528

18W
1350 Lumens

Product code	DL18-A4	Beam Angle	120°
Watts	18W	CRI	Ra>80
Input Voltage	AC : 180-260V	IP Rating	IP20
Flux	1350lm	Cutting Size	205x205mm

SKU: 2348 White Light 6000K 3800156623484
SKU: 2453 Neutral White 4500K 3800156624535
SKU: 2349 Warm White 2700K 3800156623491

24W
1700 Lumens

Product code	DL24-A4	Beam Angle	120°
Watts	24W	CRI	Ra>80
Input Voltage	AC : 180-260V	IP Rating	IP20
Flux	1700lm	Cutting Size	282x282mm

SKU: 2454 White Light 6000K 3800156624542
SKU: 2455 Neutral White 4500K 3800156624559
SKU: 2456 Warm White 2700K 3800156624566



Color Changing Knob



CCT - LED MINI PANELS

ROUND Build-in Driver - Dimmable

6W
450 Lumens

Product code	DL6-A7	Beam Angle	100°
Watts	6W	CRI	Ra>80
Input Voltage	AC : 220-240V	IP Rating	IP44 Front
Flux	450lm	Cutting Size	ø105mm

SKU: 2581 3800156625815

CCT

6000K 4500K 3000K

9W
650 Lumens

Product code	DL9-A7	Beam Angle	100°
Watts	9W	CRI	Ra>80
Input Voltage	AC : 220-240V	IP Rating	IP44 Front
Flux	650lm	Cutting Size	ø105mm

SKU: 2582 3800156625822

CCT

6000K 4500K 3000K

12W
960 Lumens

Product code	DL16-A7	Beam Angle	100°
Watts	12W	CRI	Ra>80
Input Voltage	AC : 220-240V	IP Rating	IP44 Front
Flux	960lm	Cutting Size	ø155mm

SKU: 2583 3800156625839

CCT

6000K 4500K 3000K

20W
1800 Lumens

Product code	DL20-A7	Beam Angle	100°
Watts	20W	CRI	Ra>80
Input Voltage	AC : 220-240V	IP Rating	IP44 Front
Flux	1800lm	Cutting Size	ø205mm

SKU: 2584 3800156625846

CCT

6000K 4500K 3000K

24W
2100 Lumens

Product code	DL24-A7	Beam Angle	100°
Watts	24W	CRI	Ra>80
Input Voltage	AC : 220-240V	IP Rating	IP44 Front
Flux	2100lm	Cutting Size	ø225mm

SKU: 2585 3800156625853

CCT

6000K 4500K 3000K



Downlight Adapter

Recessed Panel to Surface Panel

SKU: 5003 3800156650039
Surface 3'D105 from 6-9W
Compatible with SKU: 2581 , 2582

SKU: 5004 3800156650046
Surface 3'D105 from 12-16W
Compatible with SKU: 2583

SKU: 5005 3800156650053
Surface 7'D205 from 18-20W
Compatible with SKU: 2584

SKU: 5006 3800156650060
Surface 8'D225 from 22-24W
Compatible with SKU: 2585

Mini Panels Dimmable Drivers



SKU: 6025 3800156660250
Dimmable Driver 220V 5-9*1W 300mA

SKU: 6026 3800156660267
Dimmable Driver 220V 10-18*1W 300mA

SKU: 6027 3800156660274
Dimmable Driver 220V 20-30*1W 300mA



Slidable spring



Color Changing Knob

**LED SLIM 5 in 1 BUILD-IN/SURFACE
CCT LED 3000 to 6000K**



**LED DOWNLIGHT Dimmable
CCT LED 3000 to 6000K**

Remote Control 6324 - NOT INCLUDED




Remote Control



SKU: 6324 3800156663244

18W
1600
Lumens


Product code DL18-A7
Watts 18W
Input Voltage AC : 175-265V
Flux 1600lm
Beam Angle 100°
CRI Ra>80
IP Rating IP20
Cutting Size ø65-210mm



SKU: 2586 3800156625860
CCT
6000K 4500K 3000K

12W
750
Lumens


Product code CB12-A2
Watts 12W
Input Voltage AC : 175-265V
Flux 750lm
Beam Angle 120°
CRI Ra>80
IP Rating IP50
Cutting Size ø100mm



SKU: 3257 3800156632578
CCT
6000K 4500K 3000K

30W
3000
Lumens


Product code DL30-A7
Watts 30W
Input Voltage AC : 175-265V
Flux 3000lm
Beam Angle 100°
CRI Ra>80
IP Rating IP20
Cutting Size ø65-310mm



SKU: 2587 3800156625877
CCT
6000K 4500K 3000K

20W
1400
Lumens

Product code CB20-A2
Watts 20W
Input Voltage AC : 175-265V
Flux 1400lm
Beam Angle 120°
CRI Ra>80
IP Rating IP50
Cutting Size ø160mm



SKU: 3258 3800156632585
CCT
6000K 4500K 3000K



LED DOWNLIGHTS

LED downlights offer a wide variety of applications, from home use as additional lights, to main or accent lighting. Applicable in homes, offices and stores.


Features:

- Up to 80% power saving
- Different sizes to fit old installations or new lighting projects
- Variety of IP ratings
- Fixed or rotatable
- Fire-rated models
- Build-in or surface installation

Application:

- Home or office use
- Accent lights for shops or stores
- Suitable for suspended ceilings


**LED COB Downlight
5W Adjustable**



Product code CB5-A1
 Watts 5W
 Input Voltage AC : 100-240V
 Flux 375lm
 Beam Angle 50°

CRI Ra>80
 IP Rating IP20
 Cutting Size ø80
 Body Color White
 Dimmable NO

SKU: 3264 White Light 6000K 3800156632646
 SKU: 3265 Neutral White 4500K 3800156632653
 SKU: 3266 Warm White 2700K 3800156632660




**LED COB Downlight
5W Adjustable**




Product code CB5-A1
 Watts 5W
 Input Voltage AC : 100-240V
 Flux 375lm
 Beam Angle 50°

CRI Ra>80
 IP Rating IP20
 Cutting Size ø80
 Body Color White
 Dimmable NO

SKU: 3267 White Light 6000K 3800156632677
 SKU: 3268 Neutral White 4500K 3800156632684
 SKU: 3269 Warm White 2700K 3800156632691




**LED COB Downlight
7W Adjustable**



Product code CB7-A1
 Watts 7W
 Input Voltage AC : 100-240V
 Flux 525lm
 Beam Angle 50°

CRI Ra>80
 IP Rating IP20
 Cutting Size ø80
 Body Color White
 Dimmable NO

SKU: 3284 White Light 6000K 3800156632844
 SKU: 3285 Neutral White 4500K 3800156632851
 SKU: 3286 Warm White 2700K 3800156632868




**LED COB Downlight
7W Adjustable**




Product code CB7-A1
 Watts 7W
 Input Voltage AC : 100-240V
 Flux 525lm
 Beam Angle 50°

CRI Ra>80
 IP Rating IP20
 Cutting Size ø80
 Body Color White
 Dimmable NO

SKU: 3287 White Light 6000K 3800156632875
 SKU: 3288 Neutral White 4500K 3800156632882
 SKU: 3289 Warm White 2700K 3800156632899




**LED COB Downlight
10W Adjustable**



Product code CB10-A1
 Watts 10W
 Input Voltage AC : 100-240V
 Flux 750lm
 Beam Angle 50°

CRI Ra>80
 IP Rating IP20
 Cutting Size ø105
 Body Color White
 Dimmable NO

SKU: 3290 White Light 6000K 3800156632905
 SKU: 3291 Neutral White 4500K 3800156632912
 SKU: 3292 Warm White 2700K 3800156632929




**LED COB Downlight
10W Adjustable**



Product code CB10-A1
 Watts 10W
 Input Voltage AC : 100-240V
 Flux 750lm
 Beam Angle 50°

CRI Ra>80
 IP Rating IP20
 Cutting Size ø105
 Body Color White
 Dimmable NO

SKU: 3293 White Light 6000K 3800156632936
 SKU: 3294 Neutral White 4500K 3800156632943
 SKU: 3295 Warm White 2700K 3800156632950






**LED COB Downlight
8W Adjustable**



Product code CB8-A1
 Watts 8W
 Input Voltage AC : 220-265V
 Flux 560lm
 Beam Angle 60°


CRI Ra>80
 IP Rating IP20
 Cutting Size ø80
 Body Color White
 Dimmable NO



SKU: 3201 White Light 6000K 3800156632011
 SKU: 3206 Neutral White 4500K 3800156632066
 SKU: 3202 Warm White 2700K 3800156632028




**LED COB Downlight
8W Adjustable**



Product code CB8-A1
 Watts 8W
 Input Voltage AC : 220-265V
 Flux 560lm
 Beam Angle 60°

CRI Ra>80
 IP Rating IP20
 Cutting Size ø80
 Body Color Inox
 Dimmable NO



SKU: 3203 White Light 6000K 3800156632035
 SKU: 3205 Neutral White 4500K 3800156632059
 SKU: 3204 Warm White 2700K 3800156632042




**LED COB Downlight
8W Adjustable**



Product code CB8-A1
 Watts 8W
 Input Voltage AC : 220-265V
 Flux 560lm
 Beam Angle 60°


CRI Ra>80
 IP Rating IP20
 Cutting Size ø80
 Body Color White
 Dimmable NO



SKU: 3207 White Light 6000K 3800156632073
 SKU: 3222 Neutral White 4500K 3800156632226
 SKU: 3212 Warm White 2700K 3800156632127




**LED COB Downlight
8W Adjustable**



Product code CB8-A1
 Watts 8W
 Input Voltage AC : 220-265V
 Flux 560lm
 Beam Angle 60°

CRI Ra>80
 IP Rating IP20
 Cutting Size ø80
 Body Color Inox
 Dimmable NO




SKU: 3223 White Light 6000K 3800156632233
 SKU: 3224 Neutral White 4500K 3800156632240
 SKU: 3225 Warm White 2700K 3800156632257



**LED COB Downlight
12W Adjustable**

Product code CB12-A1
 Watts 12W
 Input Voltage AC : 200-265V
 Flux 960lm
 Beam Angle 60°

CRI Ra>80
 IP Rating IP20
 Cutting Size ø105
 Body Color White
 Dimmable NO



SKU: 3251 White Light 6000K 3800156632516
 SKU: 3252 Neutral White 4500K 3800156632523
 SKU: 3253 Warm White 2700K 3800156632530




**LED COB Downlight
12W Adjustable**



Product code CB12-A1
 Watts 12W
 Input Voltage AC : 220-265V
 Flux 960lm
 Beam Angle 60°

CRI Ra>80
 IP Rating IP20
 Cutting Size ø105
 Body Color Inox
 Dimmable NO



SKU: 3254 White Light 6000K 3800156632547
 SKU: 3255 Neutral White 4500K 3800156632554
 SKU: 3256 Warm White 2700K 3800156632561




**LED COB Downlight
25W Adjustable**



Product code CB25-A1
 Watts 25W
 Input Voltage AC : 220-240V
 Flux 2200lm
 Beam Angle 60°

CRI Ra>80
 IP Rating IP20
 Cutting Size ø160
 Body Color White
 Dimmable NO



SKU: 3241 White Light 6000K 3800156632417
 SKU: 3242 Neutral White 4500K 3800156632424




**LED COB Downlight
35W Adjustable**



Product code CB35-A1
 Watts 35W
 Input Voltage AC : 220-240V
 Flux 3000lm
 Beam Angle 60°

CRI Ra>80
 IP Rating IP20
 Cutting Size ø210
 Body Color Inox
 Dimmable NO



SKU: 3243 White Light 6000K 3800156632431
 SKU: 3244 Neutral White 4500K 3800156632448




**LED COB Downlight
15W - TÜV**



Product code CB15-A2
 Watts 15W
 Input Voltage AC : 220-240V
 Flux 1200lm
 Beam Angle 145°

CRI Ra>80
 IP Rating IP20
 Cutting Size ø155
 Body Color White
 Dimmable NO

SKU: 3270 White Light 6000K 3800156632707
 SKU: 3271 Neutral White 4500K 3800156632714
 SKU: 3272 Warm White 2700K 3800156632721




**LED COB Downlight
40W - TÜV**



Product code CB40-A2
 Watts 40W
 Input Voltage AC : 100-240V
 Flux 4000lm
 Beam Angle 60°

CRI Ra>80
 IP Rating IP20
 Cutting Size ø175
 Body Color White
 Dimmable NO

SKU: 3260 White Light 6000K 3800156632608
 SKU: 3261 Neutral White 4500K 3800156632615




**LED COB Downlight
20W - TÜV**



Product code CB20-A2
 Watts 20W
 Input Voltage AC : 220-240V
 Flux 1600lm
 Beam Angle 145°

CRI Ra>80
 IP Rating IP20
 Cutting Size ø165
 Body Color White
 Dimmable NO

SKU: 3273 White Light 6000K 3800156632738
 SKU: 3274 Neutral White 4500K 3800156632745
 SKU: 3275 Warm White 2700K 3800156632752




**LED COB Downlight
60W - TÜV**



Product code CB60-A1
 Watts 60W
 Input Voltage AC : 100-240V
 Flux 5600lm
 Beam Angle 60°

CRI Ra>80
 IP Rating IP20
 Cutting Size ø205
 Body Color White
 Dimmable NO

SKU: 3262 White Light 6000K 3800156632622
 SKU: 3263 Neutral White 4500K 3800156632639




**LED COB Downlight
30W - TÜV**



Product code CB30-A2
 Watts 30W
 Input Voltage AC : 220-240V
 Flux 2500lm
 Beam Angle 145°

CRI Ra>80
 IP Rating IP20
 Cutting Size ø195
 Body Color White
 Dimmable NO

SKU: 3276 White Light 6000K 3800156632769
 SKU: 3277 Neutral White 4500K 3800156632776
 SKU: 3278 Warm White 2700K 3800156632783








LED SMD FIRE-RATED PF>0.9
10W - CCT 3000K to 6000K

Product code	OT10-A1	CRI	Ra>80
Watts	10W	IP Rating	IP65
Input Voltage	AC : 200-240V	Cutting Size	ø60
Flux	750lm	Dimension	ø84x67mm
Beam Angle	40°	Dimmable	YES

CCT
 SKU: 5044 ■ 6000K ■ 4500K ■ 3000K 3800156650435



CCT Knob




LED SMD FIRE-RATED PF>0.9
6W - Replaceable covers

Product code	OT6-A2	CRI	Ra>80
Watts	6W	IP Rating	IP65
Input Voltage	AC : 200-265V	Cutting Size	ø60
Flux	540lm	Dimension	ø84x67mm
Beam Angle	40°	Dimmable	YES

SKU: 5042 ■ Neutral White ■ 4000K 3800156650428
 SKU: 5041 ■ Warm White ■ 3000K 3800156650411



Magnetic replaceable covers



MAGNETIC CHROME BEZEL FOR 5044

BEZELS FOR LED FIRE-RATED DOWNLIGHT
Magnetic

SKU: 5045	OT1-A8	CHROME BEZEL	3800156650435
SKU: 5046	OT1-A8	BRUSHED BEZEL	3800156650435


MAGNETIC BRUSHED BEZEL FOR 5044



SKU: 5045



SKU: 5046



CCT Knob


LED SMD FIRE-RATED PF>0.9
8W - CCT 3000K to 6000K

Product code	OT8-A1	CRI	Ra>80
Watts	8W	IP Rating	IP65
Input Voltage	AC : 175-265V	Cutting Size	ø65
Flux	570-630lm	Dimension	ø80x80mm
Beam Angle	40°	Dimmable	YES

CCT
 SKU: 5043 ■ 6000K ■ 4500K ■ 3000K 3800156650435



Magnetic replaceable covers





LED Strips are a flexible solution for wide variety of lighting applications, both for indoor and outdoor projects, allowing for variable shapes and abstract forms. Functioning as a core or supplementary lighting, LED strips become a common choice of lighting professionals.

Features:


- Up to 80% power saving
- Flexible and reliable
- Wide choice of colour – single colour light to RGB
- Variety of IP ratings
- Options for dimming and control

Application:

- Indoor and outdoor lighting projects
- Applicable for abstract forms and shapes
- Hidden or ambient light

LED STRIPS AND ACCESSORIES

LED Strip 12V 2835 60 LEDs
4.8W/m - Non Waterproof



Product code	ST2835-A1	LED Qty	60 SMD/m
Type LED	SMD 2835	Material	Flex PCB
Power/Meter	4.8W/m	Beam Angle	120°
Voltage	DC: 12V	IP Rating	IP20
Flux/Meter	300lm/m	Width	8mm

SKU: 4702	White Light	6000K	3800156647022
SKU: 4700	Neutral White	4000K	3800156647008
SKU: 4703	Warm White	2700K	3800156647039



LED Strip 12V 2835 204 LEDs
16.5W/m - Non Waterproof



Product code	ST2835-A1	LED Qty	204 SMD/m
Type LED	SMD 2835	Material	Flex PCB
Power/Meter	16.5W/m	Beam Angle	120°
Voltage	DC: 12V	IP Rating	IP20
Flux/Meter	1700lm/m	Width	10mm

SKU: 4761	White Light	6000K	3800156647619
SKU: 4762	Neutral White	4000K	3800156647626
SKU: 4763	Warm White	2700K	3800156647633



LED Strip 12V 2835 60 LEDs
4.8W/m - Non Waterproof



Product code	ST2835-A1	LED Qty	60 SMD/m
Type LED	SMD 2835	Material	Flex PCB
Power/Meter	4.8W/m	Beam Angle	120°
Voltage	DC: 12V	IP Rating	IP20
Flux/Meter	300lm/m	Width	8mm

SKU: 4704	RED	3800156647046
SKU: 4706	BLUE	3800156647060



LED Strip 12V 5050 60 LEDs
14.4W/m - Non Waterproof




Product code	ST5050-A1	LED Qty	60 SMD/m
Type LED	SMD 5050	Material	Flex PCB
Power/Meter	14.4W/m	Beam Angle	120°
Voltage	DC: 12V	IP Rating	IP20
Flux/Meter	1000lm/m	Width	12mm

SKU: 4313	RGB+White Light	3800156643130
-----------	-----------------	---------------



LED Strip 12V 2835 120 LEDs
9.6W/m - Non Waterproof



Product code	ST2835-A1	LED Qty	120 SMD/m
Type LED	SMD 2835	Material	Flex PCB
Power/Meter	9.6W/m	Beam Angle	120°
Voltage	DC: 12V	IP Rating	IP20
Flux/Meter	600lm/m	Width	8mm

SKU: 4710	White Light	6000K	3800156647107
SKU: 4740	Neutral White	4000K	3800156647404
SKU: 4711	Warm White	2700K	3800156647114



LED Strip 12V 5050 60 LEDs
14.4W/m - Non Waterproof




Product code	ST5050-A1	LED Qty	60 SMD/m
Type LED	SMD 5050	Material	Flex PCB
Power/Meter	14.4W/m	Beam Angle	120°
Voltage	DC: 12V	IP Rating	IP20
Flux/Meter	1000lm/m	Width	12mm

SKU: 4314	RGB+Warm White	3800156643147
-----------	----------------	---------------



LED Strip 12V 2835 60 LEDs
4.8W/m - Waterproof



Product code	ST2835-A2	LED Qty	60 SMD/m
Type LED	SMD 2835	Material	Flex PCB
Power/Meter	4.8W/m	Beam Angle	120°
Voltage	DC: 12V	IP Rating	IP54
Flux/Meter	300lm/m	Width	8mm

SKU: 4732	White Light	6000K	3800156647329
SKU: 4731	Neutral White	4000K	3800156647312
SKU: 4733	Warm White	2700K	3800156647336



LED Strip 12V 2835 60 LEDs
4.8W/m - Waterproof




Product code	ST2835-A2	LED Qty	60 SMD/m
Type LED	SMD 2835	Material	Flex PCB
Power/Meter	4.8W/m	Beam Angle	120°
Voltage	DC: 12V	IP Rating	IP54
Flux/Meter	300lm/m	Width	8mm

SKU: 4734	RED	3800156647343
SKU: 4735	GREEN	3800156647350
SKU: 4736	BLUE	3800156647367



LED Strip 12V 2835 120 LEDs
9.6W/m - Waterproof




Product code	ST2835-A2	LED Qty	120 SMD/m
Type LED	SMD 2835	Material	Flex PCB
Power/Meter	9.6W/m	Beam Angle	120°
Voltage	DC: 12V	IP Rating	IP54
Flux/Meter	600lm/m	Width	8mm

SKU: 4720	White Light	6000K	3800156647206
SKU: 4721	Warm White	2700K	3800156647213



LED Strip 12V 5050 30 LEDs
7.2W/m - Non Waterproof




Product code	ST5050-A1	LED Qty	30 SMD/m
Type LED	SMD 5050	Material	Flex PCB
Power/Meter	7.2W/m	Beam Angle	120°
Voltage	DC: 12V	IP Rating	IP20
Flux/Meter	500lm/m	Width	10mm

SKU: 4801	White Light	6000K	3800156648012
SKU: 4800	Neutral White	4000K	3800156648005
SKU: 4802	Warm White	2700K	3800156648029



LED Strip 12V 5050 60 LEDs
14.4W/m - Non Waterproof




Product code	ST5050-A1	LED Qty	60 SMD/m
Type LED	SMD 5050	Material	Flex PCB
Power/Meter	14.4W/m	Beam Angle	120°
Voltage	DC: 12V	IP Rating	IP20
Flux/Meter	1000lm/m	Width	10mm

SKU: 4807	White Light	6000K	3800156648074
SKU: 4827	Neutral White	4000K	3800156648272
SKU: 4808	Warm White	2700K	3800156648081



LED Strip 12V 5050 60 LEDs
14.4W/m - Non Waterproof



Product code	ST5050-A1	LED Qty	60 SMD/m
Type LED	SMD 5050	Material	Flex PCB
Power/Meter	14.4W/m	Beam Angle	120°
Voltage	DC: 12V	IP Rating	IP20
Flux/Meter	1000lm/m	Width	10mm

SKU: 4823	RED	3800156648234
SKU: 4825	BLUE	3800156648258





**LED Strip 12V 5050 30 LEDs
7.2W/m - Waterproof**



Product code	ST5050-A2	LED Qty	30 SMD/m
Type LED	SMD 5050	Material	Flex PCB
Power/Meter	7.2W/m	Beam Angle	120°
Voltage	DC: 12V	IP Rating	IP54
Flux/Meter	500lm/m	Width	10mm

SKU: 4809	White Light	6000K	3800156648098
SKU: 4811	Neutral White	4000K	3800156648111
SKU: 4810	Warm White	2700K	3800156648104



**LED Strip 12V 5050 30 LEDs
7.2W/m**



Product code	ST5050-A1	LED Qty	30 SMD/m
Type LED	SMD 5050	Material	Flex PCB
Power/Meter	7.2W/m	Beam Angle	120°
Voltage	DC: 12V	IP Rating	IP20 ; IP54
Flux/Meter	500lm/m	Width	10mm

SKU: 4311	RGB	3800156643116	IP20
SKU: 4315	RGB	3800156643154	IP54



**LED Strip 12V 5050 60 LEDs
14.4W/m - Waterproof**



Product code	ST5050-A2	LED Qty	60 SMD/m
Type LED	SMD 5050	Material	Flex PCB
Power/Meter	14.4W/m	Beam Angle	120°
Voltage	DC: 12V	IP Rating	IP54
Flux/Meter	1000lm/m	Width	10mm

SKU: 4839	White Light	6000K	3800156648395
SKU: 4841	Neutral White	4000K	3800156648418
SKU: 4840	Warm White	2700K	3800156648401



**LED Strip 12V 5050 60 LEDs
14.4W/m**



Product code	ST5050-A1	LED Qty	60 SMD/m
Type LED	SMD 5050	Material	Flex PCB
Power/Meter	14.4W/m	Beam Angle	120°
Voltage	DC: 12V	IP Rating	IP20 ; IP54
Flux/Meter	1000lm/m	Width	10mm

SKU: 4312	RGB	3800156643123	IP20
SKU: 4316	RGB	3800156643161	IP54



**LED Strip 12V 5050 60 LEDs
14.4W/m - Waterproof**



Product code	ST5050-A2	LED Qty	60 SMD/m
Type LED	SMD 5050	Material	Flex PCB
Power/Meter	14.4W/m	Beam Angle	120°
Voltage	DC: 12V	IP Rating	IP54
Flux/Meter	1000lm/m	Width	10mm

SKU: 4842	RED	3800156648425
SKU: 4843	BLUE	3800156648432



**LED Strip 24V 5050 60 LEDs
14.4W/m**



Product code	ST5050-A1	LED Qty	60 SMD/m
Type LED	SMD 5050	Material	Flex PCB
Power/Meter	14.4W/m	Beam Angle	120°
Voltage	DC: 24V	IP Rating	IP20 ; IP54
Flux/Meter	1000lm/m	Width	10mm

SKU: 4861	RGB	3800156648616	IP20
SKU: 4862	RGB	3800156648623	IP54



NEW



LED Strip 12V 4040 60 LEDs
7.2W/m - Waterproof



Product code	ST4040-A1	LED Qty	60 SMD/m
Type LED	SMD 4040	Material	Flex PCB
Power/Meter	7.2W/m	Beam Angle	120°
Voltage	DC: 12V	IP Rating	IP54
Flux/Meter	500lm/m	Width	10mm

SKU: 4921	White Light	6000K	3800156649217
SKU: 4922	Neutral White	4000K	3800156649224
SKU: 4923	Warm White	2700K	3800156649231



LED Strip 24V 2835 120 LEDs
9.6W/m - Non Waterproof



Product code	ST2835-A3	LED Qty	120 SMD/m
Type LED	SMD 2835	Material	Flex PCB
Power/Meter	9.6W/m	Beam Angle	120°
Voltage	DC: 24V	IP Rating	IP20
Flux/Meter	1200lm/m	Width	10mm

SKU: 4856	White Light	6000K	3800156648562
SKU: 4857	Neutral White	4000K	3800156648579
SKU: 4858	Warm White	2700K	3800156648586



NEW



LED Strip 12V 4014 120 LEDs
12W/m - Non Waterproof



Product code	ST4014-A1	LED Qty	120 SMD/m
Type LED	SMD 4014	Material	Flex PCB
Power/Meter	12W/m	Beam Angle	120°
Voltage	DC: 12V	IP Rating	IP20
Flux/Meter	1000lm/m	Width	8mm

SKU: 4904	White Light	6000K	3800156649040
SKU: 4905	Neutral White	4000K	3800156649057
SKU: 4906	Warm White	2700K	3800156649064



LED Strip 24V 5050 60 LEDs
14.4W/m - Non Waterproof



Product code	ST5050-A3	LED Qty	60 SMD/m
Type LED	SMD 5050	Material	Flex PCB
Power/Meter	14.4W/m	Beam Angle	120°
Voltage	DC: 24V	IP Rating	IP20
Flux/Meter	600lm/m	Width	10mm

SKU: 4851	White Light	6000K	3800156648517
SKU: 4850	Neutral White	4000K	3800156648500
SKU: 4852	Warm White	2700K	3800156648524



LED Strip 12V 5630 60 LEDs
12W/m - Non Waterproof



Product code	ST5630-A1	LED Qty	60 SMD/m
Type LED	SMD 5630	Material	Flex PCB
Power/Meter	12W/m	Beam Angle	120°
Voltage	DC: 12V	IP Rating	IP20
Flux/Meter	1000lm/m	Width	10mm

SKU: 4911	White Light	6000K	3800156649118
SKU: 4913	Neutral White	4000K	3800156649132
SKU: 4912	Warm White	2700K	3800156649125



LED Strip 24V 5050 60 LEDs
14.4W/m - Waterproof



Product code	ST5050-A4	LED Qty	60 SMD/m
Type LED	SMD 5050	Material	Flex PCB
Power/Meter	14.4W/m	Beam Angle	120°
Voltage	DC: 24V	IP Rating	IP54
Flux/Meter	600lm/m	Width	10mm

SKU: 4853	White Light	6000K	3800156648531
SKU: 4854	Neutral White	4000K	3800156648548
SKU: 4855	Warm White	2700K	3800156648555





**LED Strip 24V COB 320 LEDs
10W/m - Non Waterproof**



Product code	ST320-A1	LED Qty	320 SMD/m
Type LED	COB	Material	Flex PCB
Power/Meter	10W/m	Beam Angle	180°
Voltage	DC: 24V	IP Rating	IP20
Flux/Meter	900lm/m	Width	10mm

SKU: 4941	White Light	6000K	3800156649415
SKU: 4942	Neutral White	4000K	3800156649422
SKU: 4943	Warm White	3000K	3800156649439



**LED Strip 24V COB 512 LEDs
12W/m - Waterproof**



Product code	ST512-A1	LED Qty	512 SMD/m
Type LED	COB	Material	Flex PCB
Power/Meter	10W/m	Beam Angle	180°
Voltage	DC: 24V	IP Rating	IP20
Flux/Meter	1100lm/m	Width	10mm

SKU: 4944	White Light	6000K	3800156649446
SKU: 4945	Neutral White	4000K	3800156649453
SKU: 4946	Warm White	3000K	3800156649460



Middel connector
SKU: 6622 380015666221

One end connector with wire
SKU: 6623 380015666238

Two end connector
SKU: 6624 380015666245



**LED Strip 24V 2835 196 LEDs
20W/m - Non Waterproof**



Product code	ST2835-A4	LED Qty	196 SMD/m
Type LED	SMD 2835	Material	Flex PCB
Power/Meter	20W/m	Beam Angle	120°
Voltage	DC: 24V	IP Rating	IP20
Flux/Meter	2100lm/m	Width	12mm

SKU: 4421	White Light	6000K	3800156644212
SKU: 4422	Neutral White	4000K	3800156644229
SKU: 4423	Warm White	2700K	3800156644236



**LED Strip 24V 2835 196 LEDs
20W/m - Waterproof**



Product code	ST2835-A5	LED Qty	196 SMD/m
Type LED	SMD 2835	Material	Flex PCB
Power/Meter	20W/m	Beam Angle	120°
Voltage	DC: 24V	IP Rating	IP65
Flux/Meter	2100lm/m	Width	12mm

SKU: 4451	White Light	6000K	3800156644519
SKU: 4452	Neutral White	4000K	3800156644526
SKU: 4453	Warm White	2700K	3800156644533



**LED Strip 24V 5054 60 LEDs
16W/m - Non Waterproof**



Product code	ST5054-A1	LED Qty	60 SMD/m
Type LED	SMD 5054	Material	Flex PCB
Power/Meter	16W/m	Beam Angle	120°
Voltage	DC: 24V	IP Rating	IP20
Flux/Meter	1100lm/m	Width	12mm

SKU: 4431	White Light	6000K	3800156644311
SKU: 4432	Neutral White	4200K	3800156644328
SKU: 4433	Warm White	2700K	3800156644335





**LED Strip 24V 5054 60 LEDs
16W/m - Waterproof**



Product code	ST5054-A2	LED Qty	60 SMD/m
Type LED	SMD 5054	Material	Flex PCB
Power/Meter	16W/m	Beam Angle	120°
Voltage	DC: 24V	IP Rating	IP65
Flux/Meter	1100lm/m	Width	10mm

SKU: 4461	White Light	6000K	3800156644618
SKU: 4462	Neutral White	4200K	3800156644625
SKU: 4463	Warm White	2700K	3800156644632



**LED Strip 24V 5025 60 LEDs
16W/m - CCT Adjustable
Non Waterproof**



Product code	ST5025-A1	LED Qty	60 SMD/m
Type LED	SMD 5025	Material	Flex PCB
Power/Meter	16W/m	Beam Angle	120°
Voltage	DC: 24V	IP Rating	IP20
Flux/Meter	800lm/m	Width	10mm

← CCT →

SKU: 4441	6000K	4000K	3000K	3800156644410
-----------	-------	-------	-------	---------------



**LED Strip 24V 5025 60 LEDs
16W/m - CCT Adjustable
Waterproof**



Product code	ST5025-A2	LED Qty	60 SMD/m
Type LED	SMD 5025	Material	Flex PCB
Power/Meter	16W/m	Beam Angle	120°
Voltage	DC: 24V	IP Rating	IP65
Flux/Meter	800lm/m	Width	10mm

← CCT →

SKU: 4471	6000K	4000K	3000K	3800156644717
-----------	-------	-------	-------	---------------



**LED Strip 12V 2835 196 LEDs
20W/m - Non Waterproof**



Product code	ST2835-A5	LED Qty	196 SMD/m
Type LED	SMD 2835	Material	Flex PCB
Power/Meter	20W/m	Beam Angle	120°
Voltage	DC: 12V	IP Rating	IP20
Flux/Meter	2100lm/m	Width	12mm

SKU: 4424	White Light	6000K	3800156644243
SKU: 4425	Neutral White	4200K	3800156644250
SKU: 4426	Warm White	2700K	3800156644267



**LED Strip 12V 2835 196 LEDs
20W/m - Waterproof**




Product code	ST2835-A6	LED Qty	196 SMD/m
Type LED	SMD 2835	Material	Flex PCB
Power/Meter	20W/m	Beam Angle	120°
Voltage	DC: 12V	IP Rating	IP65
Flux/Meter	2100lm/m	Width	12mm

SKU: 4454	White Light	6000K	3800156644540
SKU: 4455	Neutral White	4200K	3800156644557
SKU: 4456	Warm White	2700K	3800156644564





LED Strip 12V 5050 60 LEDs
16W/m - Non Waterproof



Product code	ST5050-A7	LED Qty	60 SMD/m	3 Years Warranty
Type LED	SMD 5050	Material	Flex PCB	
Power/Meter	16W/m	Beam Angle	120°	
Voltage	DC: 12V	IP Rating	IP20	
Flux/Meter	1600lm/m	Width	12mm	

SKU: 4485 RGB+White Light 3800156644854

SKU: 4486 RGB+Warm White 3800156644861



LED Strip 12V 5050 60 LEDs
16W/m - Waterproof



Product code	ST5050-A8	LED Qty	60 SMD/m	3 Years Warranty
Type LED	SMD 5050	Material	Flex PCB	
Power/Meter	16W/m	Beam Angle	120°	
Voltage	DC: 12V	IP Rating	IP65	
Flux/Meter	1600lm/m	Width	12mm	

SKU: 4487 RGB+White Light 3800156644878

SKU: 4488 RGB+Warm White 3800156644885



LED Strip 24V 5050 60 LEDs
16W/m - Non Waterproof



Product code	ST5050-A5	LED Qty	60 SMD/m
Type LED	SMD 5050	Material	Flex PCB
Power/Meter	16W/m	Beam Angle	120°
Voltage	DC: 24V	IP Rating	IP20
Flux/Meter	1600lm/m	Width	10mm



SKU: 4481 RGB+White Light 3800156644816

SKU: 4482 RGB+Warm White 3800156644823



LED Strip 24V 5050 60 LEDs
16W/m Waterproof



Product code	ST5050-A6	LED Qty	60 SMD/m
Type LED	SMD 5050	Material	Flex PCB
Power/Meter	16W/m	Beam Angle	120°
Voltage	DC: 24V	IP Rating	IP65
Flux/Meter	1600lm/m	Width	10mm



SKU: 4483 RGB+White Light 3800156644830

SKU: 4484 RGB+Warm White 3800156644847



LED Strip 24V 5050 60 LEDs
9.5W/m - Non Waterproof



Product code	ST5050-A9	LED Qty	60 SMD/m
Type LED	SMD 5050	Material	Flex PCB
Power/Meter	9.5W/m	Beam Angle	120°
Voltage	DC: 24V	IP Rating	IP20
Flux/Meter	950lm/m	Width	10mm



SKU: 4480 + CCT 3800156644809



LED Strip 24V HIGH POWER
SMD2216 ; SMD2110



Product code ST2216-A1
Type LED SMD 2216
Power/Meter 22W/m
Voltage DC: 24V
Flux/Meter 1900lm/m

LED Qty 240 SMD/m
Material Flex PCB
Beam Angle 120°
IP Rating IP20
Width 10mm



SKU: 4403 Warm White 3000K 3800156644038



Product code ST2216-A1
Type LED SMD 2216
Power/Meter 24W/m
Voltage DC: 24V
Flux/Meter 2200lm/m

LED Qty 300 SMD/m
Material Flex PCB
Beam Angle 120°
IP Rating IP20
Width 10mm



SKU: 4404 Warm White 3000K 3800156644045



Product code ST2110-A1
Type LED SMD 2110
Power/Meter 32W/m
Voltage DC: 24V
Flux/Meter 2500lm/m

LED Qty 560 SMD/m
Material Flex PCB
Beam Angle 120°
IP Rating IP20
Width 12mm



SKU: 4405 Warm White 3000K 3800156644052



Product code ST2110-A1
Type LED SMD 2110
Power/Meter 38W/m
Voltage DC: 24V
Flux/Meter 3400lm/m

LED Qty 700 SMD/m
Material Flex PCB
Beam Angle 120°
IP Rating IP20
Width 12mm



SKU: 4406 Warm White 3000K 3800156644069



LED Digital Strip
Addressable

Product code ST10-A1
Type LED WS2811 10 Pixels
Power/Meter 7W/m
Voltage DC: 12V
Flux/Meter 550lm/m
LED Qty 30 SMD/m
Material Flex PCB
Beam Angle 120°
IP Rating IP20
Width 10mm
EAN Code 3800156644908

SKU: 4490
ST10-A1
WS2811 10 Pixels
7W/m
DC: 12V
550lm/m
30 SMD/m
Flex PCB
120°
IP20
10mm
3800156644908

SKU: 4491
ST30-A1
WS2812b 30 Pixels
8W/m
DC: 5V
600lm/m
30 SMD/m
Flex PCB
120°
IP20
10mm
3800156644915

SKU: 4492
ST60-A1
WS2812b 30 Pixels
16W/m
DC: 5V
1200lm/m
60 SMD/m
Flex PCB
120°
IP20
10mm
3800156644922



Digital LED Strip Controller
DC5-24V SD-CARD



Voltage 5V-24V
IP Rating IP20
Dimension 80x55x20mm
SKU: 6331


Digital LED Strip Controller
DC5-24V



Voltage 5V-24V
IP Rating IP20
Dimension 80x55x20mm
SKU: 6332



**LED Strip 12V 5050 30 LEDs - SET
Adapter + ir Controller + Remote**




Product code	ST5050-B1	LED Qty	30 SMD/m
Type LED	SMD 5050	Material	Flex PCB
Power/Meter	4W/m	Beam Angle	120°
Voltage	DC: 12V	IP Rating	IP20
Flux/Meter	240lm/m	Width	10mm

SET SKU: 4321 RGB 3800156643215 IP20



**LED Strip 12V 5050 30 LEDs - SET
Adapter + Bluetooth Music + Remote**




Product code	ST5050-B1	LED Qty	30 SMD/m
Type LED	SMD 5050	Material	Flex PCB
Power/Meter	4W/m	Beam Angle	120°
Voltage	DC: 12V	IP Rating	IP20
Flux/Meter	240lm/m	Width	10mm



SET SKU: 4328 RGB 3800156643284 IP20



**LED Strip 12V 5050 60 LEDs - SET
Adapter + ir Controller + Remote**



Product code	ST5050-B1	LED Qty	60 SMD/m
Type LED	SMD 5050	Material	Flex PCB
Power/Meter	8W/m	Beam Angle	120°
Voltage	DC: 12V	IP Rating	IP20
Flux/Meter	480lm/m	Width	10mm

SET SKU: 4322 RGB 3800156643222 IP20



**LED Strip 12V 5050 60 LEDs - SET
Adapter + Bluetooth Music + Remote**



Product code	ST5050-B1	LED Qty	60 SMD/m
Type LED	SMD 5050	Material	Flex PCB
Power/Meter	8W/m	Beam Angle	120°
Voltage	DC: 12V	IP Rating	IP20
Flux/Meter	480lm/m	Width	10mm



SET SKU: 4329 RGB 3800156643291 IP20



**LED Strip 12V 5050 60 LEDs - SET
Adapter + ir Controller + Remote
Waterproof**



Product code	ST5050-B1	LED Qty	60 SMD/m
Type LED	SMD 5050	Material	Flex PCB
Power/Meter	8W/m	Beam Angle	120°
Voltage	DC: 12V	IP Rating	IP54
Flux/Meter	480lm/m	Width	10mm

SET SKU: 4323 RGB 3800156643239 IP54



**LED Strip 12V 5050 60 LEDs - SET
Adapter + Bluetooth Music + Remote
Waterproof**



Product code	ST5050-B1	LED Qty	60 SMD/m
Type LED	SMD 5050	Material	Flex PCB
Power/Meter	8W/m	Beam Angle	120°
Voltage	DC: 12V	IP Rating	IP54
Flux/Meter	480lm/m	Width	10mm




SET SKU: 4330 RGB 3800156643307 IP54



NEW



Smart LED Strip 12V 5050+2835 - SET Adapter + Wifi Controller



Product code	ST5050-B1	LED Qty	60 SMD/m
Type LED	SMD 5050+2835	Material	Flex PCB
Power/Meter	4W/m	Beam Angle	120°
Voltage	DC: 12V	IP Rating	IP20
Flux/Meter	240lm/m	Width	10mm

SKU: 4324 RGB+W 3800156643246 IP20


SKU: 4325 RGB+WW 3800156643253 IP20



NEW



Smart LED Strip 12V CCT 5050+2835 -SET Adapter + Wifi Controller



Product code	ST5050-B1	LED Qty	90 SMD/m
Type LED	SMD 5050+2835	Material	Flex PCB
Power/Meter	6W/m	Beam Angle	120°
Voltage	DC: 12V	IP Rating	IP54
Flux/Meter	360lm/m	Width	12mm


SKU: 4326 RGB+CCT 3800156643260 IP20



NEW



TV LED Strip 5V 5050+2835 60LEDs - SET Wifi Controller + Remote




Product code	ST5050-B1	LED Qty	60 SMD/m
Type LED	SMD 5050+2835	Material	Flex PCB
Power/Meter	4W/m	Beam Angle	120°
Voltage	DC: 5V	IP Rating	IP20
Flux/Meter	240lm/m	Width	10mm

SKU: 4327 RGB+WW 3800156643277 IP20




NEW



SKU: 5105 Black Body- Black Cover (L=2m) 3800156651050


SKU: 5106 White Body- White Cover (L=2m) 3800156651067

SKU: 5107 Black Body- White Cover (L=2m) 3800156651074



SKU: 5193 Silver Body- White Cover (L=1m) 3800156651937

SKU: 5192 Silver Body- White Cover (L=2m) 3800156651920




SKU: 5190 Silver Body- White Cover (L=1m) 3800156651906

SKU: 5191 Silver Body- White Cover (L=2m) 3800156651913

SKU: 5184 White Body- White Cover (L=2m) 3800156651845


SKU: 5185 Black Body- White Cover (L=2m) 3800156651852

NEW




SKU: 5108 Silver Body- White Cover (L=2m) 3800156651081

NEW




SKU: 5113 Silver Body- White Cover (L=2m) 3800156651135




SKU: 5175 Silver Body- White Cover (L=2m) 3800156651753

NEW




SKU: 5104 Black Body- Black Cover (L=2m) ■
3800156651043




SKU: 5002 Bendable - Silver body (L=1m) ■
3800156650022

NEW




SKU: 5109 Silver Body- White Cover (L=2m) ■
3800156651098

NEW




SKU: 5111 Silver Body- White Cover (L=2m) ■
3800156651111




SKU: 5183 Silver Body- White Cover (L=2m) ■
3800156651838

NEW




SKU: 5112 Silver Body- White Cover (L=2m) ■
3800156651128

NEW




SKU: 5101 Black Body- Black Cover (L=2m) ■
3800156651012




SKU: 5162 Silver Body- White Cover (L=2m) ■
3800156651623


NEW




SKU: 5110 Silver Body- White Cover (L=2m) ■
3800156651104



SKU: 5165 Silver Body- White Cover (L=2m) ■
3800156651654



SKU: 5150 Silver Body- White Cover (L=2m) ■
3800156651500




SKU: 5166 Silver Body- White Cover (L=2m) ■
3800156651661



The new range of silicone encapsulated Neon by OPTONICA LED comprises of highly durable and flexible linear LED Solutions - suitable for both indoor and outdoor architectural applications. Designed using high-grade silicone, the neon is:

- Able to withstand wide temperature amplitudes
- Resistant to the build-up of dirt and dust, making it the first to come with a self-cleaning property
- Waterproof and impact resistant
- UV, flame and solvent resistant

LED STRIPS 220V AND FLEX NEON



Free Angle Bending

LED Strip S-Type 12V 2835 60 LEDs
7.2W/m - Non Waterproof

Product code	M02835-A2	LED Qty	60 SMD/m
Type LED	SMD 2835	Material	Flex PCB
Power/Meter	7.2W/m	Beam Angle	120°
Voltage	DC: 12V	IP Rating	IP20
Flux/Meter	720lm/m	Width	6mm

SKU: 4541	White Light	6000K	3800156645417
SKU: 4546	Neutral White	4000K	3800156645462
SKU: 4542	Warm White	3000K	3800156645424



Free Angle Bending

LED Strip S-Type 12V 2835 60 LEDs
7.2W/m - Waterproof

Product code	M02835-A2	LED Qty	60 SMD/m
Type LED	SMD 2835	Material	Flex PCB
Power/Meter	7.2W/m	Beam Angle	120°
Voltage	DC: 12V	IP Rating	IP65
Flux/Meter	720lm/m	Width	6mm

SKU: 4551	White Light	6000K	3800156645516
SKU: 4552	Warm White	2700K	3800156645523




Free Angle Bending

LED Strip S-Type 12V 2835 60 LEDs
7.2W/m - Non Waterproof

Product code	M02835-A2	LED Qty	60 SMD/m
Type LED	SMD 2835	Material	Flex PCB
Power/Meter	7.2W/m	Beam Angle	120°
Voltage	DC: 12V	IP Rating	IP20
Flux/Meter	720lm/m	Width	6mm

SKU: 4543	RED	3800156645431
SKU: 4545	GREEN	3800156645455
SKU: 4544	BLUE	3800156645448




Free Angle Bending

LED Strip S-Type 12V 2835 60 LEDs
7.2W/m - Waterproof

Product code	M02835-A2	LED Qty	60 SMD/m
Type LED	SMD 2835	Material	Flex PCB
Power/Meter	7.2W/m	Beam Angle	120°
Voltage	DC: 12V	IP Rating	IP65
Flux/Meter	720lm/m	Width	6mm

SKU: 4553	RED	3800156645530
SKU: 4555	GREEN	3800156645554
SKU: 4554	BLUE	3800156645547



LED FLEX NEON 12V -50m Roll
2835 120 SMD/m

Product code	ST12-A2	LED Qty	120 SMD/m
Type LED	SMD 2835	Material	Flex PC
Power/Meter	6W/m	Beam Angle	120°
Voltage	DC: 12V	IP Rating	IP65
Flux/Meter	300lm/m	Dimension	16x8 mm

SKU: 4590	6000K	3800156645905
SKU: 4591	4000K	3800156645912
SKU: 4592	2800K	3800156645929
SKU: 4593	Blue	3800156645936
SKU: 4594	Red	3800156645943
SKU: 4595	Green	3800156645950
SKU: 4596	Ice Blue	3800156645967
SKU: 4597	Lemon	3800156645974
SKU: 4598	Golden	3800156645981
SKU: 4599	PURPLE	3800156645998

LED FLEX NEON 220V -50m Roll
2835 120 SMD/m

Product code	ST220-A2	LED Qty	120 SMD/m
Type LED	SMD 2835	Material	Flex PC
Power/Meter	8.5W/m	Beam Angle	120°
Voltage	AC: 220V	IP Rating	IP65
Flux/Meter	500lm/m	Dimension	Single 16x10 mm RGB 25x13 mm

SKU: 4581	6000K	3800156645813
SKU: 4580	4000K	3800156645806
SKU: 4582	2800K	3800156645820
SKU: 4584	RED	3800156645844
SKU: 4585	GREEN	3800156645851
SKU: 4583	BLUE	3800156645837
SKU: 4587	YELLOW	3800156645875
SKU: 4586	AMBER	3800156645868
SKU: 4588	PINK	3800156645882
SKU: 4589	RGB	3800156645899

PLUG IN + CONNECTOR PIN



SKU: 6602

MIDDLE CONNECTOR



SKU: 6603

ALUMINIUM CLIPS



SKU: 6601

END CAP FOR



SKU: 6605

INPUT CABLE + CONNECTOR + PLUG



SKU: 6635

MIDDLE CONNECTOR



SKU: 6634

ALUMINIUM CHANNEL WITH 2 SCREWS



SKU: 6636

END CAP FOR SINGLE COLOUR



SKU: 6637

CONNECTOR PLUG



SKU: 6604



POWER CABLE+RGB CONTROLLER



SKU: 6638

ALUMINIUM CHANNEL , 5CM RGB



SKU: 6639

END CAP FOR RGB



SKU: 6640



LED Strips 220V -50m Roll
5730 120 SMD/m

Product code	ST220-A1	LED Qty	120 SMD/m
Type LED	SMD 5730	Material	Flex PC
Power/Meter	10W/m	Beam Angle	120°
Voltage	AC: 220V	IP Rating	IP65
Flux/Meter	500lm/m	Dimension	13x5 mm

SKU: 4611 White Light 6000K 3800156646117

SKU: 4612 Warm White 2800K 3800156646124

2835/5730 INPUT CABLE + CONNECTOR+PLUG



SKU: 6631

2835/5730 MIDDLE CONNECTOR



SKU: 6633

2835/5730 FIXING



SKU: 6632





LENS LED Module 1.6W - 220V
3x2835 SMD - Waterproof



Product code	M0220-A1	LED Qty	3 pcs
Type LED	SMD 2835	Material	PC
Power/Module	1.6W	Beam Angle	160°
Voltage	AC: 220-265V	IP Rating	IP67
Flux/Watt	91lm/W	Dimension	88x22x11mm

SKU: 4564 White Light 6500K 3800156645646



LENS LED Module 0.72W
3x2835 SMD - Waterproof



Product code	M02835-A1	LED Qty	3 pcs
Type LED	SMD 2835	Material	PC
Power/Module	0.72W	Beam Angle	160°
Voltage	DC: 12V	IP Rating	IP65
Flux/Watt	110lm/W	Dimension	58x12mm

SKU: 4512 White Light 10000K 3800156645127
 SKU: 4511 White Light 6500K 3800156645110
 SKU: 4513 Warm White 3000K 3800156645134
 SKU: 4514 RED 3800156645141
 SKU: 4516 GREEN 3800156645165
 SKU: 4515 BLUE 3800156645158



LENS LED Module 1.5W
3x2835 SMD - Waterproof



Product code	M02835-A1	LED Qty	3 pcs
Type LED	SMD 2835	Material	PC
Power/Module	1.5W	Beam Angle	160°
Voltage	DC: 12V	IP Rating	IP65
Flux/Watt	80lm/W	Dimension	75x15mm

SKU: 4522 White Light 10000K 3800156645226
 SKU: 4521 White Light 6500K 3800156645219
 SKU: 4523 Warm White 3000K 3800156645233
 SKU: 4524 RED 3800156645240
 SKU: 4526 GREEN 3800156645264
 SKU: 4525 BLUE 3800156645257



LED Module 2.4W
4x2835 SMD - Waterproof



Product code	M02835-A1	LED Qty	4 pcs
Type LED	SMD 2835	Material	PC
Power/Module	2.4W	Beam Angle	160°
Voltage	DC: 12V	IP Rating	IP65
Flux/Watt	85lm/W	Dimension	43x38x6.5mm

SKU: 4561 White Light 6500K 3800156645615
 SKU: 4562 Warm White 3000K 3800156645622



LENS LED Module 0.72W
3x5050 SMD - Waterproof



Product code	M05050-A1	LED Qty	3 pcs
Type LED	SMD 5050	Material	PC
Power/Module	0.72W	Beam Angle	120°
Voltage	DC: 12V	IP Rating	IP65
Flux/Watt	85lm/W	Dimension	70x16x8mm

SKU: 4563 RGB 3800156645639



LED Module 0.36W
3x3014 SMD - Waterproof



Product code	M03014-A1	LED Qty	3 pcs
Type LED	SMD 3014	Material	PC
Power/Module	0.36W	Beam Angle	120°
Voltage	DC: 12V	IP Rating	IP65
Flux/Watt	85lm/W	Dimension	18x8x2.9mm

SKU: 4531 White Light 6500K 3800156645318
 SKU: 4532 Warm White 3000K 3800156645325
 SKU: 4533 RED 3800156645332
 SKU: 4535 GREEN 3800156645356
 SKU: 4534 BLUE 3800156645349





Our portfolio covers best-performing all world-wide LVD power standards including narrow-body for installation ease in tricky spaces. Cost-efficient on your utility bills and your maintenance budget.

Features:

- 5V, 12V and 24V units come in a choice of sizes and shapes
- Specialized dimmable products for panels and downlights
- Waterproof options available with various degree of ingress-protection ratings
- Extended life cycle through forced heat dissipation, making them utmost reliable

Application:

- The natural choice for each LED strip design and installation
- A vital part of any lighting application

LED POWER SUPPLIES






TRIAC Dimmable Power Supplies
Metal 12V Output



SKU: 6271 AC75-A1 **75W - 12V** 3800156662711
 SKU: 6272 AC100-A5 **100W - 12V** 3800156662728
 SKU: 6273 AC150-A5 **150W - 12V** 3800156662735

Watts	75W	100W	150W
Input Voltage	220-240V	220-240V	220-240V
Output Voltage	DC: 12V	DC: 12V	DC: 12V
Current	6.25A	8.33A	12.5A
Material	Metal	Metal	Metal
IP Rating	IP20	IP20	IP20
Dimension	190x50x31mm	206x67x37mm	206x67x37mm






TRIAC Dimmable Power Supplies
Metal 24V Output



SKU: 6281 AC75-A2 **75W - 24V** 3800156662810
 SKU: 6282 AC100-A6 **100W - 24V** 3800156662827
 SKU: 6283 AC150-A6 **150W - 24V** 3800156662834

Watts	75W	100W	150W
Input Voltage	220-240V	220-240V	220-240V
Output Voltage	DC: 24V	DC: 24V	DC: 24V
Current	3.1A	4.17A	6.25A
Material	Metal	Metal	Metal
IP Rating	IP20	IP20	IP20
Dimension	119x52x32mm	206x67x37mm	206x67x37mm





Power Supplies for LED Displays
Metal 5V Output



SKU: 6191 AC200-A9 **200W - 5V** 3800156661912
 SKU: 6192 AC300-A9 **300W - 5V** 3800156661929

Watts	200W	300W
Input Voltage	220V	220V
Output Voltage	DC: 5V	DC: 5V
Current	40A	60A
Material	Metal	Metal
IP Rating	IP20	IP20
Dimension	190x80x30mm	190x80x30mm








Strip Power Supplies Premium
Plastic 12V Output



SKU: 6201	AC36-A1	36W - 12V	3800156662018
SKU: 6202	AC60-A1	60W - 12V	3800156662025
SKU: 6203	AC72-A1	72W - 12V	3800156662032

Watts	36W	60W	72W
Input Voltage	100-240V	100-240V	100-240V
Output Voltage	DC: 12V	DC: 12V	DC: 12V
Current	3A	5A	6A
Material	Plastic	Plastic	Plastic
IP Rating	IP20	IP20	IP20
Dimension	119x52x32mm	119x52x32mm	119x52x32mm






Strip Power Supplies Premium
Plastic 24V Output



SKU: 6206	AC36-A2	36W - 24V	3800156662063
SKU: 6207	AC60-A2	60W - 24V	3800156662070
SKU: 6208	AC72-A2	72W - 24V	3800156662087

Watts	36W	60W	72W
Input Voltage	100-240V	100-240V	100-240V
Output Voltage	DC: 24V	DC: 24V	DC: 24V
Current	1.5A	2.5A	3A
Material	Plastic	Plastic	Plastic
IP Rating	IP20	IP20	IP20
Dimension	119x52x32mm	119x52x32mm	119x52x32mm







Strip Power Supplies Premium
SLIM - Metal 12V Output



SKU: 6211	AC60-A3	60W - 12V	3800156662117
SKU: 6212	AC100-A3	100W - 12V	3800156662124
SKU: 6213	AC150-A3	150W - 12V	3800156662131
SKU: 6214	AC200-A3	200W - 12V	3800156662148

Watts	60W	100W	150W	200W
Input Voltage	100-240V	100-240V	176-265V	176-265V
Output Voltage	DC: 12V	DC: 12V	DC: 12V	DC: 12V
Current	5A	8.4A	12.5A	16.7A
Material	Metal	Metal	Metal	Metal
IP Rating	IP20	IP20	IP20	IP20
Dimension	130x50x31mm	190x50x31mm	200x62x31mm	208x82x32mm







Strip Power Supplies Premium
SLIM - Metal 24V Output



SKU: 6221	AC60-A4	60W - 24V	3800156662216
SKU: 6222	AC100-A4	100W - 24V	3800156662223
SKU: 6223	AC150-A4	150W - 24V	3800156662230
SKU: 6224	AC200-A4	200W - 24V	3800156662247

Watts	60W	100W	150W	200W
Input Voltage	100-240V	100-240V	176-265V	176-265V
Output Voltage	DC: 24V	DC: 24V	DC: 24V	DC: 24V
Current	2.5A	4.2A	6.25A	8.35A
Material	Metal	Metal	Metal	Metal
IP Rating	IP20	IP20	IP20	IP20
Dimension	130x50x31mm	190x50x31mm	200x60x31mm	208x82x32mm








**Strip Power Supplies Premium
Plastic Case 12V Output**



SKU: 6231	AC24-A5	24W - 12V	3800156662315
SKU: 6232	AC36-A5	36W - 12V	3800156662322
SKU: 6233	AC60-A5	60W - 12V	3800156662339

Watts	24W	36W	60W
Input Voltage	100-240V	100-240V	100-240V
Output Voltage	DC: 12V	DC: 12V	DC: 12V
Current	2A	3A	5A
Material	Plastic	Plastic	Plastic
IP Rating	IP20	IP20	IP20
Dimension	120x42x28mm	140x48x30mm	155x53x30mm






**Strip Power Supplies Premium
Plastic Case 24V Output**



SKU: 6241	AC24-A6	24W - 24V	3800156662414
SKU: 6242	AC36-A6	36W - 24V	3800156662421
SKU: 6243	AC60-A6	60W - 24V	3800156662438

Watts	24W	36W	60W
Input Voltage	100-240V	100-240V	100-240V
Output Voltage	DC: 24V	DC: 24V	DC: 124V
Current	1A	1.5A	2.5A
Material	Plastic	Plastic	Plastic
IP Rating	IP20	IP20	IP20
Dimension	120x42x28mm	140x48x30mm	155x53x30mm







**Strip Power Supplies Premium
Waterproof 12V Output**



SKU: 6251	AC600-A7	60W - 12V	3800156662513
SKU: 6252	AC100-A7	100W - 12V	3800156662520
SKU: 6253	AC150-A7	150W - 12V	3800156662537
SKU: 6254	AC200-A7	200W - 12V	3800156662544

Watts	60W	100W	150W	200W
Input Voltage	100-240V	100-240V	176-265V	176-265V
Output Voltage	DC: 12V	DC: 12V	DC: 12V	DC: 12V
Current	5A	8.4A	12.5A	16.7A
Material	Metal	Metal	Metal	Metal
IP Rating	IP67	IP67	IP67	IP67
Dimension	158x52x32mm	220x52x32mm	233x65x32mm	244x80x32mm







**Strip Power Supplies Premium
Waterproof 24V Output**



SKU: 6261	AC60-A8	60W - 24V	3800156662612
SKU: 6262	AC100-A8	100W - 24V	3800156662629
SKU: 6263	AC150-A8	150W - 24V	3800156662636
SKU: 6264	AC200-A8	200W - 24V	3800156662643

Watts	60W	100W	150W	200W
Input Voltage	100-240V	100-240V	176-265V	176-265V
Output Voltage	DC: 24V	DC: 24V	DC: 24V	DC: 24V
Current	2.5A	4.2A	6.25A	8.35A
Material	Metal	Metal	Metal	Metal
IP Rating	IP67	IP67	IP67	IP67
Dimension	158x52x32mm	220x52x32mm	230x65x32mm	244x80x32mm






Strip Power Supplies
Plastic 12V Output



SKU: 6120	18W - 12V	3800156661202
SKU: 6101	24W - 12V	3800156661011
SKU: 6102	36W - 12V	3800156661028
SKU: 6103	60W - 12V	3800156661035
SKU: 6119	80W - 12V	3800156661196


18W

Product Code	AC18-A1	Current	1,5A
Watts	18W	Material	Plastic
Input Voltage	220-240V	IP Rating	IP20
Output Voltage	DC: 12V	Dimension	85x50x34mm




24W

Product Code	AC24-A1	Current	2A
Watts	24W	Material	Plastic
Input Voltage	220-240V	IP Rating	IP20
Output Voltage	DC: 12V	Dimension	90x50x31mm




36W

Product Code	AC36-A1	Current	3A
Watts	36W	Material	Plastic
Input Voltage	220-240V	IP Rating	IP20
Output Voltage	DC: 12V	Dimension	124x58x32mm




60W

Product Code	AC60-A1	Current	5A
Watts	60W	Material	Plastic
Input Voltage	220-240V	IP Rating	IP20
Output Voltage	DC: 12V	Dimension	124x58x32mm



80W

Product Code	AC80-A1	Current	6.5A
Watts	80W	Material	Plastic
Input Voltage	220-240V	IP Rating	IP20
Output Voltage	DC: 12V	Dimension	136x64x40mm




Strip Power Supplies
Waterproof Metal 12V Output



SKU: 6110	30W - 12V	3800156661103
SKU: 6111	60W - 12V	3800156661110
SKU: 6115	100W - 12V	3800156661158
SKU: 6112	150W - 12V	3800156661127


30W

Product Code	AC30-A7	Current	2.5A
Watts	30W	Material	Aluminium
Input Voltage	220V	IP Rating	IP67
Output Voltage	DC: 12V	Dimension	221x30x34mm




60W

Product Code	AC60-A7	Current	5A
Watts	60W	Material	Aluminium
Input Voltage	220V	IP Rating	IP67
Output Voltage	DC: 12V	Dimension	174x67x43mm




100W

Product Code	AC100-A7	Current	8.5A
Watts	100W	Material	Aluminium
Input Voltage	220V	IP Rating	IP67
Output Voltage	DC: 12V	Dimension	237x70x43mm



150W

Product Code	AC150-A7	Current	12.5A
Watts	150W	Material	Aluminium
Input Voltage	220V	IP Rating	IP67
Output Voltage	DC: 12V	Dimension	235x50x85mm










Strip Power Supplies
Metal 12V Output



SKU: 6104	AC24-A3	24W - 12V	3800156661042
SKU: 6121	AC36-A3	36W - 12V	3800156661219
SKU: 6105	AC60-A3	60W - 12V	3800156661059
SKU: 6109	AC100-A3	100W - 12V	3800156661097
SKU: 6106	AC120-A3	120W - 12V	3800156661066

Watts	24W	36W	60W	100W	120W
Input Voltage	220V	220V	220V	220V	220V
Output Voltage	DC: 12V	DC: 12V	DC: 12V	DC: 12V	DC: 12V
Current	2A	3A	5A	8.3A	10A
Material	Metal	Metal	Metal	Metal	Metal
IP Rating	IP20	IP20	IP20	IP20	IP20
Dimension	85x57x34mm	85x57x34mm	115x80x50mm	165x105x50mm	165x105x65mm







Strip Power Supplies
Metal 12V Output



SKU: 6114	AC150-A3	150W - 12V	3800156661141
SKU: 6117	AC250-A3	250W - 12V	3800156661172
SKU: 6108	AC360-A3	360W - 12V	3800156661080
SKU: 6124	AC500-A3	500W - 12V	3800156661240

Watts	150W	250W	360W	500W
Input Voltage	220V	220V	220V	220V
Output Voltage	DC: 12V	DC: 12V	DC: 12V	DC: 12V
Current	12.5A	20A	30A	41.5A
Material	Metal	Metal	Metal	Metal
IP Rating	IP20	IP20	IP20	IP20
Dimension	205x100x50mm	200x115x55mm	220x115x55mm	220x115x55mm



Strip Power Supplies
Metal 24V Output



SKU: 6154	60W - 24V	3800156661547
SKU: 6151	100W - 24V	3800156661516
SKU: 6155	150W - 24V	3800156661554
SKU: 6152	250W - 24V	3800156661523
SKU: 6153	360W - 24V	3800156661530

60W	Product Code	AC60-A4	Current	2.5A	
	Watts	60W	Material	Metal	
	Input Voltage	220V	IP Rating	IP20	
	Output Voltage	DC: 24V	Dimension	165x100x45mm	

100W	Product Code	AC100-A4	Current	4.2A	
	Watts	100W	Material	Metal	
	Input Voltage	220V	IP Rating	IP20	
	Output Voltage	DC: 24V	Dimension	210x100x45mm	

150W	Product Code	AC150-A4	Current	6.25A	
	Watts	150W	Material	Metal	
	Input Voltage	220V	IP Rating	IP20	
	Output Voltage	DC: 24V	Dimension	205x105x50mm	

250W	Product Code	AC250-A4	Current	10.5A	
	Watts	250W	Material	Metal	
	Input Voltage	220V	IP Rating	IP20	
	Output Voltage	DC: 24V	Dimension	200x110x50mm	

360W	Product Code	AC360-A4	Current	15A	
	Watts	360W	Material	Metal	
	Input Voltage	220V	IP Rating	IP20	
	Output Voltage	DC: 24V	Dimension	220x115x55mm	






Strip Power Supplies
SLIM - Metal 12V Output



- SKU: 6131 60W - 12V 3800156661318
- SKU: 6132 100W - 12V 3800156661325
- SKU: 6133 150W - 12V 3800156661332
- SKU: 6134 250W - 12V 3800156661349
- SKU: 6135 360W - 12V 3800156661356


60W

Product Code	AC60-A3	Current	5A
Watts	60W	Material	Metal
Input Voltage	220V	IP Rating	IP20
Output Voltage	DC: 12V	Dimension	170x45x38mm




100W

Product Code	AC100-A3	Current	8.5A
Watts	100W	Material	Metal
Input Voltage	220V	IP Rating	IP20
Output Voltage	DC: 12V	Dimension	190x48x38mm




150W

Product Code	AC150-A3	Current	12.5A
Watts	150W	Material	Metal
Input Voltage	220V	IP Rating	IP20
Output Voltage	DC: 12V	Dimension	207x63x49mm




250W

Product Code	AC250-A3	Current	20A
Watts	250W	Material	Metal
Input Voltage	220V	IP Rating	IP20
Output Voltage	DC: 12V	Dimension	230x75x45mm



360W

Product Code	AC360-A3	Current	30A
Watts	360W	Material	Metal
Input Voltage	220V	IP Rating	IP20
Output Voltage	DC: 12V	Dimension	230x75x45mm




Strip Power Supplies
SLIM - Metal 24V Output



- SKU: 6161 60W - 24V 3800156661615
- SKU: 6162 100W - 24V 3800156661622
- SKU: 6163 150W - 24V 3800156661639
- SKU: 6164 250W - 24V 3800156661646
- SKU: 6165 360W - 24V 3800156661653


60W

Product Code	AC60-A4	Current	2.5A
Watts	60W	Material	Metal
Input Voltage	220V	IP Rating	IP20
Output Voltage	DC: 24V	Dimension	170x45x40mm




100W

Product Code	AC100-A4	Current	4.2A
Watts	100W	Material	Metal
Input Voltage	220V	IP Rating	IP20
Output Voltage	DC: 24V	Dimension	195x40x40mm




150W

Product Code	AC150-A4	Current	6.25A
Watts	150W	Material	Metal
Input Voltage	220V	IP Rating	IP20
Output Voltage	DC: 24V	Dimension	205x65x45mm




250W


Product Code	AC250-A4	Current	10.5A
Watts	250W	Material	Metal
Input Voltage	220V	IP Rating	IP20
Output Voltage	DC: 24V	Dimension	230x75x45mm



360W

Product Code	AC360-A4	Current	15A
Watts	360W	Material	Metal
Input Voltage	220V	IP Rating	IP20
Output Voltage	DC: 24V	Dimension	230x75x45mm





LED strips with all its power and might cannot be fully deployed without the appropriate diverse controllers. Touch sensors, Wi-Fi, smart home or any other popular type are available to diversify modern design and layout.

Features:

- Discreet and contemporary patterns.
- Small giants, an absolute must for any sophisticated lighting architecture
- Plug and play concept

Application:

- Probably the most widely used category with infinite applications

LED CONTROLLERS



**Dimmer LED Strip
With Remote Control 8A**

SKU: 6302
 Product Code AC2-A2
 Power 96W-192W
 Voltage 12V / 24V
 IP Rating IP20
 Dimension 80x55x30mm
 EAN: 3800156663022



DC:12V/24V



IP20



**Remote Control LED Strip
RGB - 4 Buttons 3x4A**

SKU: 6304
 Product Code AC2-A2
 Power 144W-288W
 Voltage 12V / 24V
 IP Rating IP20
 Dimension 105x65x20mm
 EAN: 3800156663046



DC:12V/24V



IP20



**Remote Control LED Strip
RGB - 16 Buttons 3x2A**

SKU: 6303
 Product Code AC2-A2
 Power 72W
 Voltage 12V
 IP Rating IP20
 Dimension 50x35x20mm
 EAN: 3800156663039



DC:12V/24V



IP20



**Remote Control LED Strip
RGB - 44 Buttons**

SKU:	6306	6307
Product Code	AC2-A2	AC2-A2
Power	72W	144W
Voltage	12V	12V
IP Rating	IP20	IP20
Dimension	50x35x20mm	50x35x20mm
EAN:	3800156663060	3800156663077



IP20



**WiFi Controller
RGB / Single Color 3x4A**

SKU:	6310	6311
Product Code	AC2-A2	AC2-A2
Power	90W-288W	90W-288W
Voltage	7.5V-24V	7.5V-24V
Strip Type	RGB	Single Color
Dimension	80x55x30mm	80x55x30mm
EAN:	3800156663107	3800156663114



IP20



**Amplifier for LED Strip
RGB - Iron Shell 3x8A**

SKU: 6326
 Product Code AC2-A2
 Power 288W-576W
 Voltage 12V-24V
 IP Rating IP20
 Dimension 80x70x30mm
 EAN: 3800156663268



DC:12V/24V



IP20



**Amplifier for LED Strip
RGB+White 4x6A**

SKU: 6328
 Product Code AC2-A2
 Power 288W-576W
 Voltage 12V-24V
 IP Rating IP20
 Dimension 65x55x20mm
 EAN: 3800156663282



DC:12V/24V



IP20



**Amplifier for LED Strip
RGB 3x4A**

SKU: 6305
 Product Code AC2-A2
 Power 144W-288W
 Voltage 12V-24V
 IP Rating IP20
 Dimension 80x55x20mm
 EAN: 3800156663053



DC:12V/24V



IP20



Remote Control LED Strip RGB Touch White/Black 3x6A

SKU:	6314	6315
Product Code	AC2-A2	AC2-A2
Power	216W-432W	216W-432W
Voltage	12V / 24V	12V / 24V
Body Color	White	Black
Dimension	95x50x30mm	95x50x30mm
EAN:	3800156663145	3800156663152



IP20



Remote Control LED Strip RGBW Touch 4x6A

SKU:	6329
Product Code	AC2-A2
Power	288W-576W
Voltage	12V / 24V
IP Rating	IP20
Dimension	80x45x15mm
EAN:	3800156663299



DC:12V/24V



IP20



Music LED Controller With Remote Control 3x4A

SKU:	6312
Product Code	AC2-A2
Power	144W-288W
Voltage	12V-24V
IP Rating	IP20
Dimension	170x85x23mm
EAN:	3800156663121



DC:12V/24V



IP20



DMX512 Decoder 3x4A

SKU:	6308
Product Code	AC2-A2
Power	144W-288W
Voltage	12V-24V
IP Rating	IP20
Dimension	160x60x42mm
EAN:	3800156663084



DC:12V/24V



IP20



Sensor Dimmer Wall Mounted 10A

SKU:	6318
Product Code	AC2-A2
Power	120W-240W
Voltage	12V / 24V
Body Color	Black
Dimension	85x85x40mm
EAN:	3800156663183



IP20



Sensor Dimmer Wall Mounted 10A

SKU:	6320
Product Code	AC2-A2
Power	120W-240W
Voltage	12V / 24V
Body Color	White
Dimension	85x85x40mm
EAN:	3800156663206



IP20



Sensor Dimmer Wall Mounted RGB 3x4A

SKU:	6317
Product Code	AC2-A2
Power	144W-288W
Voltage	12V-24V
IP Rating	IP20
Dimension	85x85x40mm
EAN:	3800156663176



IP20



Sensor Dimmer Wall Mounted RGB 3x4A

SKU:	6319
Product Code	AC2-A2
Power	144W-288W
Voltage	12V-24V
IP Rating	IP20
Dimension	85x85x40mm
EAN:	3800156663190



IP20



LED Remote Control Set
Single Color RF 2.4G 3CH 3x4A V3



LED Remote

Output signal RF 2.4GHz
Working voltage 3VDC(CR2032)
Standby time 12 months
Remote distance 30m
Dimension 107x58.5x9mm

SKU: 6348 3800156663480

Professional series

LED Receiver

Input voltage 12/24VDC
Output power 144W/288W
Output current 3CH,4A/CH
IP Rating IP20
Dimension 97x33x18mm



LED Remote Control Set
RGB - RF 2.4G 3CH 3x4A V3



LED Remote

Output signal RF 2.4GHz
Working voltage 3VDC(CR2032)
Standby time 12 months
Remote distance 30m
Dimension 107x58.5x9mm

SKU: 6349 3800156663497

Professional series

LED Receiver

Input voltage 12/24VDC
Output power 144W/288W
Output current 3CH,4A/CH
IP Rating IP20
Dimension 97x33x18mm



LED Single Color Remote Control
Touch - 1 Zone RF 2.4GHZ



- Match with OPTONICA Professional LED Controllers.
- Ultra sensitive color adjustment touch slide.
- Each remote can match one or more receivers.
- Operate with LED indicator light.
- Magnet on the back which can be easily stuck on any metal surfaces
- CR2032 battery powered.



SKU: 6359 3800156663596 Professional series



LED RGB Remote Control
Touch - 1 Zone RF 2.4GHZ



- Match with OPTONICA Professional LED Controllers.
- Ultra sensitive color adjustment touch slide.
- Each remote can match one or more receivers.
- Operate with LED indicator light.
- Magnet on the back which can be easily stuck on any metal surfaces
- CR2032 battery powered.



SKU: 6360 3800156663602 Professional series



LED RGB + CCT Remote Control
Touch - 4 Zone RF 2.4GHZ



- Match with OPTONICA Professional LED Controllers.
- Ultra sensitive color adjustment touch wheel.
- Each remote can match one or more receivers.
- Operate with LED indicator light.
- AAAx2 battery powered.
- Dimension 122x53x17.5mm



SKU: 6368 3800156663688

Professional series



LED Remote Control
Single Color Touch - 2.4GHZ



- Touch panel 4 zone 1 color RF remote.
- Each zone can remote control multiple receivers, LED controller, dimming driver or smart lamp.
- Ultra sensitive high strength glass touch panel with touch color slide in the middle.
- Smooth and accurate adjustment by touching the slide.
- Touch keys with chord tones and LED indicator.
- Free installation, no wiring, removable.
- AAA x 2 battery powered.



SKU: 6375 3800156663756 Professional series



LED CCT Remote Control
Touch - 4 Zone RF 2.4GHZ



- Match with OPTONICA Professional LED Controllers.
- Ultra sensitive color adjustment touch wheel.
- Each remote can match one or more receivers.
- Operate with LED indicator light.
- AAAx2 battery powered.
- Dimension 122x53x17.5mm



SKU: 6350 3800156663503

Professional series



LED Remote Control
RGB/RGBW Touch - 2.4GHZ



- Touch panel 4 zone 1 color RF remote.
- Each zone can remote control multiple receivers, LED controller, dimming driver or smart lamp.
- Ultra sensitive high strength glass touch panel with touch color slide in the middle.
- Smooth and accurate adjustment by touching the slide.
- Touch keys with chord tones and LED indicator.
- Free installation, no wiring, removable.
- AAA x 2 battery powered.



SKU: 6374 3800156663749 Professional series



Wall mounted holder for 6345

SKU: 6347



LED RGB/RGBW Remote Control 4 Zone RF 2.4GHZ

Professional series

- Match with OPTONICA Professional LED Controllers.
- Ultra sensitive color adjustment touch wheel.
- Each remote can match one or more receivers.
- Operate with LED indicator light.
- AAAx2 battery powered.
- Dimension 122x53x17.5mm

SKU: 6345 3800156663459



IP20



Dimmable



Battery



LED RGB/RGBW Remote Control 4 Zone RF 2.4GHZ

Professional series

- Match with OPTONICA Professional LED Controllers.
- Ultra sensitive color adjustment touch wheel.
- Each remote can match one or more receivers.
- Slim and light
- CR2032 battery powered.
- Dimension 107x58.5x9mm

SKU: 6344 3800156663442



IP20



Dimmable



Battery



Wall mounted holder for 6341

SKU: 6346



LED Remote Control 4 Zone Single Color RF 2.4GHz

Professional series

- Match with OPTONICA Professional LED Controllers.
- Each remote can match one or more receivers.
- Slim and light
- IP20
- CR2032 battery powered.
- Dimension 135x40x11mm

SKU: 6341 3800156663411



IP20



Dimmable



Battery



Wall mounted holder for 6340

SKU: 6346



LED Remote Control 1 Zone CCT RF 2.4GHZ

Professional series

- Match with OPTONICA Professional LED Controllers.
- Each remote can match one or more receivers.
- Slim and light.
- IP20
- CR2032 battery powered.
- Dimension 107x58.5x9mm

SKU: 6340 3800156663404



IP20



Dimmable



Battery



LED Controller 3 Channel x 4A

Professional series



IP20

SKU:	6353	Output Voltage	3X(12-24)VDC
Product Code	AC2-A3	Output Current	3CH,4A/CH
Input Voltage	12-24VDC	Output Power	144/288W
Input Current	12.5A	Output Type	Constant Voltage
Input Signal	RF2.4Ghz	Dimension	96x33x17 mm

- Match with OPTONICA Professional Series Remote Controls.
- One RF controller accept up to 10 remote control.
- Build in 10 dynamic mode, include jump or gradual change style.
- Auto-transmitting function: Controller automatically transmit signal of another controller with 30m control distance.
- Synchronize on multiple number of controllers.

EAN Code: 3800156663695



LED Controller 4 Channel x 5A

Professional series



IP20

SKU:	6342	Output Voltage	4x(12-36)VDC
Product Code	AC2-A3	Output Current	4CH,5A/CH
Input Voltage	12-36VDC	Output Power	4x(60-180)W
Input Current	20.5A	Output Type	Constant Voltage
Input Signal	RF2.4Ghz+Push	Dimension	175x45x27 mm

- Match with OPTONICA Professional Series Remote Controls.
- One RF controller accept up to 10 remote control.
- Build in 10 dynamic mode, include jump or gradual change style.
- Auto-transmitting function: Controller automatically transmit signal of another controller with 30m control distance.
- Synchronize on multiple number of controllers.
- Connect with external push switch to achieve on/off and dimming function.

EAN Code: 3800156663428



LED Controller 4 Channel x 300mA Constant Current

Professional series



IP20

SKU:	6343	Output Voltage	4x(12-48)VDC
Product Code	AC2-A3	Output Current	4CH,300mA/CH
Input Voltage	12-48VDC	Output Power	4x(3.6-14.4)W
Input Current	1.5A	Output Type	Constant Current
Input Signal	RF2.4Ghz+Push	Dimension	175x45x27 mm

- Match with OPTONICA Professional Series Remote Controls.
- One RF controller accept up to 10 remote control.
- Build in 10 dynamic mode, include jump or gradual change style.
- Auto-transmitting function: Controller automatically transmit signal of another controller with 30m control distance.
- Synchronize on multiple number of controllers.
- Connect with external push switch to achieve on/off and dimming function.

EAN Code: 3800156663435



DMX512 & RDM Decoder 4 Channel x 5A

Professional series



IP20



SKU:	6364	Output Voltage	12-24VDC
Product Code	AC2-A3	Output Current	4CH,5A/CH
Input Voltage	12-24VDC	Output Power	4x(60-120)W
Input Current	20.5A	Output Type	Constant Voltage
IP Rating	IP20	Dimension	170x50x24 mm

- Match with OPTONICA Professional Series Remote Controls.
- Comply with the DMX512 standard protocols.
- Digital numeric display, set DMX address by buttons.
- RDM function can realize intercommunication between DMX master and decoder.
- 1/2/4 DMX channel output selectable.
- Stand-alone RGB/RGBW mode and 4 channel dimmer mode selectable.

EAN Code: 3800156663640

LED Dimmer 4 Channel x 5A

Professional series



IP20



SKU:	6369	Output Voltage	12-36VDC
Product Code	AC2-A3	Output Current	4CH,5A/CH
Input Voltage	12-36VDC	Output Power	4x(60-180)W
Input Current	20.5A	Output Type	Constant Voltage
Input Signal	0/1-10V+Push	Dimension	175x45x27 mm

- Match with OPTONICA Professional Series Remote Controls.
- 4 channel 0/1-10V LED dimming driver with push-dim function.
- 4 channel 0/1-10V input, 4 channel PWM constant voltage output.
- 0-100% dimming range via logarithmic characteristic can be very comfortable for human eyes.

EAN Code: 3800156663695

LED Controller 5 Channel x 5A

Professional series



IP20



SKU:	6366	Output Voltage	5x(12-24)VDC
Product Code	AC2-A3	Output Current	5CH,5A/CH
Input Voltage	12-24VDC	Output Power	5x(60-120)W
Input Current	25.5A	Output Type	Constant Voltage
IP Rating	IP20	Dimension	175x45x27 mm

- Match with OPTONICA Professional Series Remote Controls.
- One RF controller accept up to 10 remote control.
- Build in 10 dynamic mode, include jump or gradual change style.
- Auto-transmitting function: Controller automatically transmit signal to another controller with 30m control distance.
- Synchronize on multiple number of controllers.
- Connect with external push switch to achieve on/off and dimming function.

EAN Code: 3800156663664

DALI LED Dimmer 1 Channel 15A

Professional series



IP20



SKU:	6371	Output Voltage	12-24VDC
Product Code	AC2-A3	Output Current	1CH,15A
Input Voltage	12-24VDC	Output Power	180W/360W
Input Current	15A	Output Type	Constant Voltage
Input Signal	DALI+Push	Dimension	175x45x27 mm

- Match with OPTONICA Professional Series Remote Controls.
- Constant voltage DALI LED dimmer with 1 channel, 15A output.
- DALI address will be automatically assigned by DALI master, 1 DALI address.
- PWM digital dimming, standard DALI logarithmic dimming curve.
- Connect with external push switch to achieve on/off and dimming function.

EAN Code: 3800156663718

LED Dimmer 1 Channel 12A

Professional series



IP20



SKU:	6367	Output Voltage	12-36VDC
Product Code	AC2-A3	Output Current	1CH,12A
Input Voltage	12-36VDC	Output Power	144-432W
Input Current	12.5A	Output Type	Constant Voltage
Input Signal	0/1-10V+Push	Dimension	175x45x27 mm

- Match with OPTONICA Professional Series Remote Controls.
- 1 channel 0/1-10V LED dimming driver with push-dim function.
- 1 channel 0/1-10V input, 1 channel PWM constant voltage output.
- 0-100% dimming range via logarithmic characteristic can be very comfortable for human eyes.

EAN Code: 3800156663671

DALI LED Dimmer 4 Channel x 5A

Professional series



IP20



SKU:	6372	Output Voltage	12-24VDC
Product Code	AC2-A3	Output Current	4CH,5A/CH
Input Voltage	12-24VDC	Output Power	4x(60-120)W
Input Current	20.5A	Output Type	Constant Voltage
Input Signal	DALI	Dimension	175x45x27 mm

- Match with OPTONICA Professional Series Remote Controls.
- 4 channel channel constant voltage DALI LED Dimmer, 5A per channel.
- 4 DALI address, 4 channel work separately.
- DALI address will be automatically assigned by DALI master.
- PWM digital dimming, standard DALI logarithmic dimming curve.

EAN Code: 3800156663725

LED Controller

Professional series



IP20



SKU:	6355	Output Voltage	4x(12-24)VDC
Product Code	AC2-A3	Output Current	4CH,5A/CH
Input Voltage	12-24VDC	Output Power	4x(60-120)W
Input Current	20.5A	Output Type	Constant Voltage
IP Rating	IP20	Dimension	110x64x45mm

- Match with OPTONICA Professional Series Remote Controls.
- Digital numeric display and easy key operation.
- Can set as 1 channel dimmer, 4 channel, dual color, RGB or RGBW controller.
- Logarithmic or linear dimming curve selectable.
- Synchronize on multiple number of controllers.

EAN Code: 3800156663558

AC Triac RF Dimmer

RF 2.4GHz + Push

Professional series



IP20



SKU:	6363	Output Voltage	100-240VAC
Product Code	AC2-A3	Output Current	MAX 1A
Input Voltage	100-240VAC	Output Power	100-240W
Input Signal	RF2.4GHz+Push	Dimming level	256 levels
IP Rating	IP20	Dimension	56x56x26 mm

- Match with OPTONICA Professional Series Remote Controls.
- RF+ Push AC phase-cut dimmer, 1channel output.
- 0-100% dimming smoothly without any flash.
- Connect with external push switch to achieve ON/OFF and dimming function.
- Easy to be inserted into standard 86x86mm wall box

EAN Code: 3800156663633

AC TRIAC Dimmer

Professional series



IP20



SKU:	6365	Output Voltage	100-240VAC
Product Code	AC2-A3	Output Current	1CH,2A/CH
Input Voltage	100-240VAC	Output Power	200-480W
Input Signal	RF2.4GHz+Push	Dimming level	100 levels
IP Rating	IP20	Dimension	110x64x45 mm

- Match with OPTONICA Professional Series Remote Controls.
- RF+ Push AC phase-cut dimmer, 1channel output.
- Digital numeric display, set brightness by buttons.
- 0-100% dimming smoothly without any flash.
- Reverse-phase dimming or forward-phase dimming selectable.
- Minimum brightness set from 1% to 40%

EAN Code: 3800156663657

LED Controller

3 Channel x 10A

Professional series



IP20



SKU:	6356	Output Voltage	3x(12-36)VDC
Product Code	AC2-A3	Output Current	3CH,10A/CH
Input Voltage	12-36VDC	Output Power	3x(120-360)W
Input Current	30.5A	Output Type	Constant Current
Input Signal	RF2.4GHz	Dimension	105x75x25 mm

- Match with OPTONICA Professional Series Remote Controls.
- One RF controller accept up to 10 remote control.
- Build in 10 dynamic mode, include jump or gradual change style.
- Auto-transmitting function: Controller automatically transmit signal to another controller with 30m control distance.
- Synchronize on multiple number of controllers.

EAN Code: 3800156663565

Power Repeater

Professional series



IP20



SKU:	6370	Output Voltage	4x(12-24)VDC
Product Code	AC2-A3	Output Current	4CH,5A/CH
Input Voltage	12-24VDC	Output Power	4x(60-120)W
Input Current	20.5A	Output Type	Constant Voltage
IP Rating	IP20	Dimension	110x64x45 mm

- Match with OPTONICA Professional Series Remote Controls.
- To receive PWM signal control.
- Power repeater in series or in parallel to expand output unlimitedly.
- Apply to single color,dual color,RGB or RGBW constant voltage LED strip or module.
- 3KV Optoelectronic isolation.

EAN Code: 3800156663701

WiFi - Relay 2.4GHz

WiFi to RF Converter

Professional series



IP20



SKU:	6354	Output Control	RGB,RGBW,CT
Product Code	AC2-A3	Working Temp.	-20°C~50°C
Input Voltage	5-24VDC	Platform	iOS , Android
Wifi standard	802.11 b/g/n	Dimension	ø72x25 mm

SkySmart App
ANDROID / iOS

EAN Code: 3800156663541



**LED Single Color Controller
4A*3CH**

Professional series



Dimmable



IP20

SKU:	6357	Output Voltage	3x(12-24)VDC
Product Code	AC2-A3	Output Current	3CH,4A/CH
Input Voltage	12-24VDC	Output Power	144-288W
Input Current	12.5A	Output Type	Constant Voltage
IP Rating	IP20	Dimension	86x86x53 mm

EAN Code: 3800156663572



**LED RGB Controller
4A*3CH**

Professional series



Dimmable



IP20

SKU:	6358	Output Voltage	3x(12-24)VDC
Product Code	AC2-A3	Output Current	3CH,4A/CH
Input Voltage	12-24VDC	Output Power	144-288W
Input Current	12.5A	Output Type	Constant Voltage
IP Rating	IP20	Dimension	86x86x53 mm

EAN Code: 3800156663589



**LED DMX Controller
4 Zones control DMX512+RF 2.4G**

Professional series



Dimmable



IP20

SKU:	6361	Control Mode	4 Zone Control
Product Code	AC2-A3	Light Type	Single Color
Input Voltage	85-265V	Remote Distance	30m
Output Signal	DMX512+RF	Working Temp.	-20°C/+50°C
IP Rating	IP20	Dimension	86x86x36 mm

EAN Code: 3800156663619



**LED RGBW DMX Controller
4 Zones control DMX512+RF 2.4G**

Professional series



Dimmable



IP20

SKU:	6362	Control Mode	4 Zone Control
Product Code	AC2-A3	Light Type	RGBW
Input Voltage	85-265V	Remote Distance	30m
Output Signal	DMX512+RF	Working Temp.	-20°C/+50°C
IP Rating	IP20	Dimension	86x86x36 mm

EAN Code: 3800156663626

ACCESSORIES FOR LED STRIPS



CONNECTOR FOR STRIP 3528
SKU: 5151 3800156665157



CONNECTOR FOR STRIP 5050
SKU: 5152 3800156665154



CONNECTOR FOR STRIP RGB
SKU: 6608 3800156666085



ANGLE CONNECTOR FOR STRIP 3528 8mm
SKU: 6619 3800156666191



ANGLE CONNECTOR FOR STRIP 5050 10mm
SKU: 6620 3800156666207



ANGLE CONNECTOR FOR STRIP RGB 10mm
SKU: 6621 3800156666214



CONNECTOR FOR STRIP DC MALE
SKU: 6610 3800156666108



CONNECTOR FOR STRIP DC FEMALE
SKU: 6611 3800156666115



FLEXIBLE FOR STRIP 3528 DC FEMALE
SKU: 6612 3800156666122



FLEXIBLE FOR STRIP 5050 DC FEMALE
SKU: 6613 3800156666139



FLEXIBLE CONNECTOR FOR LED STRIP RGB
SKU: 6614 3800156666146



FLEXIBLE CONNECTOR FOR LED STRIP 5050
SKU: 6615 3800156666153




FLEXIBLE CONNECTOR FOR LED STRIP 5050
SKU: 6616 3800156666160



FLEXIBLE CONNECTOR FOR STRIP RGB+WH
SKU: 6618 3800156666184



FLEXIBLE FOR RGB LED STRIP WITH PIN
SKU: 6617 3800156666177



Highly specialized luminaires with concentrated light distribution angle intended for retail or other spot required presentation area. These adjustable fixtures can be combined with variously lengthen three phased tracks along with connectors to suit every design, including rapid solutions for trade fair halls and shopping malls.

Features:

- Three colour temperatures offered to match the needs of most commercial shelf products
- Upto 80% cost-saving use
- Quick and easy fool proof on and off installation

Application:

- Indoor use
- Any show-room, art gallery, dining rooms companions.
- Popular choice for both residential and commercial projects.


LED LINEAR AND TRACK LIGHTS

**LED Linear Suspended Light
40W Slim**




Product code	LN40-A1	CRI	Ra>80
Watts	40W	IP Rating	IP20
Input Voltage	AC : 200-240V	Dimension	1200x35x67 mm
Flux	3400lm	Body Color	BLACK
Beam Angle	120°	Dimmable	NO

SKU: 5372 White Light 6000K 3800156653726
SKU: 5371 Neutral White 4000K 3800156653719




**LED Linear Suspended Light
40W Slim**



Product code	LN40-A1	CRI	Ra>80
Watts	40W	IP Rating	IP20
Input Voltage	AC : 200-240V	Dimension	1200x35x67 mm
Flux	3400lm	Body Color	SILVER
Beam Angle	120°	Dimmable	NO

SKU: 5374 White Light 6000K 3800156653740
SKU: 5373 Neutral White 4000K 3800156653733




**LED Linear Suspended Light
40W Slim**



Product code	LN40-A1	CRI	Ra>80
Watts	40W	IP Rating	IP20
Input Voltage	AC : 200-240V	Dimension	1200x35x67 mm
Flux	3400lm	Body Color	WHITE
Beam Angle	120°	Dimmable	NO

SKU: 5376 White Light 6000K 3800156653764
SKU: 5375 Neutral White 4000K 3800156653757




**LED Linear Recessed Light
40W Linkable**



Linkable

Product code	LN40-A2	CRI	Ra>80
Watts	40W	IP Rating	IP20
Input Voltage	AC : 200-240V	Dimension	1211x35x70 mm
Flux	3400lm	Body Color	WHITE
Beam Angle	120°	Dimmable	NO

SKU: 5377 Neutral White 4000K 3800156653771



Connectors for LED Linear Recessed Lights



L-SHAPE CONNECTOR

SKU:	5031
Light Color	4000K
Watts	8W
Input Voltage	AC:200-240V
Dimension	136x136x35mm



L-SHAPE CONNECTOR

SKU:	5032
Light Color	4000K
Watts	8W
Input Voltage	AC:200-240V
Dimension	134x134x35mm



L-SHAPE CONNECTOR

SKU:	5033
Light Color	4000K
Watts	8W
Input Voltage	AC:200-240V
Dimension	181x181x35mm



T-SHAPE CONNECTOR

SKU:	5034
Light Color	4000K
Watts	12W
Input Voltage	AC:200-240V
Dimension	255x127x35mm



X-SHAPE CONNECTOR

SKU:	5035
Light Color	4000K
Watts	16W
Input Voltage	AC:200-240V
Dimension	255x255x35mm






**LED Linear Suspended Light
40W Slim Linkable**



Product code	LN40-A3	CRI	Ra>80
Watts	40W	IP Rating	IP20
Input Voltage	AC : 200-240V	Dimension	1185x60x70 mm
Flux	4000lm	Body Color	BLACK
Beam Angle	120°	Dimmable	NO

SKU: 5380 Neutral White 4000K 3800156653801



**LED Linear L-Shape Connector
8W Slim Linkable**



Product code	LN8-A3	CRI	Ra>80
Watts	8W	IP Rating	IP20
Input Voltage	AC : 200-240V	Dimension	176x176x70 mm
Flux	800lm	Body Shape	L-Shape
Beam Angle	120°	Dimmable	NO

SKU: 5027 Black Body 3800156653726 for SKU:5380
 SKU: 5028 Silver Body 3800156653719 for SKU:5381
 SKU: 5029 White Body 3800156653719 for SKU:5382




**LED Linear Suspended Light
40W Slim Linkable**



Product code	LN40-A3	CRI	Ra>80
Watts	40W	IP Rating	IP20
Input Voltage	AC : 200-240V	Dimension	1185x60x70 mm
Flux	4000lm	Body Color	SILVER
Beam Angle	120°	Dimmable	NO

SKU: 5381 Neutral White 4000K 3800156653818



**LED Linear T-Shape Connector
12W Slim Linkable**



Product code	LN12-A3	CRI	Ra>80
Watts	12W	IP Rating	IP20
Input Voltage	AC : 200-240V	Dimension	300x176x70 mm
Flux	1200lm	Body Shape	T-Shape
Beam Angle	120°	Dimmable	NO

SKU: 5030 Black Body 3800156650305 for SKU:5380
 SKU: 5036 Silver Body 3800156650367 for SKU:5381
 SKU: 5037 White Body 3800156650374 for SKU:5382




**LED Linear Suspended Light
40W Slim Linkable**



Product code	LN40-A3	CRI	Ra>80
Watts	40W	IP Rating	IP20
Input Voltage	AC : 200-240V	Dimension	1185x60x70 mm
Flux	4000lm	Body Color	WHITE
Beam Angle	120°	Dimmable	NO

SKU: 5382 Neutral White 4000K 3800156653825



**LED Linear X-Shape Connector
15W Slim Linkable**



Product code	LN15-A1	CRI	Ra>80
Watts	15W	IP Rating	IP20
Input Voltage	AC : 200-240V	Dimension	300x300x70 mm
Flux	1500lm	Body Shape	X-Shape
Beam Angle	120°	Dimmable	NO

SKU: 5038 Black Body 3800156650381 for SKU:5380
 SKU: 5039 Silver Body 3800156650398 for SKU:5381
 SKU: 5040 White Body 3800156650404 for SKU:5382




**LED Linear Suspended Light
50W UP-DOWN**



Product code	LN50-A3	CRI	Ra>80
Watts	50W	IP Rating	IP20
Input Voltage	AC : 200-240V	Dimension	1185x28x68 mm
Flux	5000lm	Body Color	BLACK
Beam Angle	120°	Dimmable	NO

SKU: 5383 Neutral White 4000K 3800156653832




**LED Linear Suspended Light
50W Linkable**



Product code	LN50-A4	CRI	Ra>80
Watts	50W	IP Rating	IP20
Input Voltage	AC : 200-240V	Dimension	1200x35x67 mm
Flux	4500lm	Body Color	BLACK
Beam Angle	60°	Dimmable	NO

SKU: 5386 Neutral White 4000K 3800156653863




**LED Linear Suspended Light
50W UP-DOWN**



Product code	LN50-A3	CRI	Ra>80
Watts	50W	IP Rating	IP20
Input Voltage	AC : 200-240V	Dimension	1185x28x68 mm
Flux	5000lm	Body Color	SILVER
Beam Angle	120°	Dimmable	NO

SKU: 5384 Neutral White 4000K 3800156653849




**LED Linear Suspended Light
50W Linkable**



Product code	LN50-A4	CRI	Ra>80
Watts	50W	IP Rating	IP20
Input Voltage	AC : 200-240V	Dimension	1200x35x67 mm
Flux	4500lm	Body Color	SILVER
Beam Angle	60°	Dimmable	NO

SKU: 5387 Neutral White 4000K 3800156653870




**LED Linear Suspended Light
50W UP-DOWN**



Product code	LN50-A3	CRI	Ra>80
Watts	50W	IP Rating	IP20
Input Voltage	AC : 200-240V	Dimension	1185x28x68 mm
Flux	5000lm	Body Color	WHITE
Beam Angle	120°	Dimmable	NO

SKU: 5385 Neutral White 4000K 3800156653856




**LED Linear Suspended Light
50W Linkable**



Product code	LN50-A4	CRI	Ra>80
Watts	50W	IP Rating	IP20
Input Voltage	AC : 200-240V	Dimension	1200x35x67 mm
Flux	4500lm	Body Color	WHITE
Beam Angle	60°	Dimmable	NO

SKU: 5388 Neutral White 4000K 3800156653887






LED Wall washer for Tracks
30W For 3 Phase 4 Line Tracks



Product code	LN30-A3	CRI	Ra>80
Watts	30W	IP Rating	IP20
Input Voltage	AC : 200-240V	Dimension	610x40x90 mm
Flux	2700lm	Body Color	BLACK
Beam Angle	24°	Dimmable	NO

SKU: 5389 Neutral White 4000K 3800156653894




LED Wall washer for Tracks
40W For 3 Phase 4 Line Tracks



Product code	LN40-A4	CRI	Ra>80
Watts	40W	IP Rating	IP20
Input Voltage	AC : 200-240V	Dimension	9050x40x90 mm
Flux	3600lm	Body Color	BLACK
Beam Angle	24°	Dimmable	NO

SKU: 5390 Neutral White 4000K 3800156653900




LED COB Track Light

25W For 3 Phase 4 Line Tracks



Product code	FL25-A1	CRI	Ra>80
Watts	25W	IP Rating	IP20
Input Voltage	AC : 220-240V	Dimension	ø80x145x160mm
Flux	2750lm	Body Color	WHITE
Beam Angle	24°		

SKU: 5321	White Light	5000K	3800156653214
SKU: 5322	Neutral White	4500K	3800156653221
SKU: 5323	Warm White	3000K	3800156653238




LED COB Track Light

25W For 3 Phase 4 Line Tracks



Product code	FL25-A1	CRI	Ra>80
Watts	25W	IP Rating	IP20
Input Voltage	AC : 220-240V	Dimension	ø80x145x160mm
Flux	2750lm	Body Color	BLACK
Beam Angle	24°		

SKU: 5327	White Light	5000K	3800156653276
SKU: 5328	Neutral White	4500K	3800156653283
SKU: 5329	Warm White	3000K	3800156653290




LED COB Track Light

35W For 3 Phase 4 Line Tracks



Product code	WL35-A1	CRI	Ra>80
Watts	35W	IP Rating	IP20
Input Voltage	AC : 220-240V	Dimension	ø90x160x160mm
Flux	3850lm	Body Color	WHITE
Beam Angle	24°		

SKU: 5324	White Light	5000K	3800156653245
SKU: 5325	Neutral White	4500K	3800156653252
SKU: 5326	Warm White	3000K	3800156653269




LED COB Track Light

35W For 3 Phase 4 Line Tracks



Product code	WL35-A1	CRI	Ra>80
Watts	35W	IP Rating	IP20
Input Voltage	AC : 220-240V	Dimension	ø90x160x160mm
Flux	3850lm	Body Color	BLACK
Beam Angle	24°		

SKU: 5330	White Light	5000K	3800156653306
SKU: 5331	Neutral White	4500K	3800156653313
SKU: 5332	Warm White	3000K	3800156653320



ACCESSORIES FOR TRACK LIGHTS



TRACK SYSTEM - 1M WHITE
SKU: 5153



TRACK SYSTEM - 1M BLACK
SKU: 5154



TRACK SYSTEM - 2M WHITE
SKU: 5156



TRACK SYSTEM - 2M BLACK
SKU: 5155



CONNECTOP ANGLE - WHITE
SKU: 5157



CONNECTOP LINE - BLACK
SKU: 5159



CONNECTOP ANGLE - WHITE
SKU: 5158



CONNECTOP ANGLE - BLACK
SKU: 5160



ACCESSORIES FOR 3-PHASE TRACK LIGHTS



TRACK SYSTEM 3PHASES - 1M WHITE
SKU: 5007



TRACK SYSTEM 3PHASES - 1M BLACK
SKU: 5009



TRACK SYSTEM 3PHASES - 2M WHITE
SKU: 5008



TRACK SYSTEM 3PHASES - 2M BLACK
SKU: 5010



STRAIGHT CONNECTOR WHITE
SKU: 5013



MINI STRAIGHT CONNECTOR WHITE
SKU: 5011



T-CONNECTOR WHITE
SKU: 5017



END CAP WHITE
SKU: 5023



STRAIGHT CONNECTOR BLACK
SKU: 5014



MINI STRAIGHT CONNECTOR BLACK
SKU: 5012



T-CONNECTOR BLACK
SKU: 5018



END CAP BLACK
SKU: 5024



L-FEEDER WHITE
SKU: 5019



L-CONNECTOR WHITE
SKU: 5015



X-CONNECTOR WHITE
SKU: 5021



FLEXIBLE CONNECTOR WHITE
SKU: 5025



L-FEEDER BLACK
SKU: 5020




L-CONNECTOR BLACK
SKU: 5016



X-CONNECTOR BLACK
SKU: 5022




FLEXIBLE CONNECTOR BLACK
SKU: 5026



NEW

MAGNETIC TRACK SERIES

Magnetic force connects profile and modules both mechanical and electrical.



OPTONICA

NEW



TRACK SYSTEM 3 PHASES R35

- SKU: 5350 BLACK BODY - 1m 3800156653504
- SKU: 5351 BLACK BODY - 1.5m 3800156653511
- SKU: 5352 BLACK BODY - 2m 3800156653528




ANGLE CONNECTOR
SKU: 5358 3800156653580



END CAP
SKU: 5353 3800156653535



NEW



TRACK SYSTEM 3 PHASES R35 Build-in

- SKU: 5360 BLACK BODY - 1m 3800156653603
- SKU: 5361 BLACK BODY - 1.5m 3800156653610
- SKU: 5362 BLACK BODY - 2m 3800156653627



ANGLE CONNECTOR
SKU: 5363 3800156653634



END CAP
SKU: 5411 3800156654112



NEW



TRACK SYSTEM 3 PHASES R35B-Build-in

- SKU: 5420 BLACK BODY - 1m 3800156654204
- SKU: 5421 BLACK BODY - 1.5m 3800156654211
- SKU: 5422 BLACK BODY - 2m 3800156654228



ANGLE CONNECTOR
SKU: 5423 3800156654235



END CAP
SKU: 5411 3800156653504



NEW



TRACK SYSTEM 3 PHASES S20

- SKU: 5364 BLACK BODY - 1m 3800156653641
- SKU: 5365 BLACK BODY - 1.5m 3800156653658
- SKU: 5366 BLACK BODY - 2m 3800156653665



ANGLE CONNECTOR
SKU: 5412 3800156654129



END CAP
SKU: 5413 3800156654136



NEW



TRACK SYSTEM 3 PHASES R20 Build-in

- SKU: 5367 BLACK BODY - 1m 3800156653672
- SKU: 5368 BLACK BODY - 1.5m 3800156653689
- SKU: 5369 BLACK BODY - 2m 3800156653696



ANGLE CONNECTOR
SKU: 5414 3800156654143



END CAP
SKU: 5415 3800156654150





**LED Magnetic Track Light
12W ; 20W**



**LED Magnetic Track Light
10W ; 20W**



Product code LN12-A4 ; LN20-A4 CRI Ra>80
 Power 12W ; 20W IP Rating IP20
 Beam Angle 120° Dimension 12W 300x34x50mm
 Voltage DC:48V Dimension 20W 600x34x50mm

SKU: 5340 12W 30cm 3000K 3800156653405
 SKU: 5391 12W 30cm 4000K 3800156653917
 SKU: 5341 20W 60cm 3000K 3800156653412
 SKU: 5392 20W 60cm 4000K 3800156653924

Product code LN10-A4 ; LN20-A4 CRI Ra>80
 Power 10W ; 20W IP Rating IP20
 Beam Angle 24° Dimension 10W 135x34x95mm
 Voltage DC:48V Dimension 20W 270x34x95mm

SKU: 5347 10W 13.5cm 3000K 3800156653474
 SKU: 5398 10W 13.5cm 4000K 3800156653986
 SKU: 5348 20W 27cm 3000K 3800156653481
 SKU: 5399 20W 27cm 4000K 3800156653993



**LED Magnetic Track Light
10W ; 20W**



**LED Magnetic Track Light
7W Focusing Spot Light**



Product code LN10-A4 ; LN20-A4 CRI Ra>80
 Power 10W ; 20W IP Rating IP20
 Beam Angle 24° Dimension 10W 135x34x50mm
 Voltage DC:48V Dimension 18W 270x34x50mm

SKU: 5342 10W 13.5cm 3000K 3800156653429
 SKU: 5393 10W 13.5cm 4000K 3800156653931
 SKU: 5343 20W 27cm 3000K 3800156653436
 SKU: 5394 20W 27cm 4000K 3800156653948

Product code LN7-A4 Beam Angle 15-60°
 Watts 7W CRI Ra>90
 Input Voltage 48V IP Rating IP20
 Flux 560lm Dimension φ60x200mm

SKU: 5349 Warm White 3000K 3800156653498
 SKU: 5400 Neutral White 4000K 3800156654006



**LED Magnetic Track Light
7W**



Product code	LN7-A4	CRI	Ra>90
Watts	7W	IP Rating	IP20
Input Voltage	48V	Dimension	Φ55x105mm
Flux	560lm	Body Color	Black
Beam Angle	15°		

SKU: 5344	Warm White	3000K	3800156653443
SKU: 5395	Neutral White	4000K	3800156653955



**LED Magnetic Track Light
12W**



Product code	LN12-A4	CRI	Ra>90
Watts	12W	IP Rating	IP20
Input Voltage	48V	Dimension	Φ65x130mm
Flux	960lm	Body Color	Black
Beam Angle	15°		

SKU: 5345	Warm White	3000K	3800156653450
SKU: 5396	Neutral White	4000K	3800156653962




**LED Magnetic Track Light
20W**



Product code	LN20-A4	CRI	Ra>90
Watts	20W	IP Rating	IP20
Input Voltage	48V	Dimension	Φ65x130mm
Flux	1600lm	Body Color	Black
Beam Angle	15°		

SKU: 5346	Warm White	3000K	3800156653467
SKU: 5397	Neutral White	4000K	3800156653979



**Power Supplies for Track Light
Metal 48V Output**



SKU: 6184	AC120-B1	120W - 48V	3800156662841
SKU: 6185	AC250-B1	250W - 48V	3800156662858

Watts	120W	250W
Input Voltage	220V	220V
Output Voltage	DC: 48V	DC: 48V
Current	2.5A	5.2A
Material	Metal	Metal
IP Rating	IP20	IP20
Dimension	190x90x30mm	220x120x30mm





800
Lumens



1440
Lumens

**LED Magnetic Track Light - M20
10W ; 18W**



Product code	LN10-A4 ; LN18-A4	CRI	Ra>80
Power	10W ; 18W	IP Rating	IP20
Beam Angle	120°	Dimension 10W	300x22x25mm
Voltage	DC:48V	Dimension 18W	600x22x25mm

SKU: 5417	10W 30cm	3000K	3800156653085
SKU: 5416	10W 30cm	4000K	3800156653078
SKU: 5419	10W 60cm	3000K	3800156653108
SKU: 5418	10W 60cm	4000K	3800156653092



480
Lumens



960
Lumens

**LED Magnetic Track Light - M20
6W ; 12W**



Product code	LN6-A4 ; LN12-A4	CRI	Ra>80
Power	6W ; 12W	IP Rating	IP20
Beam Angle	24°	Dimension 10W	112x22x45mm
Voltage	DC:48V	Dimension 18W	220x22x45mm

SKU: 5312	6W	3000K	3800156653122
SKU: 5311	6W	4000K	3800156653115
SKU: 5314	12W	3000K	3800156653146
SKU: 5313	12W	4000K	3800156653139



**LED Magnetic Track Light
12W**



Product code	LN12-A5	CRI	Ra>90
Watts	12W	IP Rating	IP20
Input Voltage	48V	Dimension	Φ65x130mm
Flux	960lm	Body Color	Black
Beam Angle	15°		

SKU: 5316	Warm White	3000K	3800156653160
SKU: 5315	Neutral White	4000K	3800156653153



**LED Magnetic Track Light
10W**



Product code	LN10-A5	CRI	Ra>90
Watts	10W	IP Rating	IP20
Input Voltage	48V	Dimension	Φ70x100mm
Flux	800lm	Body Color	Black
Beam Angle	15-24°		

SKU: 5379	Warm White	3000K	3800156653795
SKU: 5378	Neutral White	4000K	3800156653788



Straight Joint
SKU: 5356



Joining Cable
SKU: 5355



Input Cable
SKU: 5357



Hanging Accessories
SKU: 5354



LED Magnetic Track Light 9W



Product code LN9-A4
 Power 9W
 Beam Angle 24°
 Voltage DC:48V

CRI Ra>80
 IP Rating IP20
 Dimension 137x34x95mm

SKU: 5318 Warm White 3000K 3800156653184
 SKU: 5317 Neutral White 4000K 3800156653177



LED Magnetic Track Light 5W



Product code LN5-A4
 Power 5W
 Beam Angle 15-60°
 Voltage DC:48V

CRI Ra>80
 IP Rating IP20
 Dimension φ60*200mm

SKU: 5319 Warm White 3000K 3800156653191
 SKU: 5320 Neutral White 4000K 3800156653207



LED Magnetic Track Light 6W

Product code LN6-A5
 Watts 6W
 Input Voltage 48V
 Flux 480lm
 Beam Angle 90°

CRI Ra>80
 IP Rating IP20
 Dimension φ130mm
 Body Color Black

SKU: 5335 Neutral White 4000K 3800156653351
 SKU: 5334 Warm White 3000K 3800156653344



LED Magnetic Track Light 10W



Product code LN10-A5
 Watts 10W
 Input Voltage 48V
 Flux 800lm
 Beam Angle 90°

CRI Ra>80
 IP Rating IP20
 Dimension φ85mm
 Body Color Black

SKU: 5337 Neutral White 4000K 3800156653375
 SKU: 5336 Warm White 3000K 3800156653368



LED Magnetic Track Light 5W



Product code LN5-A5
 Watts 5W
 Input Voltage 48V
 Flux 400lm
 Beam Angle 50°

CRI Ra>80
 IP Rating IP20
 Dimension 88x75mm
 Body Color Black

SKU: 5339 Neutral White 4000K 3800156653399
 SKU: 5338 Warm White 3000K 3800156653382





LED FLOODLIGHTS

LED Floodlights are commonly used for outdoor lighting large areas. Applicable for villas and country houses, LED floodlights are number one choice for gardens and large open spaces.

Features:

- Up to 80% power saving
- High power and IP65 rating
- Large beam angles for single product lighting
- Wall or pylon mountable
- Tough and reliable
- Options with solar panels

Application:

- Outdoor lighting
- Large area coverage
- Houses or warehouse usage



LED SMD FLOODLIGHT PF>0.9
With Solar Panels and Remote Control



	Product code EQ.Watts Battery Flux	FL6-B5 6W 3.2V / 5Ah 400lm	Beam Angle CRI IP Rating Body Color	90° Ra>80 IP65 Grey		SKU: 5455 White Light 6000K 3800156654556
	Product code EQ.Watts Battery Flux	FL8-B5 8W 3.2V / 6Ah 500lm	Beam Angle CRI IP Rating Body Color	90° Ra>80 IP65 Grey		SKU: 5456 White Light 6000K 3800156654563
	Product code EQ.Watts Battery Flux	FL15-B5 15W 3.2V / 10Ah 1200lm	Beam Angle CRI IP Rating Body Color	90° Ra>80 IP65 Grey		SKU: 5457 White Light 6000K 3800156654570
	Product code EQ.Watts Battery Flux	FL20-B5 20W 3.2V / 20Ah 1800lm	Beam Angle CRI IP Rating Body Color	90° Ra>80 IP65 Grey		SKU: 5458 White Light 6000K 3800156654587
	Product code EQ.Watts Battery Flux	FL30-B5 30W 3.2V / 25Ah 2400lm	Beam Angle CRI IP Rating Body Color	90° Ra>80 IP65 Grey		SKU: 5459 White Light 6000K 3800156654594




LED SMD FLOODLIGHT PF>0.9
With Solar Panels and Remote Control



	Product code EQ.Watts Battery Flux	FL12-A6 50W 3.2V / 11Ah 900lm	Beam Angle CRI IP Rating Body Color	120° Ra>80 IP65 Black		SKU: 5465 White Light 6000K 3800156654655
	Product code EQ.Watts Battery Flux	FL35-A6 100W 6.4V / 16.5Ah 2500lm	Beam Angle CRI IP Rating Body Color	120° Ra>80 IP65 Black		SKU: 5466 White Light 6000K 3800156654662
	Product code EQ.Watts Battery Flux	FL40-A6 150W 6.4V / 22Ah 3200lm	Beam Angle CRI IP Rating Body Color	120° Ra>80 IP65 Black		SKU: 5467 White Light 6000K 3800156654679



LED SMD FLOODLIGHT PF>0.9
With Solar Panels and Remote Control



800 Lumens

Product code	FL25-A6	Beam Angle	120°
EQ.Watts	12W	CRI	Ra>80
Battery	3.2V / 5.5Ah	IP Rating	IP65
Flux	800lm	Body Color	Black

SKU: 5460 White Light 6000K 3800156654600

800 Lumens

Product code	FL40-A6	Beam Angle	120°
EQ.Watts	40W	CRI	Ra>80
Battery	3.2V / 11Ah	IP Rating	IP65
Flux	800lm	Body Color	Black

SKU: 5461 White Light 6000K 3800156654617

1800 Lumens

Product code	FL60-B2	Beam Angle	120°
EQ.Watts	20W	CRI	Ra>80
Battery	6.4V / 11Ah	IP Rating	IP65
Flux	1800lm	Body Color	Black

SKU: 5462 White Light 6000K 3800156654624

2500 Lumens

Product code	FL100-B2	Beam Angle	120°
EQ.Watts	35W	CRI	Ra>80
Battery	6.4V / 16.5Ah	IP Rating	IP65
Flux	2500lm	Body Color	Black

SKU: 5463 White Light 6000K 3800156654631



LED SMD FLOODLIGHT
High Power - Black Body



150W **13500 Lumens**

Product code	FL150-B3	Beam Angle	90°
Watts	150W	CRI	Ra>80
Input Voltage	AC : 220-240V	IP Rating	IP65
Flux	13500lm	Body Color	Black

SKU: 5736 White Light 6000K 3800156657366
 SKU: 5737 Neutral White 4500K 3800156657373

200W **18000 Lumens**

Product code	FL200-B3	Beam Angle	90°
Watts	200W	CRI	Ra>80
Input Voltage	AC : 220-240V	IP Rating	IP65
Flux	18000lm	Body Color	Black


SKU: 5738 White Light 6000K 3800156657380
 SKU: 5739 Neutral White 4500K 3800156657397






LED SMD FLOODLIGHT
White Body

	Product code	FL10-B3	Beam Angle	90°
	Watts	10W	CRI	Ra>80
	Input Voltage	AC : 220-240V	IP Rating	IP65
	Flux	900lm	Body Color	White




SKU: 5701	White Light	6000K	3800156657014
SKU: 5702	Neutral White	4500K	3800156657021
SKU: 5703	Warm White	2700K	3800156657038

	Product code	FL20-B3	Beam Angle	90°
	Watts	20W	CRI	Ra>80
	Product code	AC : 220-240V	IP Rating	IP65
	Flux	1800lm	Body Color	White




SKU: 5704	White Light	6000K	3800156657045
SKU: 5705	Neutral White	4500K	3800156657052
SKU: 5706	Warm White	2700K	3800156657069

	Product code	FL30-B3	Beam Angle	90°
	Watts	30W	CRI	Ra>80
	Input Voltage	AC : 220-240V	IP Rating	IP65
	Flux	2700lm	Body Color	White




SKU: 5707	White Light	6000K	3800156657076
SKU: 5708	Neutral White	4500K	3800156657083
SKU: 5709	Warm White	2700K	3800156657090

	Product code	FL50-B3	Beam Angle	90°
	Watts	50W	CRI	Ra>80
	Input Voltage	AC : 220-240V	IP Rating	IP65
	Flux	4500lm	Body Color	White



SKU: 5710	White Light	6000K	3800156657106
SKU: 5711	Neutral White	4500K	3800156657113
SKU: 5712	Warm White	2700K	3800156657120


	Product code	FL100-B3	Beam Angle	90°
	Watts	100W	CRI	Ra>80
	Input Voltage	AC : 220-240V	IP Rating	IP65
	Flux	9000lm	Body Color	White



SKU: 5713	White Light	6000K	3800156657137
SKU: 5714	Neutral White	4500K	3800156657144
SKU: 5715	Warm White	2700K	3800156657151


LED SMD FLOODLIGHT
Black Body

	Product code	FL10-B3	Beam Angle	90°
	Watts	10W	CRI	Ra>80
	Input Voltage	AC : 220-240V	IP Rating	IP65
	Flux	900lm	Body Color	Black




SKU: 5721	White Light	6000K	3800156657212
SKU: 5722	Neutral White	4500K	3800156657229
SKU: 5723	Warm White	2700K	3800156657236

	Product code	FL20-B3	Beam Angle	90°
	Watts	20W	CRI	Ra>80
	Product code	AC : 220-240V	IP Rating	IP65
	Flux	1800lm	Body Color	Black




SKU: 5724	White Light	6000K	3800156657243
SKU: 5725	Neutral White	4500K	3800156657250
SKU: 5726	Warm White	2700K	3800156657267

	Product code	FL30-B3	Beam Angle	90°
	Watts	30W	CRI	Ra>80
	Input Voltage	AC : 220-240V	IP Rating	IP65
	Flux	2700lm	Body Color	Black




SKU: 5727	White Light	6000K	3800156657274
SKU: 5728	Neutral White	4500K	3800156657281
SKU: 5729	Warm White	2700K	3800156657298

	Product code	FL50-B3	Beam Angle	90°
	Watts	50W	CRI	Ra>80
	Input Voltage	AC : 220-240V	IP Rating	IP65
	Flux	4500lm	Body Color	Black



SKU: 5730	White Light	6000K	3800156657304
SKU: 5731	Neutral White	4500K	3800156657311
SKU: 5732	Warm White	2700K	3800156657328

	Product code	FL100-B3	Beam Angle	90°
	Watts	100W	CRI	Ra>80
	Input Voltage	AC : 220-240V	IP Rating	IP65
	Flux	9000lm	Body Color	Black



SKU: 5733	White Light	6000K	3800156657335
SKU: 5734	Neutral White	4500K	3800156657342
SKU: 5735	Warm White	2700K	3800156657359




LED SMD FLOODLIGHT PF>0.9

High Power - Grey Body



100W 10000 Lumens	Product code	FL100-B4	Beam Angle	90°
	Watts	100W	CRI	Ra>80
	Input Voltage	AC : 220-240V	IP Rating	IP65
	Flux	10000lm	Body Color	Grey



SKU: 5741 White Light 6000K 3800156657410
SKU: 5742 Neutral White 4500K 3800156657427




LED SMD FLOODLIGHT PF>0.9

High Power - Grey Body




300W 36000 Lumens	Product code	FL150-A5	Beam Angle	90°
	Watts	300W	CRI	Ra>80
	Input Voltage	AC :220-240V	IP Rating	IP65
	Flux	36000lm	Body Color	Grey




SKU: 5747 White Light 6000K 3800156657472
SKU: 5748 Neutral White 4500K 3800156657489

150W 15000 Lumens	Product code	FL150-B4	Beam Angle	90°
	Watts	150W	CRI	Ra>80
	Input Voltage	AC : 220-240V	IP Rating	IP65
	Flux	15000lm	Body Color	Grey




SKU: 5743 White Light 6000K 3800156657434
SKU: 5744 Neutral White 4500K 3800156657441

400W 48000 Lumens	Product code	FL200-A5	Beam Angle	90°
	Watts	400W	CRI	Ra>80
	Input Voltage	AC :220-240V	IP Rating	IP65
	Flux	48000lm	Body Color	Grey



SKU: 5749 White Light 6000K 3800156657496
SKU: 5750 Neutral White 4500K 3800156657502

200W 20000 Lumens	Product code	FL200-B4	Beam Angle	90°
	Watts	200W	CRI	Ra>80
	Input Voltage	AC : 220-240V	IP Rating	IP65
	Flux	20000lm	Body Color	Grey



SKU: 5745 White Light 6000K 3800156657458
SKU: 5746 Neutral White 4500K 3800156657465






LED SMD FLOODLIGHT PF>0.9


Premium Line - White Body

10W 850 Lumens	Product code	FL10-A5	Beam Angle	150°
	Watts	10W	CRI	Ra>80
	Input Voltage	AC : 175-265V	IP Rating	IP65
	Flux	850lm	Body Color	White




SKU: 5865	White Light	6000K	3800156658653
SKU: 5866	Neutral White	4500K	3800156658660
SKU: 5867	Warm White	2800K	3800156658677

20W 1700 Lumens	Product code	FL20-A5	Beam Angle	150°
	Watts	20W	CRI	Ra>80
	Input Voltage	AC : 175-265V	IP Rating	IP65
	Flux	1700lm	Body Color	White




SKU: 5868	White Light	6000K	3800156658684
SKU: 5869	Neutral White	4500K	3800156658691
SKU: 5870	Warm White	2800K	3800156658707

30W 2500 Lumens	Product code	FL30-A5	Beam Angle	150°
	Watts	30W	CRI	Ra>80
	Input Voltage	AC : 175-265V	IP Rating	IP65
	Flux	2500lm	Body Color	White




SKU: 5871	White Light	6000K	3800156658714
SKU: 5872	Neutral White	4500K	3800156658721
SKU: 5873	Warm White	2800K	3800156658738

50W 4250 Lumens	Product code	FL50-A5	Beam Angle	150°
	Watts	50W	CRI	Ra>80
	Input Voltage	AC : 175-265V	IP Rating	IP65
	Flux	4250lm	Body Color	White




SKU: 5874	White Light	6000K	3800156658745
SKU: 5875	Neutral White	4500K	3800156658752
SKU: 5876	Warm White	2800K	3800156658769

100W 8500 Lumens	Product code	FL100-A5	Beam Angle	150°
	Watts	100W	CRI	Ra>80
	Input Voltage	AC : 175-265V	IP Rating	IP65
	Flux	8500lm	Body Color	White




SKU: 5877	White Light	6000K	3800156658776
SKU: 5878	Neutral White	4500K	3800156658783
SKU: 5879	Warm White	2800K	3800156658790

10W 850 Lumens	Product code	FL10-A5	Beam Angle	150°
	Watts	10W	CRI	Ra>80
	Input Voltage	AC : 175-265V	IP Rating	IP65
	Flux	850lm	Body Color	Black




SKU: 5880	White Light	6000K	3800156658806
SKU: 5881	Neutral White	4500K	3800156658813
SKU: 5882	Warm White	2800K	3800156658820

20W 1700 Lumens	Product code	FL20-A5	Beam Angle	150°
	Watts	20W	CRI	Ra>80
	Input Voltage	AC : 175-265V	IP Rating	IP65
	Flux	1700lm	Body Color	Black




SKU: 5883	White Light	6000K	3800156658837
SKU: 5884	Neutral White	4500K	3800156658844
SKU: 5885	Warm White	2800K	3800156658851

30W 2500 Lumens	Product code	FL30-A5	Beam Angle	150°
	Watts	30W	CRI	Ra>80
	Input Voltage	AC : 175-265V	IP Rating	IP65
	Flux	2500lm	Body Color	Black




SKU: 5886	White Light	6000K	3800156658868
SKU: 5887	Neutral White	4500K	3800156658875
SKU: 5888	Warm White	2800K	3800156658882

50W 4250 Lumens	Product code	FL50-A5	Beam Angle	150°
	Watts	50W	CRI	Ra>80
	Input Voltage	AC : 175-265V	IP Rating	IP65
	Flux	4250lm	Body Color	Black



SKU: 5889	White Light	6000K	3800156658899
SKU: 5890	Neutral White	4500K	3800156658906
SKU: 5891	Warm White	2800K	3800156658912

100W 8500 Lumens	Product code	FL100-A5	Beam Angle	150°
	Watts	100W	CRI	Ra>80
	Input Voltage	AC : 175-265V	IP Rating	IP65
	Flux	8500lm	Body Color	Black



SKU: 5892	White Light	6000K	3800156658929
SKU: 5893	Neutral White	4500K	3800156658936
SKU: 5894	Warm White	2800K	3800156658943




LED SMD FLOODLIGHT PF>0.9
Premium Line - White Body



Power Cable Length-1.00m

150W	Product code	FL150-A5	Beam Angle	150°
	Watts	150W	CRI	Ra>80
	Input Voltage	AC : 100-265V	IP Rating	IP65
	Flux	18000lm	Body Color	White



SKU: 5786 White Light 6000K 3800156657861
SKU: 5787 Neutral White 4500K 3800156657878




LED SMD FLOODLIGHT PF>0.9
Premium Line - Black Body




Power Cable Length-1.00m

150W	Product code	FL150-A5	Beam Angle	150°
	Watts	150W	CRI	Ra>80
	Input Voltage	AC : 100-265V	IP Rating	IP65
	Flux	18000lm	Body Color	Black




SKU: 5792 White Light 6000K 3800156657922
SKU: 5793 Neutral White 4500K 3800156657939

200W	Product code	FL200-A5	Beam Angle	150°
	Watts	200W	CRI	Ra>80
	Input Voltage	AC : 100-265V	IP Rating	IP65
	Flux	24000lm	Body Color	White




SKU: 5788 White Light 6000K 3800156657885
SKU: 5789 Neutral White 4500K 3800156657892

200W	Product code	FL200-A5	Beam Angle	150°
	Watts	200W	CRI	Ra>80
	Input Voltage	AC : 100-265V	IP Rating	IP65
	Flux	24000lm	Body Color	Black




SKU: 5794 White Light 6000K 3800156657946
SKU: 5795 Neutral White 4500K 3800156657953

300W	Product code	FL300-A5	Beam Angle	150°
	Watts	300W	CRI	Ra>80
	Input Voltage	AC : 100-265V	IP Rating	IP65
	Flux	36000lm	Body Color	White



SKU: 5790 White Light 6000K 3800156657908
SKU: 5791 Neutral White 4500K 3800156657915

300W	Product code	FL300-A5	Beam Angle	150°
	Watts	300W	CRI	Ra>80
	Input Voltage	AC : 100-265V	IP Rating	IP65
	Flux	36000lm	Body Color	Black




SKU: 5796 White Light 6000K 3800156657960
SKU: 5797 Neutral White 4500K 3800156657977




**LED SMD FLOODLIGHT
CITY LINE - White Body**

	10W	Product code	FL10-B1	Beam Angle	120°
		Watts	10W	CRI	Ra>80
		Input Voltage	AC : 220-265V	IP Rating	IP65
		Flux	800lm	Body Color	White




SKU: 5900	White Light	6000K	3800156659001
SKU: 5901	Neutral White	4500K	3800156659018
SKU: 5902	Warm White	2800K	3800156659025

	20W	Product code	FL20-B1	Beam Angle	120°
		Watts	20W	CRI	Ra>80
		Input Voltage	AC : 220-265V	IP Rating	IP65
		Flux	1600lm	Body Color	White




SKU: 5903	White Light	6000K	3800156659032
SKU: 5904	Neutral White	4500K	3800156659049
SKU: 5905	Warm White	2800K	3800156659056

	30W	Product code	FL30-B1	Beam Angle	120°
		Watts	30W	CRI	Ra>80
		Input Voltage	AC : 220-265V	IP Rating	IP65
		Flux	2400lm	Body Color	White




SKU: 5906	White Light	6000K	3800156659063
SKU: 5907	Neutral White	4500K	3800156659070
SKU: 5908	Warm White	2800K	3800156659087

	50W	Product code	FL50-B1	Beam Angle	120°
		Watts	50W	CRI	Ra>80
		Input Voltage	AC : 220-265V	IP Rating	IP65
		Flux	4000lm	Body Color	White



SKU: 5909	White Light	6000K	3800156659094
SKU: 5910	Neutral White	4500K	3800156659101
SKU: 5911	Warm White	2800K	3800156659117

	100W	Product code	FL100-B1	Beam Angle	120°
		Watts	100W	CRI	Ra>80
		Input Voltage	AC : 220-265V	IP Rating	IP65
		Flux	8000lm	Body Color	White




SKU: 5912	White Light	6000K	3800156659124
SKU: 5913	Neutral White	4500K	3800156659131
SKU: 5914	Warm White	2800K	3800156659148




**LED SMD FLOODLIGHT
CITY LINE - Black Body**

	10W	Product code	FL10-B1	Beam Angle	120°
		Watts	10W	CRI	Ra>80
		Input Voltage	AC : 220-265V	IP Rating	IP65
		Flux	800lm	Body Color	Black




SKU: 5915	White Light	6000K	3800156659155
SKU: 5916	Neutral White	4500K	3800156659162
SKU: 5917	Warm White	2800K	3800156659179

	20W	Product code	FL20-B1	Beam Angle	120°
		Watts	20W	CRI	Ra>80
		Input Voltage	AC : 220-265V	IP Rating	IP65
		Flux	1600lm	Body Color	Black




SKU: 5918	White Light	6000K	3800156659186
SKU: 5919	Neutral White	4500K	3800156659193
SKU: 5920	Warm White	2800K	3800156659209

	30W	Product code	FL30-B1	Beam Angle	120°
		Watts	30W	CRI	Ra>80
		Input Voltage	AC : 220-265V	IP Rating	IP65
		Flux	2400lm	Body Color	Black




SKU: 5921	White Light	6000K	3800156659216
SKU: 5922	Neutral White	4500K	3800156659223
SKU: 5923	Warm White	2800K	3800156659230

	50W	Product code	FL50-B1	Beam Angle	120°
		Watts	50W	CRI	Ra>80
		Input Voltage	AC : 220-265V	IP Rating	IP65
		Flux	4000lm	Body Color	Black



SKU: 5924	White Light	6000K	3800156659247
SKU: 5925	Neutral White	4500K	3800156659254
SKU: 5926	Warm White	2800K	3800156659261

	100W	Product code	FL100-B1	Beam Angle	120°
		Watts	100W	CRI	Ra>80
		Input Voltage	AC : 220-265V	IP Rating	IP65
		Flux	8000lm	Body Color	Black




SKU: 5927	White Light	6000K	3800156659278
SKU: 5928	Neutral White	4500K	3800156659285
SKU: 5929	Warm White	2800K	3800156659292




**LED SMD FLOODLIGHT
CITY LINE- White Body
With PIR Sensor**

	10W	Product code	FL10-B2	Beam Angle	120°
		Watts	10W	CRI	Ra>80
		Input Voltage	AC : 220-265V	IP Rating	IP65
		Flux	800lm	Body Color	White




SKU: 5930	White Light	6000K	3800156659308
SKU: 5931	Neutral White	4500K	3800156659315
SKU: 5932	Warm White	2800K	3800156659322

	20W	Product code	FL20-B2	Beam Angle	120°
		Watts	20W	CRI	Ra>80
		Input Voltage	AC : 220-265V	IP Rating	IP65
		Flux	1600lm	Body Color	White




SKU: 5933	White Light	6000K	3800156659339
SKU: 5934	Neutral White	4500K	3800156659346
SKU: 5935	Warm White	2800K	3800156659353

	30W	Product code	FL30-B2	Beam Angle	120°
		Watts	30W	CRI	Ra>80
		Input Voltage	AC : 220-265V	IP Rating	IP65
		Flux	2400lm	Body Color	White



SKU: 5936	White Light	6000K	3800156659360
SKU: 5937	Neutral White	4500K	3800156659377
SKU: 5938	Warm White	2800K	3800156659384

	50W	Product code	FL50-B2	Beam Angle	120°
		Watts	50W	CRI	Ra>80
		Input Voltage	AC : 220-265V	IP Rating	IP65
		Flux	4000lm	Body Color	White




SKU: 5939	White Light	6000K	3800156659391
SKU: 5940	Neutral White	4500K	3800156659407




**LED SMD FLOODLIGHT
CITY LINE - Black Body
With PIR Sensor**

	10W	Product code	FL10-B2	Beam Angle	120°
		Watts	10W	CRI	Ra>80
		Input Voltage	AC : 220-265V	IP Rating	IP65
		Flux	800lm	Body Color	Black




SKU: 5941	White Light	6000K	3800156659308
SKU: 5942	Neutral White	4500K	3800156659315
SKU: 5943	Warm White	2800K	3800156659322

	20W	Product code	FL20-B2	Beam Angle	120°
		Watts	20W	CRI	Ra>80
		Input Voltage	AC : 220-265V	IP Rating	IP65
		Flux	1600lm	Body Color	Black




SKU: 5944	White Light	6000K	3800156659339
SKU: 5945	Neutral White	4500K	3800156659346
SKU: 5946	Warm White	2800K	3800156659353

	30W	Product code	FL30-B2	Beam Angle	120°
		Watts	30W	CRI	Ra>80
		Input Voltage	AC : 220-265V	IP Rating	IP65
		Flux	2400lm	Body Color	Black



SKU: 5947	White Light	6000K	3800156659360
SKU: 5948	Neutral White	4500K	3800156659377
SKU: 5949	Warm White	2800K	3800156659384

	50W	Product code	FL50-B2	Beam Angle	120°
		Watts	50W	CRI	Ra>80
		Input Voltage	AC : 220-265V	IP Rating	IP65
		Flux	4000lm	Body Color	Black




SKU: 5950	White Light	6000K	3800156659391
SKU: 5951	Neutral White	4500K	3800156659407



**LED SMD FLOODLIGHT PF>0.9
CCT LIGHT - Black Body**



Product code FL50-A7
Watts 50W
Input Voltage AC : 200-277V
Flux 5 000lm
Beam Angle 120°
CRI Ra>80
IP Rating IP66
Body Color Black




SKU: 5303



CCT 3800156653030



Product code FL100-A7
Watts 100W
Input Voltage AC : 200-277V
Flux 10000lm
Beam Angle 120°
CRI Ra>80
IP Rating IP66
Body Color Black




SKU: 5304



CCT 3800156653047



Product code FL150-A7
Watts 150W
Input Voltage AC : 200-277V
Flux 15000lm
Beam Angle 120°
CRI Ra>80
IP Rating IP66
Body Color Black




SKU: 5305



CCT 3800156653054



Product code FL200-A7
Watts 200W
Input Voltage AC : 200-277V
Flux 20000lm
Beam Angle 120°
CRI Ra>80
IP Rating IP66
Body Color Black



SKU: 5306




CCT 3800156653061



**LED SMD FLOODLIGHT
CITY LINE - Black Body
With PIR Sensor**




Product code FL10-B2
Watts 10W
Input Voltage AC : 220-265V
Flux 800lm
Beam Angle 120°
CRI Ra>80
IP Rating IP65
Body Color Black



SKU: 5952 White Light 6000K 3800156659520
SKU: 5953 Neutral White 4500K 3800156659537
SKU: 5954 Warm White 2700K 3800156659544




Product code FL20-B2
Watts 20W
Input Voltage AC : 220-265V
Flux 1600lm
Beam Angle 120°
CRI Ra>80
IP Rating IP65
Body Color Black



SKU: 5955 White Light 6000K 3800156659551
SKU: 5956 Neutral White 4500K 3800156659568
SKU: 5957 Warm White 2700K 3800156659575




Product code FL30-B2
Watts 30W
Input Voltage AC : 220-265V
Flux 2400lm
Beam Angle 120°
CRI Ra>80
IP Rating IP65
Body Color Black



SKU: 5958 White Light 6000K 3800156659582
SKU: 5959 Neutral White 4500K 3800156659599
SKU: 5960 Warm White 2700K 3800156659605




Product code FL50-B2
Watts 50W
Input Voltage AC : 220-265V
Flux 4000lm
Beam Angle 120°
CRI Ra>80
IP Rating IP65
Body Color Black




SKU: 5961 White Light 6000K 3800156659612
SKU: 5962 Neutral White 4500K 3800156659629



LED SMD FLOODLIGHT
On Stand - Foldable




20W
Product code FL20-A8
Watts 20W
Input Voltage AC : 200-240V
Flux 1600lm
Beam Angle 120°
CRI Ra>80
IP Rating IP65
Body Color Yellow



SKU: 5403 White Light 6000K 3800156654037




30W
Product code FL30-A8
Watts 30W
Input Voltage AC : 200-240V
Flux 2400lm
Beam Angle 120°
CRI Ra>80
IP Rating IP65
Body Color Yellow




SKU: 5404 White Light 6000K 3800156654044




50W
Product code FL50-A8
Watts 50W
Input Voltage AC : 200-240V
Flux 4000lm
Beam Angle 120°
CRI Ra>80
IP Rating IP65
Body Color Yellow



SKU: 5405 White Light 6000K 3800156654051



Product code FL10-A8
Watts 10W
Input Voltage AC : 200-240V
Flux 600lm
Beam Angle 120°
CRI Ra>80
IP Rating IP44
Body Color Yellow+Black




PORTABLE LED SMD FLOODLIGHT 10W
Rechargeable + Battery

SKU: 5401 White Light 6000K 3800156654013



Product code FL20-A8
Watts 20W
Input Voltage AC : 200-240V
Flux 1200lm
Beam Angle 120°
CRI Ra>80
IP Rating IP44
Body Color Yellow+Black



PORTABLE LED SMD FLOODLIGHT 20W
Rechargeable + Battery

SKU: 5402 White Light 6000K 3800156654020




LED SMD FLOODLIGHT
Black Body -Green Light



10W
800 Lumens


Product code	FL10-B3	Beam Angle	90°
Watts	10W	CRI	Ra>70
Input Voltage	AC : 220-240V	IP Rating	IP65
Flux	800lm	Body Color	Black



SKU: 5751 Green Light Green 3800156657519

20W
1600 Lumens


Product code	FL20-B3	Beam Angle	90°
Watts	20W	CRI	Ra>70
Input Voltage	AC : 220-240V	IP Rating	IP65
Flux	1600lm	Body Color	Black



SKU: 5752 Green Light Green 3800156657526

30W
2400 Lumens

Product code	FL30-B3	Beam Angle	90°
Watts	30W	CRI	Ra>70
Input Voltage	AC : 220-240V	IP Rating	IP65
Flux	2400lm	Body Color	Black



SKU: 5753 Green Light Green 3800156657533




LED RGB SMD FLOODLIGHT
Black Body + Remote Control



10W
800 Lumens


Product code	FL10-B4	Beam Angle	120°
Watts	10W	CRI	Ra>80
Input Voltage	AC : 200-240V	IP Rating	IP65
Flux	800lm	Body Color	Black



SKU: 5754 RGB 3800156657540

30W
2400 Lumens


Product code	FL30-B4	Beam Angle	120°
Watts	30W	CRI	Ra>80
Input Voltage	AC : 200-240V	IP Rating	IP65
Flux	2400lm	Body Color	Black



SKU: 5755 RGB 3800156657557

50W
4000 Lumens

Product code	FL50-B4	Beam Angle	120°
Watts	50W	CRI	Ra>80
Input Voltage	AC : 200-240V	IP Rating	IP65
Flux	4000lm	Body Color	Black




SKU: 5756 RGB 3800156657564



LED RGB FLOODLIGHT
With Remote Control

10W
800 Lumens


Product code	FL10-A1	Beam Angle	120°
Watts	10W	CRI	Ra>80
Input Voltage	AC : 200-240V	IP Rating	IP66
Flux	800lm	Body Color	Black



SKU: 5210 RGB 3800156652101

30W
2400 Lumens


Product code	FL30-A1	Beam Angle	120°
Watts	30W	CRI	Ra>80
Input Voltage	AC : 200-240V	IP Rating	IP66
Flux	2400lm	Body Color	Black



SKU: 5212 RGB 3800156652125

50W
4000 Lumens

Product code	FL50-A1	Beam Angle	120°
Watts	50W	CRI	Ra>80
Input Voltage	AC : 200-240V	IP Rating	IP66
Flux	4000lm	Body Color	Black




SKU: 5233 RGB 3800156652330



LED SMD5730 FLOODLIGHT PF>0.9
Dual Voltage With Terminal Block

100W
9000 Lumens


Product code	FL100-A9	Beam Angle	120°
Watts	100W	CRI	Ra>80
Input Voltage	AC : 85-265V	IP Rating	IP65
Flux	9000lm	Body Color	Black



SKU: 5277 White Light 6000K 3800156652774

200W
18000 Lumens

Product code	FL200-A9	Beam Angle	120°
Watts	200W	CRI	Ra>80
Input Voltage	AC : 85-265V	IP Rating	IP65
Flux	18000lm	Body Color	Black



SKU: 5279 White Light 6000K 3800156652798



NEW



LED SMD FLOODLIGHT PF>0.9


110V - Yellow Body



80W



Product code FL80-A7
 Watts 80W
 Input Voltage AC: 110V-120V
 Flux 6000lm
 Beam Angle 120°
 CRI Ra>80
 IP Rating IP65
 Body Color Yellow




SKU: 5307 6000K 80W 3800156653016

100W



Product code FL100-A7
 Watts 100W
 Input Voltage AC: 110V-120V
 Flux 8500lm
 Beam Angle 120°
 CRI Ra>80
 IP Rating IP65
 Body Color Yellow




SKU: 5301 6000K 100W 3800156653016

150W



Product code FL150-A7
 Watts 150W
 Input Voltage AC: 110V-120V
 Flux 12500lm
 Beam Angle 120°
 CRI Ra>80
 IP Rating IP65
 Body Color Yellow




SKU: 5302 6000K 150W 3800156653023

200W



Product code FL200-A7
 Watts 200W
 Input Voltage AC: 110V-120V
 Flux 17000lm
 Beam Angle 120°
 CRI Ra>80
 IP Rating IP65
 Body Color Yellow



SKU: 5308 6000K 200W 3800156653023




LED SMD FLOODLIGHT
 Classic Line 2 - High Power



150W



Product code FL150-A3
 Watts 100W
 Input Voltage AC: 170-265V
 Flux 12750lm
 Beam Angle 100°
 CRI Ra>80
 IP Rating IP65
 Body Color Black




SKU: 5818 White Light 6000K 3800156658189
 SKU: 5819 Neutral White 4500K 3800156658196

200W



Product code FL200-A3
 Watts 200W
 Input Voltage AC: 170-265V
 Flux 17000lm
 Beam Angle 100°
 CRI Ra>80
 IP Rating IP65
 Body Color Black



SKU: 5838 White Light 6000K 3800156658387
 SKU: 5839 Neutral White 4500K 3800156658394





Floodlight Spike

Body Color Black
Material Aluminium

- SKU: 6682 160x35cm 3800156666825
- SKU: 6683 265x55cm 3800156666832



Billboard Stand

Body Color Black
Material Iron

- SKU: 6684 150x500cm 3800156666849
- SKU: 6685 200x800cm 3800156666856



**TRIPOD FOR FLOODLIGHTS
With Cross Bar**

Product code OT1-B9
Body Color Yellow , Black
Material Iron
Maximum size 157x64x64cm
Height Adjustment: 64-157cm
Sections: 3 Pcs

- SKU: 6686 BLACK BODY 3800156666863
- SKU: 6687 YELLOW BODY 3800156666870



**Terminal Block
Waterproof Box OT1-B5**

Rated Voltage 250V
Material Flame Retardant PP
Wire Range 0.5-1.5mm2
Rated Current 16A



- SKU: 6641 3800156666412



**Terminal Block T-Shape
Waterproof Box OT1-B5**

Rated Voltage 250V
Material Flame Retardant PP
Wire Range 0.5-2.5mm2
Rated Current 16A



- SKU: 6642 3800156666429



**Terminal Block Splitter
Waterproof Box OT1-B5**

Rated Voltage 250V
Material Polypropylene 94 V2
Wire Range 0.5-2.5mm2
Rated Current 16A



- SKU: 6643 3800156666436



**Terminal Block Splitter
Waterproof Box OT1-B5**

Rated Voltage 450V
Material Polypropylene 94 V2
Wire Range 0.5-4mm2
Rated Current 24A



- SKU: 6644 3800156666443



**Terminal Block Splitter
Waterproof Box OT1-B5**

Rated Voltage 450V
Material Polypropylene 94 V2
Wire Range 0.5-4mm2
Rated Current 24A



- SKU: 6645 3800156666450



**Terminal Block Splitter
Waterproof Box OT1-B5**

Rated Voltage 450V
Material Polypropylene 94 V2
Wire Range 0.5-4mm2
Rated Current 24A



- SKU: 6646 3800156666467





LED STREET AND INDUSTRIAL LIGHTS

LED industrial lights are series of highly efficient, reliable and easy to install products for production sites, warehouses or specialised areas. With different types – low or high bays, bulbs or linear lighting fixtures. These products will meet all industry standards and cover any lighting needs.

Features:

- Up to 80% power saving
- Variety of shapes and types
- Long lifetime and reliability
- Different types of mounting options
- Comply with industrial standards

Application:

- Production sites and warehouses
- Industrial places and factories
- Special lighting requirements



LED STREET LIGHT
8W Solar Power + Battery

Product code	SL40-A6	CRI	Ra>70
Watts	8W	IP Rating	IP65
Battery	3.2V / 16.5Ah	Dimension	490x240x65mm
Flux	950lm	Body Color	Black
Beam Angle	120°		

- * Intelligent Light Control
- * Time Switch

SKU: 9135 White Light 6000K 3800156691353



Wireless Remote Control



950 Lumens



Battery



>1500 Times



Solar Power



IP65



LED STREET LIGHT
35W Solar Power + Battery

Product code	SL100-A6	CRI	Ra>70
Watts	35W	IP Rating	IP65
Battery	6.4V / 16.5Ah	Dimension	490x240x65mm
Flux	2600lm	Body Color	Black
Beam Angle	120°		

- * Intelligent Light Control
- * Time Switch

SKU: 9137 White Light 6000K 3800156691377



Wireless Remote Control



2600 Lumens



Battery



>1500 Times



Solar Power



IP65



LED STREET LIGHT
12W Solar Power + Battery

Product code	SL60-A6	CRI	Ra>70
Watts	12W	IP Rating	IP65
Battery	3.2V / 22Ah	Dimension	650x250x65mm
Flux	1200lm	Body Color	Black
Beam Angle	120°		

- * Intelligent Light Control
- * Time Switch

SKU: 9136 White Light 6000K 3800156691360



Wireless Remote Control



1200 Lumens



Battery



>1500 Times



Solar Power



IP65




LED STREET LIGHT
40W Solar Power + Battery

Product code	SL150-A6	CRI	Ra>70
Watts	40W	IP Rating	IP65
Battery	6.4V / 22h	Dimension	490x240x65mm
Flux	3000lm	Body Color	Black
Beam Angle	120°		

- * Intelligent Light Control
- * Time Switch

SKU: 9138 White Light 6000K 3800156691384



Wireless Remote Control



3000 Lumens



Battery



>1500 Times



Solar Power




IP65



LED STREET LIGHT
Solar Power + Battery




Product code SL8-B6
Watts 8W
Battery 3.2V 5AH
Flux 500lm
Beam Angle 120°
CRI Ra>70
IP Rating IP65
Body Color Black



SKU: 9126 White Light 6000K 3800156691261




Product code SL10-B6
Watts 10W
Battery 3.2V 10AH
Flux 1200lm
Beam Angle 120°
CRI Ra>70
IP Rating IP65
Body Color Black



SKU: 9127 White Light 6000K 3800156691278




Product code SL15-B6
Watts 15W
Battery 3.2V 15AH
Flux 1800lm
Beam Angle 120°
CRI Ra>70
IP Rating IP65
Body Color Black



SKU: 9128 White Light 6000K 3800156691285



Product code SL18-B6
Watts 18W
Battery 3.2V 20AH
Flux 2400lm
Beam Angle 120°
CRI Ra>70
IP Rating IP65
Body Color Black



SKU: 9129 White Light 6000K 3800156691292




Adjusting angle

LED STREET LIGHT PF>0.9
High Lumens




Product code SL30-A9
Watts 30W
Input Voltage AC : 220-240V
Flux 3000lm
Beam Angle 75x135°
CRI Ra>70
IP Rating IP65
Body Color Gray



SKU: 9201 White Light 6000K 3800156692015
SKU: 9202 Neutral White 4500K 3800156692022
SKU: 9203 Warm White 2700K 3800156692039




Product code SL50-A9
Watts 50W
Input Voltage AC : 220-240V
Flux 5000lm
Beam Angle 75x135°
CRI Ra>70
IP Rating IP65
Body Color Gray



SKU: 9204 White Light 6000K 3800156692046
SKU: 9205 Neutral White 4500K 3800156692053
SKU: 9206 Warm White 2700K 3800156692060




Product code SL100-A9
Watts 100W
Input Voltage AC : 220-240V
Flux 10000lm
Beam Angle 75x135°
CRI Ra>70
IP Rating IP65
Body Color Gray



SKU: 9207 White Light 6000K 3800156692077
SKU: 9208 Neutral White 4500K 3800156692084
SKU: 9209 Warm White 2700K 3800156692091




Product code SL150-A9
Watts 150W
Input Voltage AC : 220-240V
Flux 15000lm
Beam Angle 75x135°
CRI Ra>70
IP Rating IP65
Body Color Gray



SKU: 9210 White Light 6000K 3800156692107
SKU: 9211 Neutral White 4500K 3800156692114
SKU: 9212 Warm White 2700K 3800156692121



Product code SL200-A9
Watts 200W
Input Voltage AC : 220-240V
Flux 20000lm
Beam Angle 75x135°
CRI Ra>70
IP Rating IP65
Body Color Gray



SKU: 9213 White Light 6000K 3800156692138
SKU: 9214 Neutral White 4500K 3800156692145
SKU: 9215 Warm White 2700K 3800156692152




LED STREET LIGHT PF>0.95
High Lumens-Moso Driver




Product code	SL100-A7	Beam Angle	120°
Watts	100W	CRI	Ra>70
Input Voltage	AC : 220-240V	IP Rating	IP65
Flux	14000lm	Protection	Class 1

SKU: 9179 White Light 5700K 3800156691797



Product code	SL120-A7	Beam Angle	120°
Watts	120W	CRI	Ra>70
Input Voltage	AC : 220-240V	IP Rating	IP65
Flux	16800lm	Protection	Class 1

SKU: 9180 White Light 5700K 3800156691803



LED STREET LIGHT PF>0.95
High Lumens-Moso Driver



Product code	SL80-A8	Beam Angle	120°
Watts	80W	CRI	Ra>70
Input Voltage	AC : 100-240V	IP Rating	IP66
Flux	11200lm	Protection	Class 1

SKU: 9196 White Light 5700K 3800156691964



Product code	SL50-A8	Beam Angle	120°
Watts	100W	CRI	Ra>70
Input Voltage	AC : 100-240V	IP Rating	IP66
Flux	14000lm	Protection	Class 1

SKU: 9197 White Light 5700K 3800156691971



Product code	SL150-A8	Beam Angle	120°
Watts	150W	CRI	Ra>70
Input Voltage	AC : 100-240V	IP Rating	IP66
Flux	21000lm	Protection	Class 1

SKU: 9198 White Light 5700K 3800156691988



Product code	SL180-A8	Beam Angle	120°
Watts	180W	CRI	Ra>70
Input Voltage	AC : 100-240V	IP Rating	IP66
Flux	25200lm	Protection	Class 1

SKU: 9199 White Light 5700K 3800156691995






LED STREET LIGHT PF>0.9
2 pcs BOX



30W
4050
Lumens

Product code SL30-A2
Watts 30W
Input Voltage AC : 100-240V
Flux 4050lm
Beam Angle 120°
CRI Ra>70
IP Rating IP65
Protection Class 1


SKU: 9156 White Light 5700K 3800156691568



50W
6750
Lumens

Product code SL50-A2
Watts 50W
Input Voltage AC : 100-240V
Flux 6750lm
Beam Angle 120°
CRI Ra>70
IP Rating IP65
Protection Class 1


SKU: 9157 White Light 5700K 3800156691575



60W
8100
Lumens

Product code SL60-A2
Watts 60W
Input Voltage AC : 100-240V
Flux 8100lm
Beam Angle 120°
CRI Ra>70
IP Rating IP65
Protection Class 1

SKU: 9158 White Light 5700K 3800156691582




LED STREET LIGHT PF>0.9
2 pcs BOX



20W
2000
Lumens

Product code SL20-A1
Watts 20W
Input Voltage AC : 220-240V
Flux 2000lm
Beam Angle 120°
CRI Ra>70
IP Rating IP65
Protection Class 2


SKU: 9171 White Light 6000K 3800156691711



50W
5000
Lumens

Product code SL50-A1
Watts 50W
Input Voltage AC : 220-240V
Flux 5000lm
Beam Angle 120°
CRI Ra>70
IP Rating IP65
Protection Class 2


SKU: 9172 White Light 6000K 3800156691728



80W
8000
Lumens

Product code SL80-A1
Watts 80W
Input Voltage AC : 220-240V
Flux 8000lm
Beam Angle 120°
CRI Ra>70
IP Rating IP65
Protection Class 2


SKU: 9173 White Light 6000K 3800156691735



100W
10000
Lumens

Product code SL100-A1
Watts 100W
Input Voltage AC : 220-240V
Flux 10000lm
Beam Angle 120°
CRI Ra>70
IP Rating IP65
Protection Class 2

SKU: 9174 White Light 6000K 3800156691742





NEW SKU: 9118 ADAPTER MATT GREY
SKU: 9119 ADAPTER (ADJUSTABLE ANGLE)


LED STREET LIGHT PF>0.9
Bridgelux 3030 Chips



150W
14250
Lumens

Product code SL150-A3
Watts 150W
Input Voltage AC : 220-240V
Flux 14250lm
Beam Angle 120°
CRI Ra>70
IP Rating IP65
Protection Class 1



SKU: 9181 White Light 5700K 3800156691810



200W
19000
Lumens

Product code SL200-A3
Watts 200W
Input Voltage AC : 220-240V
Flux 19000lm
Beam Angle 120°
CRI Ra>70
IP Rating IP65
Protection Class 1

SKU: 9182 White Light 5700K 3800156691827




LED INDUSTRIAL LIGHTS PF>0.9
Stadium Floodlight



100W
10000
Lumens


Product code SL100-A5
Watts 100W
Input Voltage AC : 220-240V
Flux 10000lm
Beam Angle 90°
CRI Ra>70
IP Rating IP65
Protection Class 1



SKU: 9175 White Light 5700K 3800156691759

150W
15000
Lumens


Product code SL150-A5
Watts 150W
Input Voltage AC : 100-240V
Flux 15000lm
Beam Angle 90°
CRI Ra>70
IP Rating IP65
Protection Class 1



SKU: 9176 White Light 5700K 3800156691766

240W
24000
Lumens


Product code SL240-A5
Watts 240W
Input Voltage AC : 100-240V
Flux 24000lm
Beam Angle 90°
CRI Ra>70
IP Rating IP65
Protection Class 1



SKU: 9177 White Light 5700K 3800156691773

480W
48000
Lumens

Product code SL480-A5
Watts 480W
Input Voltage AC : 100-240V
Flux 48000lm
Beam Angle 90°
CRI Ra>70
IP Rating IP65
Protection Class 1



SKU: 9178 White Light 5700K 3800156691780




Highbay U-Brackets
 SKU: 8164 for 110W & 150W
 SKU: 8165 for 210W

**LED INDUSTRIAL LIGHT
 HIGH BAY PF>0.9**




Product code	HB110-A1	Beam Angle	110°
Watts	110W	CRI	Ra>80
Input Voltage	AC : 220-240V	IP Rating	IP65
Flux	15400lm	Protection	Class 1



SKU: 8161 White Light ■ 6500K 3800156681613




Product code	HB150-A3	Beam Angle	110°
Watts	150W	CRI	Ra>80
Input Voltage	AC : 220-240V	IP Rating	IP65
Flux	21000lm	Protection	Class 1



SKU: 8162 White Light ■ 6500K 3800156681620




Product code	HB210-A1	Beam Angle	110°
Watts	210W	CRI	Ra>80
Input Voltage	AC : 220-240V	IP Rating	IP65
Flux	29400lm	Protection	Class 1



SKU: 8163 White Light ■ 6500K 3800156681637




Product code	HB100-A5	Beam Angle	90°
Watts	100W	CRI	Ra>80
Input Voltage	AC : 220-240V	IP Rating	IP54
Flux	10000lm	Protection	Class 1



SKU: 8140 White Light ■ 5700K 3800156681408




Product code	HB150-A5	Beam Angle	90°
Watts	150W	CRI	Ra>80
Input Voltage	AC : 220-240V	IP Rating	IP54
Flux	15000lm	Protection	Class 1



SKU: 8141 White Light ■ 5700K 3800156681415



Product code	HB200-A5	Beam Angle	90°
Watts	200W	CRI	Ra>80
Input Voltage	AC : 220-240V	IP Rating	IP54
Flux	15000lm	Protection	Class 1




SKU: 8126 White Light ■ 5700K 3800156681262




**LED INDUSTRIAL LIGHT
HIGH BAY - UFO - 90°**

50W 	Product code	HB50-A8	Beam Angle	90°
	Watts	50W	CRI	Ra>70
	Input Voltage	AC : 220-240V	IP Rating	IP65
	Flux	5000lm	Protection	Class 1




SKU: 8201 White Light 6000K 3800156682016
SKU: 8202 Neutral White 4500K 3800156682023

100W 	Product code	HB100-A8	Beam Angle	90°
	Watts	100W	CRI	Ra>70
	Input Voltage	AC : 220-240V	IP Rating	IP65
	Flux	10000lm	Protection	Class 1




SKU: 8203 White Light 6000K 3800156682030
SKU: 8204 Neutral White 4500K 3800156682047

150W 	Product code	HB150-A8	Beam Angle	90°
	Watts	150W	CRI	Ra>70
	Input Voltage	AC : 220-240V	IP Rating	IP65
	Flux	15000lm	Protection	Class 1



SKU: 8205 White Light 6000K 3800156682054
SKU: 8206 Neutral White 4500K 3800156682061

200W 	Product code	HB200-A8	Beam Angle	90°
	Watts	200W	CRI	Ra>70
	Input Voltage	AC : 220-240V	IP Rating	IP65
	Flux	20000lm	Protection	Class 1




SKU: 8207 White Light 6000K 3800156682078
SKU: 8208 Neutral White 4500K 3800156682085




**LED INDUSTRIAL LIGHT
HIGH BAY - UFO - 120°**

50W 	Product code	HB50-A8	Beam Angle	120°
	Watts	50W	CRI	Ra>70
	Input Voltage	AC : 220-240V	IP Rating	IP65
	Flux	5000lm	Protection	Class 1




SKU: 8211 White Light 6000K 3800156682115
SKU: 8212 Neutral White 4500K 3800156682122

100W 	Product code	HB100-A8	Beam Angle	120°
	Watts	100W	CRI	Ra>70
	Input Voltage	AC : 220-240V	IP Rating	IP65
	Flux	10000lm	Protection	Class 1




SKU: 8213 White Light 6000K 3800156682139
SKU: 8214 Neutral White 4500K 3800156682146

150W 	Product code	HB150-A8	Beam Angle	120°
	Watts	150W	CRI	Ra>70
	Input Voltage	AC : 220-240V	IP Rating	IP65
	Flux	15000lm	Protection	Class 1



SKU: 8215 White Light 6000K 3800156682153
SKU: 8216 Neutral White 4500K 3800156682160

200W 	Product code	HB200-A8	Beam Angle	120°
	Watts	200W	CRI	Ra>70
	Input Voltage	AC : 220-240V	IP Rating	IP65
	Flux	20000lm	Protection	Class 1




SKU: 8217 White Light 6000K 3800156682177
SKU: 8218 Neutral White 4500K 3800156682184




**LED INDUSTRIAL LIGHT
HIGH BAY - UFO 2 - 90°**

50W  4250 Lumens	Product code	HB50-A6	Beam Angle	90°
	Watts	50W	CRI	Ra>70
	Input Voltage	AC : 220-240V	IP Rating	IP65
	Flux	4250lm	Protection	Class 1




SKU: 8166 White Light 6000K 3800156681668
SKU: 8167 Neutral White 4500K 3800156681675

100W  8500 Lumens	Product code	HB100-A6	Beam Angle	90°
	Watts	100W	CRI	Ra>70
	Input Voltage	AC : 220-240V	IP Rating	IP65
	Flux	8500lm	Protection	Class 1




SKU: 8168 White Light 6000K 3800156681682
SKU: 8169 Neutral White 4500K 3800156681699

150W  12750 Lumens	Product code	HB150-A6	Beam Angle	90°
	Watts	150W	CRI	Ra>70
	Input Voltage	AC : 220-240V	IP Rating	IP65
	Flux	12750lm	Protection	Class 1



SKU: 8170 White Light 6000K 3800156681705
SKU: 8171 Neutral White 4500K 3800156681712


200W  17000 Lumens	Product code	HB200-A6	Beam Angle	90°
	Watts	200W	CRI	Ra>70
	Input Voltage	AC : 220-240V	IP Rating	IP65
	Flux	17000lm	Protection	Class 1




SKU: 8172 White Light 6000K 3800156681729
SKU: 8173 Neutral White 4500K 3800156681736





**LED INDUSTRIAL LIGHT
HIGH BAY - UFO 2 - 120°**

50W  4250 Lumens	Product code	HB50-A6	Beam Angle	120°
	Watts	50W	CRI	Ra>70
	Input Voltage	AC : 220-240V	IP Rating	IP65
	Flux	4250lm	Protection	Class 1





SKU: 8174 White Light 6000K 3800156681743
SKU: 8175 Neutral White 4500K 3800156681750

100W  8500 Lumens	Product code	HB100-A6	Beam Angle	120°
	Watts	100W	CRI	Ra>70
	Input Voltage	AC : 220-240V	IP Rating	IP65
	Flux	8500lm	Protection	Class 1





SKU: 8176 White Light 6000K 3800156681767
SKU: 8177 Neutral White 4500K 3800156681774

150W  12750 Lumens	Product code	HB150-A6	Beam Angle	120°
	Watts	150W	CRI	Ra>70
	Input Voltage	AC : 220-240V	IP Rating	IP65
	Flux	12750lm	Protection	Class 1



SKU: 8178 White Light 6000K 3800156681781
SKU: 8179 Neutral White 4500K 3800156681798

200W  17000 Lumens	Product code	HB200-A6	Beam Angle	120°
	Watts	200W	CRI	Ra>70
	Input Voltage	AC : 220-240V	IP Rating	IP65
	Flux	17000lm	Protection	Class 1



SKU: 8180 White Light 6000K 3800156681804
SKU: 8181 Neutral White 4500K 3800156681811



LED INDUSTRIAL LIGHT PF>0.9
50W Linear High Bay



Product code	HB50-A7	CRI	Ra>70
Watts	50W	IP Rating	IP65
Input Voltage	AC: 220-240V	Dimension	298x254x58mm
Flux	4250lm	Protection	Class 1
Beam Angle	120°*60°		

SKU: 8182 White Light 6000K 3800156681828



LED INDUSTRIAL LIGHT PF>0.9
200W Linear High Bay



Product code	HB200-A7	CRI	Ra>70
Watts	200W	IP Rating	IP65
Input Voltage	AC: 220-240V	Dimension	565x290x65mm
Flux	17000lm	Protection	Class 1
Beam Angle	120°*60°		

SKU: 8185 White Light 6000K 3800156681859



LED INDUSTRIAL LIGHT PF>0.9
100W Linear High Bay



Product code	HB100-A7	CRI	Ra>70
Watts	100W	IP Rating	IP65
Input Voltage	AC: 220-240V	Dimension	305x290x65mm
Flux	8500lm	Protection	Class 1
Beam Angle	120°*60°		

SKU: 8183 White Light 6000K 3800156681835



LED INDUSTRIAL LIGHT PF>0.9
300W Linear High Bay



Product code	HB300-A7	CRI	Ra>70
Watts	300W	IP Rating	IP65
Input Voltage	AC: 220-240V	Dimension	565x515x65mm
Flux	25500lm	Protection	Class 1
Beam Angle	120°*60°		

SKU: 8186 White Light 6000K 3800156681866



LED INDUSTRIAL LIGHT PF>0.9
150W Linear High Bay



Product code	HB150-A7	CRI	Ra>70
Watts	150W	IP Rating	IP65
Input Voltage	AC: 220-240V	Dimension	305x415x65mm
Flux	12750lm	Protection	Class 1
Beam Angle	120°*60°		

SKU: 8184 White Light 6000K 3800156681842



LED INDUSTRIAL LIGHT PF>0.9
400W Linear High Bay



Product code	HB400-A7	CRI	Ra>70
Watts	400W	IP Rating	IP65
Input Voltage	AC: 220-240V	Dimension	565x545x65mm
Flux	34000lm	Protection	Class 1
Beam Angle	120°*60°		

SKU: 8187 White Light 6000K 3800156681873



LED INDUSTRIAL LIGHT
Linear High Bay

50W Product code HB50-A2 Beam Angle 120°+60°
 Watts 50W CRI Ra>70
 Input Voltage AC : 220-240V IP Rating IP44
 Flux 5000lm Body Color Class 1

115 mm
315x105 mm

SKU: 8151 White Light 6000K 3800156681514
 SKU: 8152 Neutral White 4500K 3800156681521

100W Product code HB100-A2 Beam Angle 120°+60°
 Watts 50W CRI Ra>70
 Input Voltage AC : 220-240V IP Rating IP44
 Flux 10000lm Body Color Black

115 mm
570x105 mm

SKU: 8153 White Light 6000K 3800156681538
 SKU: 8154 Neutral White 4500K 3800156681545

150W Product code HB150-A2 Beam Angle 120°+60°
 Watts 50W CRI Ra>70
 Input Voltage AC : 220-240V IP Rating IP44
 Flux 15000lm Body Color Black

115 mm
845x105 mm

SKU: 8155 White Light 6000K 3800156681552
 SKU: 8156 Neutral White 4500K 3800156681569

200W Product code HB200-A2 Beam Angle 120°+60°
 Watts 50W CRI Ra>70
 Input Voltage AC : 220-240V IP Rating IP44
 Flux 20000lm Body Color Black

115 mm
1110x105 mm

SKU: 8157 White Light 6000K 3800156681576
 SKU: 8158 Neutral White 4500K 3800156681583




LED INDUSTRIAL Bulb PF>0.9
40W E27



Product code HB40-A1 Socket E27
 Watts 40W CRI Ra>80
 Input Voltage AC : 180-264V IP Rating IP20
 Flux 4100lm Dimension ø90x212 mm
 Beam Angle 270° Dimmable NO

SKU: 225 White Light 6000K 3800156602250
 SKU: 226 Neutral White 4000K 3800156602267




LED INDUSTRIAL Bulb PF>0.9
25W E27



Product code HB25-A3 Socket E27
 Watts 25W CRI Ra>70
 Input Voltage AC : 110-240V IP Rating IP20
 Flux 2500lm Dimension ø75x235 mm
 Beam Angle 270° Dimmable NO

SKU: 220 White Light 5700K 3800156602205






LED INDUSTRIAL Bulb PF>0.9
50W E40



Product code HB50-A3 Socket E40
 Watts 50W CRI Ra>70
 Input Voltage AC : 110-264V IP Rating IP20
 Flux 5000lm Dimension ø75x235 mm
 Beam Angle 270° Dimmable NO

SKU: 221 White Light 5700K 3800156602212






LED Wall Washers
9W , 10W , 12W




Product code	WW9-A1	Beam Angle	15°
Watts	9W	CRI	Ra>70
Input Voltage	AC : 220-240V	IP Rating	IP67
Flux	720lm	Body Color	Gray

SKU: 7126 Warm White 2800K 3800156671263




Product code	WW10-A1	Beam Angle	15°
Watts	10W	CRI	Ra>70
Input Voltage	AC : 220-240V	IP Rating	IP67
Flux	800lm	Protection	Gray

SKU: 7127 Warm White 2800K 3800156671270



Product code	WW12-A1	Beam Angle	15°
Watts	12W	CRI	Ra>70
Input Voltage	AC : 220-240V	IP Rating	IP67
Flux	960lm	Protection	Gray

SKU: 7128 Warm White 2800K 3800156671287



LED Wall Washer
9W



Product code	WW9-A1	CRI	Ra>80
Watts	9W	IP Rating	IP65
Input Voltage	AC : 180-265V	Dimension	495x58x50
Flux	780lm	Body Color	Gray
Beam Angle	15°	Dimmable	NO
Shape	Single Head		

SKU: 7134 White Light 6000K 3800156671348
SKU: 7131 Warm White 2700K 3800156671317



LED Wall Washer
36W



Product code	WW36-A1	CRI	Ra>70
Watts	36W	IP Rating	IP67
Input Voltage	AC : 220-240V	Dimension	333x200x120
Flux	2880lm	Body Color	Gray
Beam Angle	15°	Dimmable	NO
Shape	Square Head		

SKU: 7121 Warm White 2700K 3800156671218



LED Wall Washer
3W



Product code	WW3-A2	CRI	Ra>80
Watts	3W	IP Rating	IP67
Input Voltage	AC : 180-265V	Dimension	ø55x76 mm
Flux	240lm	Body Color	Grey
Beam Angle	8°	Dimmable	NO
Shape	Round Head		

SKU: 7123 Warm White 3000K 3800156671232





LED WALL AND STEP LIGHTS

You can even make your outdoor areas radiate in the worst of weather conditions: Our exterior use wall lights are robust, energy-efficient and powerful. You can choose between different designs and set stylish accents.

Features:

- Up to 80% power saving
- Home, garden or park use
- Different forms, shapes and colours
- Discrete, spot or main lighting
- Easy installation and long lifecycle
- With or without bulbs

Application:

- Wall or pylon mountable
- Lanes, alleys or pathways
- Gardens and parks




**LED Wall / Ceiling Light
15W**

Product code WL15-A1
 Watts 15W
 Input Voltage AC : 220-240V
 Flux 80lm
 Beam Angle 120°
 Shape Round

CRI Ra>80
 IP Rating IP65
 Dimension ø169x100 mm
 Body Color BLACK
 Dimmable NO

SKU: 7529 Neutral White 4200K 3800156675292
 SKU: 7528 Warm White 3000K 3800156675285



**LED Wall Light
9W**

Product code WL9-A1
 Watts 12W
 Input Voltage AC : 200-240V
 Flux 780lm
 Beam Angle 6°
 Shape Single Head

CRI Ra>80
 IP Rating IP54
 Dimension 230x110x76
 Body Color BLACK
 Dimmable NO

SKU: 7404 Neutral White 4000K 3800156674042
 SKU: 7403 Warm White 3000K 3800156674035




**LED Wall / Ceiling Light
15W**

Product code WL15-A1
 Watts 15W
 Input Voltage AC : 220-240V
 Flux 80lm
 Beam Angle 120°
 Shape Square

CRI Ra>80
 IP Rating IP65
 Dimension 160x160x100 mm
 Body Color BLACK
 Dimmable NO

SKU: 7531 Neutral White 4200K 3800156675315
 SKU: 7530 Warm White 3000K 3800156675308



**LED Wall Light
8W**

Product code DL8-A1
 Watts 8W
 Input Voltage AC : 200-240V
 Flux 520lm
 Beam Angle 120°
 Shape Rectangle

CRI Ra>80
 IP Rating IP20
 Dimension 155x80x35mm
 Body Color WHITE
 Dimmable NO

SKU: 2296 Warm White 2800K 3800156622968




**LED Wall / Ceiling Light
15W**

Product code WL15-A1
 Watts 15W
 Input Voltage AC : 220-240V
 Flux 1000lm
 Beam Angle 145°
 Shape Round

CRI Ra>80
 IP Rating IP65
 Dimension ø169x100 mm
 Body Color BLACK
 Dimmable NO

SKU: 7533 Neutral White 4200K 3800156675339
 SKU: 7532 Warm White 3000K 3800156675322



**LED BULKHEAD WALL LIGHT
12W**

Product code WL12-A3
 Watts 12W
 Input Voltage AC : 220-240V
 Flux 780lm
 Beam Angle 120°
 Shape Rectangle

CRI Ra>80
 IP Rating IP65
 Dimension 230x110x76mm
 Body Color GREY
 Dimmable NO

SKU: 7527 Neutral White 4200K 3800156675278
 SKU: 7526 Warm White 3000K 3800156675261




**LED Wall / Ceiling Light
15W**

Product code WL15-A1
 Watts 15W
 Input Voltage AC : 220-240V
 Flux 1000lm
 Beam Angle 145°
 Shape Square

CRI Ra>80
 IP Rating IP65
 Dimension 160x160x100 mm
 Body Color BLACK
 Dimmable NO

SKU: 7535 Neutral White 4200K 3800156675353
 SKU: 7534 Warm White 3000K 3800156675346






**LED Wall Light
6W**

Product code WL6-A4
 Watts 6W CRI Ra>80
 Input Voltage AC : 220-240V IP Rating IP54
 Flux 660lm Dimension 110x54x97
 Beam Angle 120° Body Color WHITE
 Shape Single Head Dimmable NO

SKU: 7478 Neutral White 4000K 3800156674783
 SKU: 7475 Warm White 3000K 3800156674752



Rotatable 355°



**LED Wall Light
2x6W**

Product code WL12-A2
 Watts 12W CRI Ra>80
 Input Voltage AC : 220-240V IP Rating IP54
 Flux 1320lm Dimension 221x54x97mm
 Beam Angle 120° Body Color WHITE
 Shape Double Head Dimmable NO

SKU: 7484 Neutral White 4000K 3800156674844
 SKU: 7481 Warm White 3000K 3800156674813



Rotatable 355°



**LED Wall Light
6W**

Product code WL6-A4
 Watts 6W CRI Ra>80
 Input Voltage AC : 220-240V IP Rating IP54
 Flux 660lm Dimension 110x54x97
 Beam Angle 120° Body Color BLACK
 Shape Single Head Dimmable NO

SKU: 7479 Neutral White 4000K 3800156674790
 SKU: 7476 Warm White 3000K 3800156674769




Rotatable 355°



**LED Wall Light
2x6W**

Product code WL12-A2
 Watts 12W CRI Ra>80
 Input Voltage AC : 220-240V IP Rating IP54
 Flux 1320lm Dimension 221x54x97mm
 Beam Angle 120° Body Color BLACK
 Shape Double Head Dimmable NO

SKU: 7485 Neutral White 4000K 3800156674851
 SKU: 7482 Warm White 3000K 3800156674820



Rotatable 355°



**LED Wall Light
6W**

Product code WL6-A4
 Watts 6W CRI Ra>80
 Input Voltage AC : 220-240V IP Rating IP54
 Flux 660lm Dimension 110x54x97
 Beam Angle 120° Body Color GREY
 Shape Single Head Dimmable NO

SKU: 7480 Neutral White 4000K 3800156674806
 SKU: 7477 Warm White 3000K 3800156674776



Rotatable 355°



**LED Wall Light
2x6W**

Product code WL12-A2
 Watts 12W CRI Ra>80
 Input Voltage AC : 220-240V IP Rating IP54
 Flux 1320lm Dimension 221x54x97mm
 Beam Angle 120° Body Color GREY
 Shape Double Head Dimmable NO

SKU: 7486 Neutral White 4000K 3800156674868
 SKU: 7483 Warm White 3000K 3800156674837



Rotatable 355°






**LED Wall Light
6W**



Product code WL6-A3
 Watts 6W CRI Ra>80
 Input Voltage AC : 220-240V IP Rating IP54
 Flux 660lm Dimension 90x90x200mm
 Beam Angle Up 15°-Down 90° Body Color WHITE
 Shape Triangle Dimmable NO

SKU: 7472 Neutral White 4200K 3800156674721
 SKU: 7469 Warm White 3000K 3800156674691




**LED Wall Light
6W**



Product code WL6-A2
 Watts 6W CRI Ra>80
 Input Voltage AC : 220-240V IP Rating IP54
 Flux 660lm Dimension 140x115x100mm
 Beam Angle 0°- 90° Body Color WHITE
 Shape Round Dimmable NO

SKU: 7466 Neutral White 4000K 3800156674660
 SKU: 7463 Warm White 3000K 3800156674639





**LED Wall Light
6W**



Product code WL6-A3
 Watts 6W CRI Ra>80
 Input Voltage AC : 220-240V IP Rating IP54
 Flux 660lm Dimension 90x90x200mm
 Beam Angle Up 15°-Down 90° Body Color BLACK
 Shape Triangle Dimmable NO

SKU: 7473 Neutral White 4200K 3800156674738
 SKU: 7470 Warm White 3000K 3800156674707




**LED Wall Light
6W**



Product code WL6-A2
 Watts 6W CRI Ra>80
 Input Voltage AC : 220-240V IP Rating IP54
 Flux 660lm Dimension 140x115x100mm
 Beam Angle 0°- 90° Body Color BLACK
 Shape Round Dimmable NO

SKU: 7467 Neutral White 4000K 3800156674677
 SKU: 7464 Warm White 3000K 3800156674646




**LED Wall Light
6W**



Product code WL6-A3
 Watts 6W CRI Ra>80
 Input Voltage AC : 220-240V IP Rating IP54
 Flux 660lm Dimension 90x90x200mm
 Beam Angle Up 15°-Down 90° Body Color GREY
 Shape Triangle Dimmable NO

SKU: 7474 Neutral White 4200K 3800156674745
 SKU: 7471 Warm White 3000K 3800156674714




**LED Wall Light
6W**




Product code WL6-A2
 Watts 6W CRI Ra>80
 Input Voltage AC : 220-240V IP Rating IP54
 Flux 660lm Dimension 140x115x100mm
 Beam Angle 0°- 90° Body Color GREY
 Shape Round Dimmable NO

SKU: 7468 Neutral White 4000K 3800156674684
 SKU: 7465 Warm White 3000K 3800156674653





**LED Wall Light
6W**



WHITE			
SKU: 7454	Neutral White	4000K	3800156674547
SKU: 7451	Warm White	3000K	3800156674516



BLACK			
SKU: 7455	Neutral White	4000K	3800156674554
SKU: 7452	Warm White	3000K	3800156674523

GREY			
SKU: 7456	Neutral White	4000K	3800156674561
SKU: 7453	Warm White	3000K	3800156674530

Product code	WL6-A1	CRI	Ra>80
Watts	6W	IP Rating	IP54
Input Voltage	AC : 220-240V	Dimension	100x100 mm
Flux	660lm	Body Colors	White ; Black ; Grey
Beam Angle	0°-90°	Dimmable	NO
Shape	Square		



**LED Wall Light
4W-4 Beam**



WHITE			
SKU: 7490	Neutral White	4000K	3800156674905
SKU: 7487	Warm White	3000K	3800156674875


BLACK			
SKU: 7491	Neutral White	4000K	3800156674912
SKU: 7488	Warm White	3000K	3800156674882

GREY			
SKU: 7492	Neutral White	4000K	3800156674929
SKU: 7489	Warm White	3000K	3800156674899

Product code	WL4-A1	CRI	Ra>80
Watts	4W	IP Rating	IP54
Input Voltage	AC : 220-240V	Dimension	ø110x93 mm
Flux	440lm	Body Colors	White ; Black ; Grey
Beam Angle	90°	Dimmable	NO
Shape	Round		



**LED Wall Light
12W**



WHITE			
SKU: 7460	Neutral White	4000K	3800156674608
SKU: 7457	Warm White	3000K	3800156674578



BLACK			
SKU: 7461	Neutral White	4000K	3800156674615
SKU: 7458	Warm White	3000K	3800156674585

GREY			
SKU: 7462	Neutral White	4000K	3800156674622
SKU: 7459	Warm White	3000K	3800156674592

Product code	WL12-A1	CRI	Ra>80
Watts	12W	IP Rating	IP54
Input Voltage	AC : 220-240V	Dimension	100x100 mm
Flux	1320lm	Body Colors	White ; Black ; Grey
Beam Angle	0°-90°	Dimmable	NO
Shape	Square		



**LED Wall Light
6W-2 Beam**



WHITE			
SKU: 7496	Neutral White	4000K	3800156674967
SKU: 7493	Warm White	3000K	3800156674936

BLACK			
SKU: 7497	Neutral White	4000K	3800156674974
SKU: 7494	Warm White	3000K	3800156674943

GREY			
SKU: 7498	Neutral White	4000K	3800156674981
SKU: 7495	Warm White	3000K	3800156674950

Product code	WL6-A5	CRI	Ra>80
Watts	6W	IP Rating	IP54
Input Voltage	AC : 220-240V	Dimension	ø110x93 mm
Flux	660lm	Body Colors	White ; Black ; Grey
Beam Angle	90°	Dimmable	NO
Shape	Round		




**LED STEP LIGHT
2W Round**

Product code WL2-A5
 Watts 2W
 Input Voltage AC : 220-240V
 Flux 80lm
 Beam Angle 55°
 Shape Round

CRI Ra>80
 IP Rating IP65
 Dimension ø150x27 mm
 Body Color BLACK
 Dimmable NO

SKU: 7504 Neutral White 4200K 3800156675049
 SKU: 7503 Warm White 3000K 3800156675032




**LED STEP LIGHT
2W Square**

Product code WL2-A5
 Watts 2W
 Input Voltage AC : 220-240V
 Flux 80lm
 Beam Angle 55°
 Shape Square

CRI Ra>80
 IP Rating IP65
 Dimension 124x124x27mm
 Body Color BLACK
 Dimmable NO

SKU: 7510 Neutral White 4200K 3800156675100
 SKU: 7509 Warm White 3000K 3800156675094




**LED STEP LIGHT
2W Round**

Product code WL2-A5
 Watts 2W
 Input Voltage AC : 220-240V
 Flux 80lm
 Beam Angle 55°
 Shape Round

CRI Ra>80
 IP Rating IP65
 Dimension ø150x27 mm
 Body Color WHITE
 Dimmable NO

SKU: 7506 Neutral White 4200K 3800156675063
 SKU: 7505 Warm White 3000K 3800156675056




**LED STEP LIGHT
2W Square**

Product code WL2-A5
 Watts 2W
 Input Voltage AC : 220-240V
 Flux 80lm
 Beam Angle 55°
 Shape Square

CRI Ra>80
 IP Rating IP65
 Dimension 124x124x27mm
 Body Color WHITE
 Dimmable NO

SKU: 7512 Neutral White 4200K 3800156675124
 SKU: 7511 Warm White 3000K 3800156675117




**LED STEP LIGHT
2W Round**

Product code WL2-A5
 Watts 2W
 Input Voltage AC : 220-240V
 Flux 80lm
 Beam Angle 55°
 Shape Round

CRI Ra>80
 IP Rating IP65
 Dimension ø150x27 mm
 Body Color GREY
 Dimmable NO

SKU: 7508 Neutral White 4200K 3800156675087
 SKU: 7507 Warm White 3000K 3800156675070




**LED STEP LIGHT
2W Square**

Product code WL2-A5
 Watts 2W
 Input Voltage AC : 220-240V
 Flux 80lm
 Beam Angle 55°
 Shape Square

CRI Ra>80
 IP Rating IP65
 Dimension 124x124x27mm
 Body Color GREY
 Dimmable NO

SKU: 7514 Neutral White 4200K 3800156675148
 SKU: 7513 Warm White 3000K 3800156675131



LED STEP LIGHT
3W Rectangular




Product code WL3-A5
 Watts 3W
 Input Voltage AC : 220-240V
 Flux 100lm
 Beam Angle 65°
 Shape Rectangular

CRI Ra>80
 IP Rating IP65
 Dimension 280x280x28 mm
 Body Color BLACK
 Dimmable NO



SKU: 7516 Neutral White 4200K 3800156675162
 SKU: 7515 Warm White 3000K 3800156675155



LED STEP LIGHT
3W Rectangular




Product code WL3-A5
 Watts 3W
 Input Voltage AC : 220-240V
 Flux 100lm
 Beam Angle 65°
 Shape Rectangular

CRI Ra>80
 IP Rating IP65
 Dimension 280x280x28 mm
 Body Color WHITE
 Dimmable NO



SKU: 7518 Neutral White 4200K 3800156675186
 SKU: 7517 Warm White 3000K 3800156675179



LED STEP LIGHT
3W Rectangular




Product code WL3-A5
 Watts 3W
 Input Voltage AC : 220-240V
 Flux 100lm
 Beam Angle 65°
 Shape Rectangular

CRI Ra>80
 IP Rating IP65
 Dimension 280x280x28 mm
 Body Color GREY
 Dimmable NO



SKU: 7520 Neutral White 4200K 3800156675209
 SKU: 7519 Warm White 3000K 3800156675193



LED STEP LIGHT
3W Round




Product code WL3-A3
 Watts 3W
 Input Voltage AC : 220-240V
 Flux 90lm
 Beam Angle 34°
 Shape Round

CRI Ra>80
 IP Rating IP20
 Dimension ø80x51 mm
 Body Color WHITE
 Dimmable NO



SKU: 7523 Neutral White 4200K 3800156675230
 SKU: 7522 Warm White 3000K 3800156675223



LED STEP LIGHT
3W Square




Product code WL3-A3
 Watts 3W
 Input Voltage AC : 220-240V
 Flux 90lm
 Beam Angle 34°
 Shape Square

CRI Ra>80
 IP Rating IP20
 Dimension 80x80x51 mm
 Body Color WHITE
 Dimmable NO



SKU: 7525 Neutral White 4200K 3800156675254
 SKU: 7524 Warm White 3000K 3800156675247



LED STEP LIGHT
3W Square




Product code WL3-A3
 Watts 3W
 Input Voltage AC : 220-240V
 Flux 195lm
 Beam Angle 58°
 Shape Square

CRI Ra>80
 IP Rating IP65
 Dimension 84x27 mm
 Body Color WHITE
 Dimmable NO



SKU: 7521 Neutral White 4200K 3800156675216



LED OUTDOOR LIGHT


Step outside with our great range of outdoor lighting solutions. Whether you're looking to light up your garden with exterior use wall lights or increase your home's safety with security lights.

Features:

- Up to 80% power saving
- garden or park use
- Different forms, shapes and colours
- Discrete, spot or main lighting
- With or without bulbs

Application:

- Wall or pylon mountable
- Lanes, alleys or pathways
- Gardens and parks





SKU: 7422 Stainless Steel 3800156674226



SKU: 7423 Stainless Steel 3800156674233

**Wall Lamp Fitting
E27 Holder**

Product code	WL1-A1	IP Rating	IP44
Socket	E27	Dimension	303x100x91 mm
Input Voltage	AC : 220-240V	Body Colors	Stainless Steel
Material	Aluminium	Max Power	16W



**LED Wall Light Fitting
GU10 Socket**



Product code	WL2-A3	IP Rating	IP44
Socket	GU10	Dimension	100x66x92 mm
Input Voltage	AC : 220-240V	Body Colors	Black ; White ; Silver
Material	Aluminium	Max Power	35W

SKU: 7443 Black Body 3800156674431

SKU: 7444 White Body 3800156674448

SKU: 7445 Silver Body 3800156674455



**Wall Lamp Fitting
E27 Holder**

Product code	WL1-A1	IP Rating	IP44
Socket	E27	Dimension	245x180x93 mm
Input Voltage	AC : 220-240V	Body Colors	Black ; White
Material	Aluminium+Glass	Max Power	60W



SKU: 7401 Black Body 3800156674011

SKU: 7402 White Body 3800156674028



**LED Wall Light Fitting
Two GU10 Sockets**



Product code	WL2-A4	IP Rating	IP44
Socket	2xGU10	Dimension	92x68x150 mm
Input Voltage	AC : 220-240V	Body Colors	Black ; White ; Silver
Material	Aluminium	Max Power	2x35W


SKU: 7446 Black Body 3800156674462

SKU: 7447 White Body 3800156674479

SKU: 7448 Silver Body 3800156674486




**LED Wall Light Fitting
GU10 Socket**



Product code	WL2-A1	IP Rating	IP54
Socket	GU10	Dimension	92x68x80 mm
Input Voltage	AC : 220-240V	Body Colors	Black ; White ; Silver ; Polished
Material	Aluminium	Max Power	35W

SKU: 7431	Black Body	3800156674318
SKU: 7432	White Body	3800156674325
SKU: 7433	Silver Body	3800156674332
SKU: 7449	Polished	3800156674493

**LED Wall Light Fitting
GU10 Socket**



Product code	WL2-A1	IP Rating	IP54
Socket	GU10	Dimension	100x66x92 mm
Input Voltage	AC : 220-240V	Body Colors	Black ; White ; Grey
Material	Aluminium	Max Power	35W

SKU: 7434	Black Body	3800156674349
SKU: 7435	White Body	3800156674356
SKU: 7436	Grey Body	3800156674363



**LED Wall Light Fitting
Two GU10 Sockets**



Product code	WL2-A2	IP Rating	IP54
Socket	2xGU10	Dimension	92x68x150 mm
Input Voltage	AC : 220-240V	Body Colors	Black ; White ; Silver ; Polished
Material	Aluminium	Max Power	2x35W

SKU: 7437	Black Body	3800156674370
SKU: 7438	White Body	3800156674387
SKU: 7439	Silver Body	3800156674394
SKU: 7450	Polished	3800156674509

**LED Wall Light Fitting
Two GU10 Sockets**



Product code	WL2-A2	IP Rating	IP54
Socket	2xGU10	Dimension	92x68x150 mm
Input Voltage	AC : 220-240V	Body Colors	Black ; White ; Grey
Material	Aluminium	Max Power	2x35W

SKU: 7440	Black Body	3800156674400
SKU: 7441	White Body	3800156674417
SKU: 7442	Grey Body	3800156674424

LED SOLAR POWER GARDEN LIGHT



LED SOLAR LAMP 1.5W Lawn Light



Product code	GD2-A3	CRI	Ra>80
Watts	1.5W	IP Rating	IP65
Voltage	6V	Material	Aluminium
Flux	60lm	Body Color	Black
Beam Angle	110°	Dimension	168x75.5x340 mm
Battery	1.2V/1500mAh		

SKU: 9321	White Light	6000K	3800156693210
SKU: 9322	Warm White	3000K	3800156693227
SKU: 9323	Blue Light		3800156693234
SKU: 9324	Green Light		3800156693241

CHARGING TIME~(7-8) Hours
DETECTION RANGE~8±2m

LED SOLAR LAMP 0.75W Wall Light



Product code	WL2-A6	CRI	Ra>80
Watts	0.75W	IP Rating	IP54
Voltage	5.5V	Material	ABS+PC
Flux	110lm	Body Color	Black
Beam Angle	110°	Dimension	124x95x48mm
Battery	1200mAh		

SKU: 7405	White Light	3000K	3800156674059
-----------	-------------	-------	---------------

CHARGING TIME~(7-8) Hours
DETECTION RANGE~8±2m

LED SOLAR LAMP 1.5W Wall Light



Product code	WL5-A6	CRI	Ra>80
Watts	1.5W	IP Rating	IP54
Voltage	7.4V	Material	ABS+PC
Flux	150lm	Body Color	Black
Beam Angle	110°	Dimension	196x115x45mm
Battery	1200mAh		

SKU: 7406	White Light	3000K	3800156674066
-----------	-------------	-------	---------------

CHARGING TIME~(7-8) Hours
DETECTION RANGE~8±2m



**LED SOLAR LAMP
2W Wall Light**



Product code	GD2-A1	CRI	Ra>80
Watts	2W	IP Rating	IP44
Voltage	3.7V	Material	Aluminium
Flux	200lm	Body Color	SS Brushed
Beam Angle	110°	Dimension	142x125x188mm
Battery	3.7V/1200mAh		

SKU: 9331 Warm White 3000K 3800156693319 CHARGING TIME~(7-8) Hours
DETECTION RANGE~8±2m



**LED SOLAR LAMP
4.4W Wall Light**



Product code	GD4-A1	CRI	Ra>80
Watts	4.4W	IP Rating	IP44
Voltage	3.7V	Material	Aluminium
Flux	600lm	Body Color	SS Brushed
Beam Angle	110°	Dimension	173x160x155mm
Battery	3.7V/2600mAh		

SKU: 9334 Warm White 3000K 3800156693340 CHARGING TIME~(7-8) Hours
DETECTION RANGE~8±2m



**LED SOLAR LAMP
2W Lawn Spike**



Product code	GD2-A1	CRI	Ra>80
Watts	2W	IP Rating	IP44
Voltage	3.7V	Material	Aluminium
Flux	200lm	Body Color	SS Brushed
Beam Angle	110°	Dimension	125x125x500mm
Battery	3.7V/1200mAh		

SKU: 9332 Warm White 3000K 3800156693326 CHARGING TIME~(7-8) Hours
DETECTION RANGE~8±2m



**LED SOLAR LAMP
4.4W Lawn Spike**



Product code	GD4-A1	CRI	Ra>80
Watts	4.4W	IP Rating	IP44
Voltage	3.7V	Material	Aluminium
Flux	600lm	Body Color	SS Brushed
Beam Angle	110°	Dimension	160x160x500mm
Battery	3.7V/2600mAh		

SKU: 9335 Warm White 3000K 3800156693357 CHARGING TIME~(7-8) Hours
DETECTION RANGE~8±2m



**LED SOLAR LAMP
2W Lawn Light**



Product code	GD2-A1	CRI	Ra>80
Watts	2W	IP Rating	IP44
Voltage	3.7V	Material	Aluminium
Flux	200lm	Body Color	SS Brushed
Beam Angle	110°	Dimension	125x125x800mm
Battery	3.7V/1200mAh		

SKU: 9333 Warm White 3000K 3800156693333 CHARGING TIME~(7-8) Hours
DETECTION RANGE~8±2m



**LED SOLAR LAMP
4.4W Lawn Light**




Product code	GD4-A1	CRI	Ra>80
Watts	4.4W	IP Rating	IP44
Voltage	3.7V	Material	Aluminium
Flux	600lm	Body Color	SS Brushed
Beam Angle	110°	Dimension	142x125x188mm
Battery	3.7V/2600mAh		

SKU: 9336 Warm White 3000K 3800156693364 CHARGING TIME~(7-8) Hours
DETECTION RANGE~8±2m



LED SOLAR LAMP
4.4W Wall Light




Product code	GD4-A1	CRI	Ra>80
Watts	4.4W	IP Rating	IP44
Voltage	3.7V	Material	Aluminium
Flux	600lm	Body Color	SS Brushed
Beam Angle	110°	Dimension	162x150x155mm
Battery	3.7V/2600mAh		

SKU: 9337 Warm White 3000K 3800156693371 CHARGING TIME~(7-8) Hours
DETECTION RANGE~8±2m



LED SOLAR LAMP
6W Wall Light



Product code	GD2-A2	CRI	Ra>80
Watts	6W	IP Rating	IP44
Voltage	3.7V	Material	Aluminium
Flux	600lm	Body Color	Black
Beam Angle	110°	Dimension	173x160x155mm
Battery	3.7V/2200mAh		

SKU: 9340 White Light 6000K 3800156693401 CHARGING TIME~(7-8) Hours
DETECTION RANGE~8±2m



LED SOLAR LAMP
4.4W Lawn Spike




Product code	GD4-A1	CRI	Ra>80
Watts	4.4W	IP Rating	IP44
Voltage	3.7V	Material	Aluminium
Flux	600lm	Body Color	SS Brushed
Beam Angle	110°	Dimension	150x150x500mm
Battery	3.7V/2600mAh		

SKU: 9338 Warm White 3000K 3800156693388 CHARGING TIME~(7-8) Hours
DETECTION RANGE~8±2m



LED SOLAR LAMP
6W Lawn Light 50cm



Product code	GD2-A2	CRI	Ra>80
Watts	6W	IP Rating	IP44
Voltage	3.7V	Material	Aluminium
Flux	600lm	Body Color	Black
Beam Angle	110°	Dimension	150x150x500mm
Battery	3.7V/2200mAh		

SKU: 9341 White Light 6000K 3800156693418 CHARGING TIME~(7-8) Hours
DETECTION RANGE~8±2m



LED SOLAR LAMP
4.4W Lawn Light



Product code	GD4-A1	CRI	Ra>80
Watts	4.4W	IP Rating	IP44
Voltage	3.7V	Material	Aluminium
Flux	600lm	Body Color	SS Brushed
Beam Angle	110°	Dimension	150x150x800mm
Battery	3.7V/2600mAh		

SKU: 9339 Warm White 3000K 3800156693395 CHARGING TIME~(7-8) Hours
DETECTION RANGE~8±2m



LED SOLAR LAMP
6W Lawn Light 90cm




Product code	GD2-A2	CRI	Ra>80
Watts	6W	IP Rating	IP44
Voltage	3.7V	Material	Aluminium
Flux	600lm	Body Color	Black
Beam Angle	110°	Dimension	150x150x900mm
Battery	3.7V/2200mAh		

SKU: 9342 White Light 6000K 3800156693425 CHARGING TIME~(7-8) Hours
DETECTION RANGE~8±2m



Wall Lamp Up
E27 Holder



Product code GD1-A1
 Socket E27
 Input Voltage AC : 220-240V
 Material Aluminium+PC

IP Rating IP44
 Dimension 215x170x220 mm
 Body Colors Black ; White
 Max Power 60W

SKU: 9301 Black Body 3800156693012
 SKU: 9302 White Body 3800156693029



Stand Lamp
E27 Holder



Product code GD1-A2
 Socket E27
 Input Voltage AC : 220-240V
 Material Aluminium+PC

IP Rating IP44
 Dimension 170x170x290 mm
 Body Colors Black ; White
 Max Power 60W

SKU: 9305 Black Body 3800156693050
 SKU: 9306 White Body 3800156693067



Wall Lamp Down
E27 Holder



Product code GD1-A1
 Socket E27
 Input Voltage AC : 220-240V
 Material Aluminium+PC

IP Rating IP44
 Dimension 215x170x220 mm
 Body Colors Black ; White
 Max Power 60W

SKU: 9303 Black Body 3800156693036
 SKU: 9304 White Body 3800156693043



Ceiling Lamp
E27 Holder



Product code GD1-A3
 Socket E27
 Input Voltage AC : 220-240V
 Material Aluminium+PC


IP Rating IP44
 Dimension 170x170x740 mm
 Body Colors Black ; White
 Max Power 60W

SKU: 9307 Black Body 3800156693074
 SKU: 9308 White Body 3800156693081



**Lawn Lamp 60cm
E27 Holder**

Product code GD1-A1 IP Rating IP44
 Socket E27 Dimension 170x170x600 mm
 Input Voltage AC : 220-240V Body Colors Black ; White
 Material Aluminium+PC Max Power 60W




SKU: 9309 Black Body 3800156693098
 SKU: 9310 White Body 3800156693104



**Pole Lamp
Two E27 Holders**

Product code GD1-A5 IP Rating IP44
 Socket 2xE27 Dimension 528x1990 mm
 Input Voltage AC : 220-240V Body Colors Black ; White
 Material Aluminium+PC Max Power 2x60W



SKU: 9313 Black Body 3800156693135
 SKU: 9314 White Body 3800156693142



**Lawn Lamp 90cm
E27 Holder**

Product code GD1-A1 IP Rating IP44
 Socket E27 Dimension 170x170x900 mm
 Input Voltage AC : 220-240V Body Colors Black ; White
 Material Aluminium+PC Max Power 60W




SKU: 9311 Black Body 3800156693111
 SKU: 9312 White Body 3800156693128



**Lawn Lamp
E27 Holder**

Product code GD1-A7 IP Rating IP54
 Socket E27 Dimension 76x76x800/1000 mm
 Input Voltage AC : 220-240V Body Colors Grey
 Material Aluminium+PC Max Power 16W



SKU: 9315 Grey Body 80cm 3800156693159
 SKU: 9316 Grey Body 100cm 3800156693166



1W



7W



Powerful LED Pond Wall Lights
LED Light 1.3W ; 7W

Product code	UN1-A5		
Power	1.3W ; 7W	IP Rating	IP68
Voltage	DC:24V	Dimension	60 x 60 x 78 mm

SKU: 590	1W-Warm Light 3000K	3800156605909
SKU: 856	7W-Neutral Light 4000K	3800156608566



1W



1.3W



Decorative Mini LED Pond Wall Lights
LED Light 1-1.3W

Product code	UN1-A6		
Power	1W -1.3W	IP Rating	IP68
Voltage	DC:24V	Dimension	35 x 28 mm

SKU: 591	RGB - 1W	3800156605916
SKU: 594	White Light 6000K	3800156605947
SKU: 595	Warm Light 3000K	3800156605954



Mini Wall & Floor Lights
LED Light 1.2W

Product code	UN1-A5		
Power	1.2W	IP Rating	IP68
Voltage	DC:24V	Dimension	38 x 30 mm

SKU: 586	White Light 6000K	3800156605862
SKU: 587	Warm Light 3000K	3800156605879
SKU: 588	Blue Light	3800156605886
SKU: 589	RGB Light	3800156605893



1W



1.3W




Powerful LED Pond Wall Light
LED Light 1W-1.3W

Product code	UN1-A9		
Power	1W-1.3W	IP Rating	IP68
Voltage	DC:24V	Dimension	32 x 44 mm

SKU: 565	RGB Light 1W	3800156606562
SKU: 566	BLUE Light	38001566065879
SKU: 567	GREEN Light	38001566065886
SKU: 568	AMBER Light	38001566065893



1 Side Beam



2 Side Beam



1W



1.3W

Mini Directional Ground Lights
LED Light 1.3W

Product code	UN1-A8	IP Rating	IP68
Power	1.3W	Dimension	44 x 43 mm
Voltage	DC:24V		



SKU: 596	6000K 1 Side Beam	3800156605961
SKU: 597	3000K 1 Side Beam	3800156605978
SKU: 598	6000K 2 Side Beam	3800156605985
SKU: 599	3000K 2 Side Beam	3800156605992

LED Mini Floor Lights
LED Light 1-1.3W

Product code	UN1-A3	IP Rating	IP68
Power	1W -1.3W	Dimension	23 x 40 mm
Voltage	DC:24V		



SKU: 580	1W 6000K	3800156605800
SKU: 581	1W 3000K	3800156605817
SKU: 582	1W Blue Light	3800156605824
SKU: 583	1.3W 6000K	3800156605831
SKU: 584	1.3W 3000K	3800156605848
SKU: 585	1.3W Blue Light	3800156605855



LED Spike Lights
LED Light 1.3W

Product code	UN1-A5	IP Rating	IP68
Power	1.3W	Dimension	38 x 30 mm
Voltage	DC:24V		




Sleeve for LED Underground Lights

SKU: 873	Size - 22*55MM
SKU: 872	Size - 55*150MM
SKU: 874	Size - 35*150MM



SKU: 866	White Light 6000K	3800156608665
SKU: 867	Neutral Light 4000K	3800156608672
SKU: 868	Warm Light 3000K	3800156608689



Mini Ground Lights
HALF-SHADING 1.3W

Product code	UN1-A6	IP Rating	IP68
Power	1.3W	Dimension	60 x 45 mm
Voltage	DC:24V		



SKU: 592	White Light 6000K	3800156605923
SKU: 593	Warm Light 3000K	3800156605930



Mini Recessed Wall Lights
LED Light 1W

Product code	UN1-A6	IP Rating	IP44
Power	1W	Dimension	64 x 43 mm
Voltage	DC:24V		



SKU: 863	White Light 6000K	3800156608634
SKU: 864	Neutral Light 4000K	3800156608641
SKU: 865	Warm Light 3000K	3800156608658
SKU: 879	Blue Light	3800156608795

NEW



**LED Pool Light
12W PAR56**



Product code PL12-A1
Watts 12W
Input Voltage AC/DC :12V
Flux 1200lm
Beam Angle 90°
Socket PAR56

CRI Ra>80
IP Rating IP68
Dimension ø178x114 mm
Body Glass
Dimmable NO

SKU: 571 White Light 6000K 3800156605718
SKU: 572 Warm White 2700K 3800156605725



NEW



With Remote

**LED Pool Light
12W PAR56**



Product code PL12-A1
Watts 12W
Input Voltage AC/DC :12V
Flux 1200lm
Beam Angle 90°
Socket PAR56

CRI Ra>80
IP Rating IP68
Dimension ø178x114 mm
Body Glass
Dimmable NO

SKU: 573 RGB 3800156605732



**LED Outdoor Light
1W Spotlight**

UN1-A1



Watts 1W
Input Voltage AC : 220-245V
Flux 80lm
Beam Angle 18°

CRI Ra>80
IP Rating IP65
Dimension ø65x78mm
Body Color Stainless steel

SKU: 507 White Light 6000K 3800156605077
SKU: 517 Warm White 2800K 3800156605176



**LED Outdoor Light
3W Spotlight**


UN3-A1



Watts 3W
Input Voltage AC : 220-245V
Flux 240lm
Beam Angle 18°

CRI Ra>80
IP Rating IP65
Dimension ø100x82mm
Body Color Stainless steel

SKU: 501 White Light 6000K 3800156605015
SKU: 502 Warm White 2800K 3800156605022
SKU: 503 RGB Light RGB 3800156605039



**LED Outdoor Light
5W Spotlight**


UN5-A1



Watts 5W
Input Voltage AC : 220-245V
Flux 400lm
Beam Angle 18°

CRI Ra>80
IP Rating IP65
Dimension ø140x93 mm
Body Color Stainless steel

SKU: 515 White Light 6000K 3800156605152
SKU: 516 Warm White 2800K 3800156605169



**LED Outdoor Light
7W Spotlight**


UN7-A1



Watts 7W
Input Voltage AC : 220-245V
Flux 560lm
Beam Angle 18°

CRI Ra>80
IP Rating IP65
Dimension ø150x93 mm
Body Color Stainless steel

SKU: 550 White Light 6000K 3800156605503
SKU: 551 Warm White 2800K 3800156605510





Outdoor String Lights E27 Holders OT1-A3

- * 6 or 14.4 Meters Long String
- * 10 or 15 Pcs E27 Sockets
- * Up to 5A
- * Suspended Sockets
- * IP65
- * Black Color

SKU: 5054 10pcs E27 - 6m 3800156650541
 SKU: 5051 15pcs E27 - 14.4m 3800156650510



Outdoor String Lights E27 Holders OT1-A3

- * 6 or 14.4 Meters Long String
- * 10 or 15 Pcs E27 Sockets
- * Up to 5A
- * Fixed Sockets
- * IP65
- * White Color

SKU: 5055 10pcs E27 - 6m 3800156650558
 SKU: 5053 15pcs E27 - 14.4m 3800156650534



Outdoor String Lights E27 Holders OT1-A3

- * 14.4 Meters Long String
- * 15 Pcs E27 Sockets
- * Up to 5A
- * Fixed Sockets
- * IP65
- * Black Color

SKU: 5052 15pcs E27 - 14.4m 3800156650527



Outdoor String Lights Colourful Bulbs

- * 8 or 13 Meters Long String
- * 10 or 20 Bulbs included
- * 0.5 Watts Per Bulb
- * IP65
- * Black Color

SKU: 5056 10pcs Bulbs - 8m - 3W Colourful Bulbs 3800156650565
 SKU: 5092 20pcs Bulbs - 13m - 6W Colourful Bulbs 3800156650923



Linkable up to 2 Strings



Outdoor String Lights Colourful Bulbs

- * 8 or 13 Meters Long String
- * 10 or 20 Bulbs included
- * 0.5 Watts Per Bulb
- * IP65
- * White Color

SKU: 5090 10pcs Bulbs - 8m - 3W Colourful Bulbs 3800156650909
 SKU: 5095 20pcs Bulbs - 13m - 6W Colourful Bulbs 3800156650954



Linkable up to 2 Strings



Outdoor String Lights With Bulbs

- * 8 or 13 Meters Long String
- * 10 or 20 Bulbs included
- * 0.5 Watts Per Bulb
- * IP65
- * Black Color

SKU: 5057 10pcs Bulbs - 8m - 3W 6000K 3800156650572
 SKU: 5058 10pcs Bulbs - 8m - 3W 2700K 3800156650589
 SKU: 5093 20pcs Bulbs - 13m - 6W 6000K 3800156650930
 SKU: 5094 20pcs Bulbs - 13m - 6W 2700K 3800156650947



Linkable up to 2 Strings



Outdoor String Lights With Bulbs

- * 8 or 13 Meters Long String
- * 10 or 20 Bulbs included
- * 0.5 Watts Per Bulb
- * IP65
- * White Color

SKU: 5091 10pcs Bulbs - 8m - 3W 2700K 3800156650916
 SKU: 5096 20pcs Bulbs - 13m - 6W 2700K 3800156650961



Linkable up to 2 Strings



A universe of possibilities when combining the existing lighting solutions with various detecting devices to further enable energy saving and efficiency.


Features:

- Up to 80% power saving
- Home, office, garden or park use
- Different forms, shapes and colours
- Easy installation and long lifecycle

Application:

- Wall or pylon mountable

MOTION SENSORS




PIR Motion Sensor

Product code	SE1-A1	Body Color	White
Input Voltage	AC:110-240V	Class	II
Beam Angle	180°	Time	10sec-7min
Range	12m Max	Max Power	300W LED
Frequency	50-60 Hz	Ambient Light	<10Lux-2000Lux
Working Temp.	-30°C/+50°C	Material	Plastic+ALU
IP Rating	IP44	Dimension	∅65x86.5mm



SKU: 7301 White Body 3800156673014




PIR Motion Sensor

Product code	SE1-A3	Body Color	White
Input Voltage	AC:110-240V	Class	II
Beam Angle	180°	Time	10sec-7min
Range	12m Max	Max Power	200W LED
Frequency	50-60 Hz	Ambient Light	<10Lux-2000Lux
Working Temp.	-30°C/+50°C	Material	Plastic+ALU
IP Rating	IP54	Dimension	∅77x70mm



SKU: 7306 White Body 3800156673069




PIR Motion Sensor

Product code	SE1-A1	Body Color	Black
Input Voltage	AC:110-240V	Class	II
Beam Angle	180°	Time	10sec-7min
Range	12m Max	Max Power	300W LED
Frequency	50-60 Hz	Ambient Light	<10Lux-2000Lux
Working Temp.	-30°C/+50°C	Material	Plastic+ALU
IP Rating	IP44	Dimension	∅65x86.5mm



SKU: 7302 Black Body 3800156673021




PIR Motion Sensor

Product code	SE1-A3	Body Color	Black
Input Voltage	AC:110-240V	Class	II
Beam Angle	180°	Time	10sec-7min
Range	12m Max	Max Power	200W LED
Frequency	50-60 Hz	Ambient Light	<10Lux-2000Lux
Working Temp.	-30°C/+50°C	Material	Plastic+ALU
IP Rating	IP54	Dimension	∅77x70mm



SKU: 7307 Black Body 3800156673076




PIR Motion Sensor

Product code	SE1-A2	Body Color	White
Input Voltage	AC:110-240V	Class	II
Beam Angle	360°	Time	10sec-7min
Range	16m Max	Max Power	300W LED
Frequency	50-60 Hz	Ambient Light	<10Lux-2000Lux
Working Temp.	-30°C/+50°C	Material	Plastic+ALU
IP Rating	IP20	Dimension	∅88x55.5mm



SKU: 7305 White Body 3800156673052




PIR Motion Sensor

Product code	SE1-A2	Body Color	White
Input Voltage	AC:110-240V	Class	II
Beam Angle	360°	Time	10sec-7min
Range	8m Max	Max Power	1000W LED
Frequency	50-60 Hz	Ambient Light	<10Lux-2000Lux
Working Temp.	-30°C/+50°C	Material	Plastic+ALU
IP Rating	IP20	Dimension	∅108x25mm



SKU: 7310 White Body 3800156673106

NEW




PIR Motion Sensor

Product code	SE1-A2	Body Color	White
Input Voltage	AC:220-240V	Class	II
Beam Angle	360°	Time	10sec-7min
Range	6m Max	Max Power	300W LED
Frequency	50-60 Hz	Ambient Light	<10Lux-2000Lux
Working Temp.	-30°C/+50°C	Material	Plastic+ALU
IP Rating	IP20	Dimension	∅76x58mm



SKU: 7317 White Body 3800156673175



PIR Motion Sensor

Product code	SE1-A2	Body Color	White
Input Voltage	AC:110-240V	Class	II
Beam Angle	360°	Time	10sec-7min
Range	6m Max	Max Power	1000W LED
Frequency	50-60 Hz	Ambient Light	<10Lux-2000Lux
Working Temp.	-30°C/+50°C	Material	Plastic+ALU
IP Rating	IP20	Dimension	∅65x86.5mm



SKU: 7311 White Body 3800156673113



ON/OFF via moving hand



ON/OFF via open and close

Short Distance IR

Product code	SE1-A2	Body Color	White
Input Voltage	AC:110-240V	Class	II
Beam Angle	180°	Time	10sec-7min
Range	5cm Max	Max Power	200W LED
Frequency	50-60 Hz	Ambient Light	<10Lux-2000Lux
Working Temp.	-30°C/+50°C	Material	Plastic
IP Rating	IP20	Dimension	75x18mm



SKU: 7304 White Body 3800156673045




Dimming + Driver
5.8 Ghz

Microwave Sensor

Product code	SE1-A5	Body Color	White
Input Voltage	AC:110-240V	Class	II
Beam Angle	180°/ 300°	Time	10sec-30min
Range	25-100%	Max Power	300W LED
Frequency	50-60 Hz	Ambient Light	5,10,20,30,50,100,200Lux
Working Temp.	-30°C/+50°C	Material	Plastic+ALU
IP Rating	IP20	Dimension	75x47mm



SKU: 7315 White Body 3800156673151



PIR Motion Sensor

Product code	SE1-A4	Body Color	White
Input Voltage	AC:110-240V	Class	II
Beam Angle	120°	Time	10sec-7min
Range	2-10m Max	Max Power	100W LED
Frequency	50-60 Hz	Ambient Light	<10Lux-2000Lux
Working Temp.	-30°C/+50°C	Material	Plastic+ALU
IP Rating	IP65	Dimension	57x35mm



SKU: 7309 White Body 3800156673090




Dimming + Driver
5.8 Ghz

Microwave Sensor

Product code	SE1-A5	Body Color	White
Input Voltage	AC:110-240V	Class	II
Beam Angle	180°	Time	10sec-7min
Range	3-10m Max	Max Power	300W LED
Frequency	50-60 Hz	Ambient Light	<10Lux-2000Lux
Working Temp.	-30°C/+50°C	Material	Plastic+ALU
IP Rating	IP20	Dimension	56x42mm



SKU: 7316 White Body 3800156673168




PIR Motion Sensor

Product code	SE1-A2	Body Color	White
Input Voltage	AC:110-240V	Class	II
Beam Angle	360°	Time	10sec-7min
Range	8m Max	Max Power	300W LED
Frequency	50-60 Hz	Ambient Light	<10Lux-2000Lux
Working Temp.	-30°C/+50°C	Material	Plastic+ALU
IP Rating	IP20	Dimension	∅80x62mm



SKU: 7312 White Body 3800156673120



PIR Motion Sensor

Product code	SE1-A1	Body Color	White
Input Voltage	AC:110-240V	Class	II
Beam Angle	300°	Time	10sec-7min
Range	16m Max	Max Power	300W LED
Frequency	50-60 Hz	Ambient Light	<10Lux-2000Lux
Working Temp.	-30°C/+50°C	Material	Plastic+ALU
IP Rating	IP44	Dimension	165x117mm



SKU: 7313 White Body 3800156673137



Light Control Sensor

Product code	SE1-A1	Body Color	White+Blue
Input Voltage	AC:110-240V	Class	II
Power	6A Max	Ambient Light	<10Lux ON; >40Lux OFF
Frequency	50-60 Hz	Material	Plastic+ALU
Working Temp.	-30°C/+50°C	Dimension	46x44x35mm
IP Rating	IP44		



SKU: 7314 White Body 3800156673144